Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Entire Service Line Material Classification[x]	Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
Unique Service Line ID	Location Identifier[x] Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes		Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
A Unique ID is recommended for each service line.	*Water systems must track addresses of all service lines in their internal inventory. For the publicly accessible version, location identifiers are required for lead and galvanized requiring replacement. If the system does not use addresses for their location identifier, other options could include a landmark, intersection, block, or other details to specify service line locations. If using GPS coordinates, utilize the GPS Coordinate - Latitude/Longitude fields and include 5 decimal places.*							*Dropdown list includes recommended subclassifications. If "Non-Lead Other", describe in Notes field*	*Select Yes, No, or Don't know. Important for determining if downstream/ customer-owned*	*Dropdown list when the service line was installed or replaced*	*Use this field for documenting additional relevant*	*Dropdown list includes recommended subclassifications. If non-lead other, describe*	*Date, year, or estimated date range when the service line was installed or replaced*	*Can use this field for documenting additional relevant information, including when classification changes.*	*Dropdown list includes four required service line classifications of Lead, Non-lead, Galvanized Requiring Replacement, or Unknown*	*For example, lead gooseneck or pigtail where the water main is connected to the service line*	*Select Yes, No, or Don't Know*	*For example, backflow preventer or meter containing lead*	*Note: This information may be helpful for identifying lead tap monitoring locations.*						
1	*806*	*BRYAN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*		Non-Lead				*Single Family Residence*			*Yes*	*Tier 5*		
2	*1113*	*MOSKOWITZ*	*Seabrook*	*77586*				*Non-Lead*				*Galvanized*	*Before 1989*		Galvanized Requiring Replacement				*Building*				*Tier 5*		
3	*1700*	*MAIN STREET*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*		Non-Lead								*Tier 5*		
4	*613*	*2ND ST A*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/11/2009*	Non-Lead				*Multiple Family Residence*				*Tier 5*		
5	*609*	*2ND ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/3/2005*	Non-Lead								*Tier 5*		
6	*1837*	*BIMINI WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*4/9/2019*	Non-Lead								*Tier 5*		
7	*4120*	*BOARDWALK BLVD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/21/2006*	Non-Lead								*Tier 5*		
8	*4124*	*BOARDWALK BLVD.*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/21/2006*	Non-Lead								*Tier 5*		
9	*4140*	*BOARDWALK BLVD.*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/21/2006*	Non-Lead								*Tier 5*		
10	*1830*	*LAKESIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/15/2002*	Non-Lead								*Tier 5*		
11	*1905*	*FLORIDA DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/2/1997*	Non-Lead								*Tier 5*		
12	*1901*	*FLORIDA DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/5/1997*	Non-Lead								*Tier 5*		
13	*917*	*BAY SKY WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/17/2011*	Non-Lead								*Tier 5*		
14	*921*	*BAY SKY WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/16/2005*	Non-Lead								*Tier 5*		
15	*1006*	*BAY SKY WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/5/2005*	Non-Lead								*Tier 5*		
16	*1010*	*BAY SKY WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/5/2005*	Non-Lead								*Tier 5*		
17 (no data)	*4301*	*EGRET DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1992 (HCAD)*	Non-Lead								*Tier 5*		
18	*4305*	*EGRET DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/20/1993*	Non-Lead								*Tier 5*		
19 (no data)	*4309*	*EGRET DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
20 (no data)	*4313*	*EGRET DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
21 (no data)	*4317*	*EGRET DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
22 (no data)	*4324*	*EGRET DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*			Non-Lead								*Tier 5*		
23 (no data)	*4329*	*EGRET DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
24 (no data)	*4401*	*EGRET DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
25 (no data)	*4405*	*EGRET DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
26 (no data)	*4409*	*EGRET DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
27 (no data)	*4413*	*EGRET DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
28 (no data)	*4417*	*EGRET DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
29 (no data)	*4421*	*EGRET DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
30 (no data)	*4425*	*EGRET DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1990 (HCAD)*	Non-Lead								*Tier 5*		
31 (no data)	*4429*	*EGRET DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1992 (HCAD)*	Non-Lead								*Tier 5*		
32 (no data)	*1302*	*KILLDEER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
33	*1306*	*KILLDEER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/15/1992*	Non-Lead								*Tier 5*		
34	*1310*	*KILLDEER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/7/1992*	Non-Lead								*Tier 5*		
35	*1314*	*KILLDEER*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/29/1992*	Non-Lead								*Tier 5*		
36 (no data)	*4422*	*EGRET DR*	*Seabrook*	*77586*				*Non-Lead*				*Galvanized*	*Before 1989*	*1988 (HCAD)*	Galvanized Requiring Replacement										
37 (no data)	*4426*	*EGRET DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1988 (HCAD)*	Non-Lead								*Tier 5*		
38 (no data)	*4414*	*EGRET DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1990 (HCAD)*	Non-Lead								*Tier 5*		
39 (no data)	*4410*	*EGRET DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1990 (HCAD)*	Non-Lead								*Tier 5*		
40 (no data)	*4402*	*EGRET DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
41 (no data)	*4330*	*EGRET DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1990 (HCAD)*	Non-Lead								*Tier 5*		
42 (no data)	*4326*	*EGRET DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
43 (no data)	*4322*	*EGRET DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
44 (no data)	*4318*	*EGRET DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
45 (no data)	*4314*	*EGRET DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
46 (no data)	*4302*	*EGRET DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
47 (no data)	*4301*	*KINGFISH DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1992 (HCAD)*	Non-Lead								*Tier 5*		
48 (no data)	*4313*	*KINGFISH*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
49 (no data)	*4317*	*KINGFISH*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
50 (no data)	*4321*	*KINGFISH*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
51	*4325*	*KINGFISH*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/22/1992*	Non-Lead								*Tier 5*		
52 (no data)	*4329*	*KINGFISH DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
53 (no data)	*4333*	*KINGFISH*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
54 (no data)	*4401*	*KINGFISH*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion				Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
55	*4405*	*KINGFISH*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/6/1992*	Non-Lead								*Tier 5*		
56 (no data)	*4409*	*KINGFISH*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
57	*4413*	*KINGFISH*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/12/1993*	Non-Lead								*Tier 5*		
58 (no data)	*4425*	*KINGFISH*	*Seabrook*	*77586*				*Non-Lead*				*Galvanized*	*Before 1989*	*1984 (HCAD)*	Galvanized Requiring Replacement										
59	*1322*	*KILLDEER*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/18/1992*	Non-Lead								*Tier 5*		
60	*1326*	*KILLDEER*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/18/1992*	Non-Lead								*Tier 5*		
61	*1330*	*KILLDEER*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/29/1992*	Non-Lead								*Tier 5*		
62 (no data)	*4426*	*KINGFISH*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
63 (no data)	*4422*	*KINGFISH DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
64 (no data)	*4418*	*KINGFISH*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
65 (no data)	*4414*	*KINGFISH*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
66 (no data)	*4410*	*KINGFISH*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
67 (no data)	*4406*	*KINGFISH*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
68 (no data)	*4402*	*KINGFISH*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
69 (no data)	*4334*	*KINGFISH*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
70 (no data)	*4330*	*KINGFISH*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
71	*4326*	*KINGFISH*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/29/1994*	Non-Lead								*Tier 5*		
72 (no data)	*4322*	*KINGFISH*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
73 (no data)	*4318*	*KINGFISH*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1990 (HCAD)*	Non-Lead								*Tier 5*		
74 (no data)	*4314*	*KINGFISH*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1990 (HCAD)*	Non-Lead								*Tier 5*		
75 (no data)	*4310*	*KINGFISH*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1990 (HCAD)*	Non-Lead								*Tier 5*		
76 (no data)	*4306*	*KINGFISH*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1990 (HCAD)*	Non-Lead								*Tier 5*		
77 (no data)	*4302*	*KINGFISH*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1990 (HCAD)*	Non-Lead								*Tier 5*		
78 (no data)	*4301*	*SPOONBILL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1990 (HCAD)*	Non-Lead								*Tier 5*		
79 (no data)	*4305*	*SPOONBILL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
80 (no data)	*4309*	*SPOONBILL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1990 (HCAD)*	Non-Lead								*Tier 5*		
81 (no data)	*4313*	*SPOONBILL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
82 (no data)	*4317*	*SPOONBILL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
83 (no data)	*4321*	*SPOONBILL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
84 (no data)	*4325*	*SPOONBILL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
85 (no data)	*4329*	*SPOONBILL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
86 (no data)	*4401*	*SPOONBILL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
87 (no data)	*4413*	*SPOONBILL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
88 (no data)	*4417*	*SPOONBILL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
89 (no data)	*4425*	*SPOONBILL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
90	*1402*	*KILLDEER*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/7/1992*	Non-Lead								*Tier 5*		
91 (no data)	*1406*	*KILLDEER*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1992 (HCAD)*	Non-Lead								*Tier 5*		
92	*1410*	*KILLDEER*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/29/1992*	Non-Lead								*Tier 5*		
93	*1414*	*KILLDEER*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/16/1992*	Non-Lead								*Tier 5*		
94 (no data)	*4418*	*SPOONBILL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1990 (HCAD)*	Non-Lead								*Tier 5*		
95 (no data)	*4414*	*SPOONBILL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
96 (no data)	*4410*	*SPOONBILL DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1992 (HCAD)*	Non-Lead								*Tier 5*		
97 (no data)	*4402*	*SPOONBILL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
98 (no data)	*4330*	*SPOONBILL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
99 (no data)	*4322*	*SPOONBILL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1990 (HCAD)*	Non-Lead								*Tier 5*		
100 (no data)	*4318*	*SPOONBILL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
101 (no data)	*4314*	*SPOONBILL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
102 (no data)	*4309*	*PLOVER*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
103 (no data)	*4313*	*PLOVER*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1990 (HCAD)*	Non-Lead								*Tier 5*		
104	*1418*	*KILLDEER*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/29/1992*	Non-Lead								*Tier 5*		
105	*1422*	*KILLDEER*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/6/1992*	Non-Lead								*Tier 5*		
106 (no data)	*1430*	*KILLDEER*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1985 (HCAD)*	Non-Lead								*Tier 5*		
107	*4426*	*PLOVER*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/31/1992*	Non-Lead								*Tier 5*		
108	*4422*	*PLOVER*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/15/1992*	Non-Lead								*Tier 5*		
109	*4418*	*PLOVER*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/29/1992*	Non-Lead								*Tier 5*		
110 (no data)	*4414*	*PLOVER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1985 (HCAD)*	Non-Lead								*Tier 5*		
111 (no data)	*4406*	*PLOVER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1985 (HCAD)*	Non-Lead								*Tier 5*		
112 (no data)	*4402*	*PLOVER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1984 (HCAD)*	Non-Lead								*Tier 5*		
113 (no data)	*4330*	*PLOVER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1984 (HCAD)*	Non-Lead								*Tier 5*		
114 (no data)	*4326*	*PLOVER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1984 (HCAD)*	Non-Lead								*Tier 5*		
115 (no data)	*4322*	*PLOVER*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1984 (HCAD)*	Non-Lead								*Tier 5*		
116 (no data)	*4318*	*PLOVER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1984 (HCAD)*	Non-Lead								*Tier 5*		
117 (no data)	*4314*	*PLOVER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1984 (HCAD)*	Non-Lead								*Tier 5*		
118 (no data)	*4310*	*PLOVER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1984 (HCAD)*	Non-Lead								*Tier 5*		
119 (no data)	*4306*	*PLOVER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1984 (HCAD)*	Non-Lead								*Tier 5*		
120 (no data)	*4302*	*PLOVER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1984 (HCAD)*	Non-Lead								*Tier 5*		
121 (no data)	*1433*	*S HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1984 (HCAD)*	Non-Lead								*Tier 5*		
122 (no data)	*1429*	*S HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1985 (HCAD)*	Non-Lead								*Tier 5*		
123 (no data)	*1425*	*S HERON*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
124 (no data)	*1417*	*S HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1985 (HCAD)*	Non-Lead								*Tier 5*		
125 (no data)	*1413*	*S HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1990 (HCAD)*	Non-Lead								*Tier 5*		
126 (no data)	*1405*	*S HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1990 (HCAD)*	Non-Lead								*Tier 5*		
127 (no data)	*1401*	*S HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1990 (HCAD)*	Non-Lead								*Tier 5*		
128 (no data)	*1333*	*S HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1990 (HCAD)*	Non-Lead								*Tier 5*		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Entire Service Line Material Classification[x]	Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes		Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
129 (no data)	*1329*	*S HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1990 (HCAD)*	Non-Lead								*Tier 5*		
130 (no data)	*1325*	*S HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
131 (no data)	*1321*	*S HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1990 (HCAD)*	Non-Lead								*Tier 5*		
132 (no data)	*1317*	*S HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
133 (no data)	*1313*	*S HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
134 (no data)	*1309*	*HERON*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
135 (no data)	*4422*	*SPOONBILL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1990 (HCAD)*	Non-Lead								*Tier 5*		
136 (no data)	*4306*	*SPOONBILL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
137 (no data)	*4302*	*SPOONBILL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
138	*4301*	*PLOVER*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/29/1994*	Non-Lead								*Tier 5*		
139 (no data)	*4321*	*PLOVER*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
140	*4325*	*PLOVER*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/13/1994*	Non-Lead								*Tier 5*		
141 (no data)	*4329*	*PLOVER*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
142 (no data)	*4333*	*PLOVER DR.*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
143	*4401*	*PLOVER*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/2/1994*	Non-Lead								*Tier 5*		
144 (no data)	*4405*	*PLOVER*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1990 (HCAD)*	Non-Lead								*Tier 5*		
145 (no data)	*4409*	*PLOVER*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1990 (HCAD)*	Non-Lead								*Tier 5*		
146 (no data)	*4413*	*PLOVER*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
147 (no data)	*4425*	*PLOVER*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1990 (HCAD)*	Non-Lead								*Tier 5*		
148 (no data)	*1301*	*S HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
149 (no data)	*2533*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1986 (HCAD)*	Non-Lead								*Tier 5*		
150 (no data)	*2529*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1986 (HCAD)*	Non-Lead								*Tier 5*		
151 (no data)	*2521*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1986 (HCAD)*	Non-Lead								*Tier 5*		
152	*2517*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/15/1992*	Non-Lead								*Tier 5*		
153 (no data)	*2513*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1986 (HCAD)*	Non-Lead								*Tier 5*		
154	*2509*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/20/2003*	Non-Lead								*Tier 5*		
155	*2505*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/13/1994*	Non-Lead								*Tier 5*		
156	*2501*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/18/1996*	Non-Lead								*Tier 5*		
157 (no data)	*2500*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1990 (HCAD)*	Non-Lead								*Tier 5*		
158 (no data)	*2504*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1986 (HCAD)*	Non-Lead								*Tier 5*		
159 (no data)	*2508*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1985 (HCAD)*	Non-Lead								*Tier 5*		
160 (no data)	*2512*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1985 (HCAD)*	Non-Lead								*Tier 5*		
161 (no data)	*2516*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1986 (HCAD)*	Non-Lead								*Tier 5*		
162	*2524*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1986 (HCAD)*	Non-Lead							*Yes*	*Tier 5*		
163	*2536*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Between 1989 and 2014*	*6/7/1994*	Non-Lead							*Yes*	*Tier 5*		
164	*2600*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1986 (HCAD)*	Non-Lead							*Yes*	*Tier 5*		
165 (no data)	*2604*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1986 (HCAD)*	Non-Lead							*Yes*	*Tier 5*		
166	*2608*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/20/1992*	Non-Lead								*Tier 5*		
167 (no data)	*2612*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1986 (HCAD)*	Non-Lead								*Tier 5*		
168 (no data)	*2616*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1986 (HCAD)*	Non-Lead								*Tier 5*		
169 (no data)	*2620*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1986 (HCAD)*	Non-Lead								*Tier 5*		
170	*2624*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/10/1993*	Non-Lead								*Tier 5*		
171 (no data)	*2628*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1987 (HCAD)*	Non-Lead							*Yes*	*Tier 5*		
172 (no data)	*2632*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1987 (HCAD)*	Non-Lead								*Tier 5*		
173	*2636*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/20/1993*	Non-Lead								*Tier 5*		
174 (no data)	*2640*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1986 (HCAD)*	Non-Lead								*Tier 5*		
175 (no data)	*2644*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1985 (HCAD)*	Non-Lead								*Tier 5*		
176 (no data)	*2652*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1986 (HCAD)*	Non-Lead								*Tier 5*		
177 (no data)	*2656*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*		Non-Lead							*Yes*	*Tier 5*		
178 (no data)	*2660*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1985 (HCAD)*	Non-Lead								*Tier 5*		
179 (no data)	*2665*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1985*	Non-Lead								*Tier 5*		
180	*2661*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/26/1995*	Non-Lead								*Tier 5*		
181 (no data)	*2657*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1985 (HCAD)*	Non-Lead								*Tier 5*		
182 (no data)	*2653*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1986 (HCAD)*	Non-Lead								*Tier 5*		
183 (no data)	*2649*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1986 (HCAD)*	Non-Lead								*Tier 5*		
184 (no data)	*2645*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1987 (HCAD)*	Non-Lead								*Tier 5*		
185 (no data)	*2641*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1987 (HCAD)*	Non-Lead								*Tier 5*		
186 (no data)	*2637*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1987 (HCAD)*	Non-Lead								*Tier 5*		
187 (no data)	*2633*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1986 (HCAD)*	Non-Lead								*Tier 5*		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Entire Service Line Material Classification[x]	Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes		Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
188 (no data)	*2629*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1985 (HCAD)*	Non-Lead								*Tier 5*		
189 (no data)	*2625*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1986 (HCAD)*	Non-Lead								*Tier 5*		
190 (no data)	*2621*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1986 (HCAD)*	Non-Lead								*Tier 5*		
191 (no data)	*2617*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1985 (HCAD)*	Non-Lead								*Tier 5*		
192 (no data)	*2613*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1986 (HCAD)*	Non-Lead								*Tier 5*		
193 (no data)	*2605*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1985 (HCAD)*	Non-Lead								*Tier 5*		
194 (no data)	*2601*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1985 (HCAD)*	Non-Lead								*Tier 5*		
195	*2602*	*DE FOUR TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/6/1999*	Non-Lead								*Tier 5*		
196 (no data)	*2606*	*DE FOUR TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1994 (HCAD)*	Non-Lead								*Tier 5*		
197	*2605*	*DE FOUR TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/6/1994*	Non-Lead								*Tier 5*		
198 (no data)	*2609*	*DE FOUR TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
199	*2610*	*DE FOUR TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/2/1992*	Non-Lead								*Tier 5*		
200	*2614*	*DE FOUR TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/11/1992*	Non-Lead								*Tier 5*		
201 (no data)	*2613*	*DE FOUR TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1992 (HCAD)*	Non-Lead								*Tier 5*		
202 (no data)	*2617*	*DE FOUR TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1992 (HCAD)*	Non-Lead								*Tier 5*		
203 (no data)	*2618*	*DE FOUR TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1992 (HCAD)*	Non-Lead								*Tier 5*		
204 (no data)	*2622*	*DE FOUR TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1992 (HCAD)*	Non-Lead								*Tier 5*		
205 (no data)	*2621*	*DE FOUR TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
206 (no data)	*2625*	*DE FOUR TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
207 (no data)	*2629*	*DE FOUR TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1992 (HCAD)*	Non-Lead								*Tier 5*		
208	*2633*	*DE FOUR TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/5/1992*	Non-Lead								*Tier 5*		
209 (no data)	*2637*	*DE FOUR TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1992 (HCAD)*	Non-Lead								*Tier 5*		
210 (no data)	*2634*	*DE FOUR TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1992 (HCAD)*	Non-Lead								*Tier 5*		
211	*2630*	*DE FOUR TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/27/1992*	Non-Lead								*Tier 5*		
212 (no data)	*2201*	*LE BEAU LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1992 (HCAD)*	Non-Lead								*Tier 5*		
213	*2205*	*LE BEAU LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/5/1993*	Non-Lead								*Tier 5*		
214 (no data)	*2209*	*LE BEAU LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1992 (HCAD)*	Non-Lead								*Tier 5*		
215 (no data)	*2213*	*LE BEAU LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
216	*2602*	*CYPRESS CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/24/1994*	Non-Lead								*Tier 5*		
217	*2601*	*CYPRESS CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/13/1994*	Non-Lead								*Tier 5*		
218 (no data)	*2605*	*CYPRESS CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1992 (HCAD)*	Non-Lead								*Tier 5*		
219 (no data)	*2609*	*CYPRESS CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1992 (HCAD)*	Non-Lead								*Tier 5*		
220 (no data)	*2613*	*CYPRESS CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
221 (no data)	*2617*	*CYPRESS CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
222 (no data)	*2217*	*LE BEAU LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
223 (no data)	*2221*	*LE BEAU LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
224 (no data)	*2229*	*LE BEAU LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
225 (no data)	*2233*	*LE BEAU LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1992 (HCAD)*	Non-Lead								*Tier 5*		
226	*2610*	*LA TECHE LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/14/1994*	Non-Lead								*Tier 5*		
227 (no data)	*2606*	*LA TECHE LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
228 (no data)	*2602*	*LA TECHE LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
229 (no data)	*2605*	*LA TECHE LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
230	*2601*	*LA TECHE LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/1/1994*	Non-Lead								*Tier 5*		
231	*2542*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/1/1999*	Non-Lead								*Tier 5*		
232	*2538*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/24/1999*	Non-Lead								*Tier 5*		
233	*2529*	*DE FOUR TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/1/1999*	Non-Lead								*Tier 5*		
234	*2525*	*DE FOUR TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/20/1999*	Non-Lead								*Tier 5*		
235	*2521*	*DE FOUR TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/23/1999*	Non-Lead								*Tier 5*		
236	*2517*	*DE FOUR TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/21/1997*	Non-Lead								*Tier 5*		
237	*2513*	*DE FOUR TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/9/2001*	Non-Lead								*Tier 5*		
238	*2510*	*DE FOUR TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/17/1994*	Non-Lead								*Tier 5*		
239	*2514*	*DE FOUR TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/6/2001*	Non-Lead								*Tier 5*		
240	*2518*	*DE FOUR TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/17/1994*	Non-Lead								*Tier 5*		
241	*2522*	*DE FOUR TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/7/1995*	Non-Lead								*Tier 5*		
242	*2526*	*DE FOUR TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/20/1994*	Non-Lead								*Tier 5*		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Entire Service Line Material Classification[x]	Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering				Lead Service Line Replacement	
Unique Service Line ID	Location Identifier[x]							System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes		Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[x]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)																		
243	*2530*	*DE FOUR TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/22/1995*	Non-Lead								*Tier 5*		
244 (no data)	*2541*	*BREAUX TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2000 (HCAD)*	Non-Lead								*Tier 5*		
245	*2537*	*BREAUX TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/20/1995*	Non-Lead								*Tier 5*		
246	*2533*	*BREAUX TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/9/2000*	Non-Lead								*Tier 5*		
247	*2529*	*BREAUX TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/20/1994*	Non-Lead								*Tier 5*		
248	*2525*	*BREAUX TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/17/1995*	Non-Lead								*Tier 5*		
249	*2521*	*BREAUX TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/24/1996*	Non-Lead								*Tier 5*		
250	*2517*	*DU LAC TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/14/1998*	Non-Lead								*Tier 5*		
251	*2506*	*BREAUX TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/15/2000*	Non-Lead								*Tier 5*		
252	*2510*	*BREAUX TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/15/1997*	Non-Lead								*Tier 5*		
253	*2514*	*BREAUX TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/12/2000*	Non-Lead								*Tier 5*		
254	*2526*	*BREAUX TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/9/1997*	Non-Lead								*Tier 5*		
255	*2530*	*BREAUX TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/6/1998*	Non-Lead								*Tier 5*		
256	*2534*	*BREAUX TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/9/1997*	Non-Lead								*Tier 5*		
257	*2538*	*BREAUX TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/9/1997*	Non-Lead								*Tier 5*		
258	*2546*	*BREAUX TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/8/1997*	Non-Lead								*Tier 5*		
259	*2550*	*BREAUX TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/28/1998*	Non-Lead								*Tier 5*		
260	*2533*	*DU LAC TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/14/1998*	Non-Lead								*Tier 5*		
261	*2529*	*DU LAC TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/9/1998*	Non-Lead								*Tier 5*		
262	*2525*	*DU LAC TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/17/1998*	Non-Lead								*Tier 5*		
263	*2517*	*BREAUX TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/6/1998*	Non-Lead								*Tier 5*		
264	*2513*	*DU LAC TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/15/1997*	Non-Lead								*Tier 5*		
265	*2509*	*DU LAC TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/12/1998*	Non-Lead								*Tier 5*		
266	*2505*	*DU LAC TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/28/1998*	Non-Lead								*Tier 5*		
267	*2514*	*DU LAC TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/1/2001*	Non-Lead								*Tier 5*		
268	*2518*	*DU LAC TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/31/1998*	Non-Lead								*Tier 5*		
269	*2522*	*DU LAC TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/14/1999*	Non-Lead								*Tier 5*		
270	*2526*	*DU LAC TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/12/2000*	Non-Lead								*Tier 5*		
271	*2530*	*DU LAC TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/17/1998*	Non-Lead								*Tier 5*		
272	*2534*	*DU LAC TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/6/1998*	Non-Lead								*Tier 5*		
273	*2101*	*KETCH CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/4/2003*	Non-Lead								*Tier 5*		
274	*2109*	*KETCH CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/24/2002*	Non-Lead								*Tier 5*		
275 (no data)	*2126*	*WATER WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/24/2002*	Non-Lead								*Tier 5*		
276	*2130*	*WATER WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/21/2004*	Non-Lead								*Tier 5*		
277 (no data)	*2202*	*WATER WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/2/2004*	Non-Lead								*Tier 5*		
278 (no data)	*2206*	*WATER WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/2/2011*	Non-Lead								*Tier 5*		
279 (no data)	*2210*	*WATER WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/21/2007*	Non-Lead								*Tier 5*		
280	*2222*	*WATER WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/19/2006*	Non-Lead								*Tier 5*		
281 (no data)	*2226*	*WATER WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/24/2005*	Non-Lead								*Tier 5*		
282 (no data)	*2234*	*WATER WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/8/2002*	Non-Lead								*Tier 5*		
283 (no data)	*2238*	*WATER WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/2/2002*	Non-Lead								*Tier 5*		
284 (no data)	*2242*	*WATER WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/5/2002*	Non-Lead								*Tier 5*		
285 (no data)	*2300*	*WATER WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/1/2004*	Non-Lead								*Tier 5*		
286	*2402*	*BLUE CANOE CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2013 (HCAD)*	Non-Lead								*Tier 5*		
287	*2414*	*BLUE CANOE COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/30/2015*	Non-Lead								*Tier 5*		
288	*2420*	*BLUE CANOE COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/7/2012*	Non-Lead				*Building*				*Tier 5*		
289	*2018*	*KETCH COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/27/2005*	Non-Lead								*Tier 5*		
290	*2014*	*KETCH COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/20/2006*	Non-Lead								*Tier 5*		
291	*2010*	*KETCH CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/21/2005*	Non-Lead								*Tier 5*		
292	*2006*	*KETCH CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/20/2005*	Non-Lead								*Tier 5*		
293	*2002*	*KETCH CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/21/2005*	Non-Lead								*Tier 5*		
294 (no data)	*2000*	*KETCH COURT*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead				*Building*				*Tier 5*		
295	*2017*	*KETCH CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/26/2005*	Non-Lead								*Tier 5*		
296	*2021*	*KETCH CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/28/2005*	Non-Lead								*Tier 5*		
297	*2025*	*KETCH COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/28/2005*	Non-Lead								*Tier 5*		
298	*2029*	*KETCH CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/28/2005*	Non-Lead								*Tier 5*		
299	*2205*	*LAKE COVE WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/1/2006*	Non-Lead								*Tier 5*		
300	*2217*	*LAKE COVE WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/3/2006*	Non-Lead								*Tier 5*		
301	*2241*	*LAKE COVE WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/21/2005*	Non-Lead								*Tier 5*		
302	*2249*	*LAKE COVE WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/28/2005*	Non-Lead								*Tier 5*		
303	*2645*	*LAKEWAY DRIVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/5/1993*	Non-Lead								*Tier 5*		
304	*2649*	*LAKEWAY DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/1/1993*	Non-Lead								*Tier 5*		
305 (no data)	*2525*	*SEA HORSE CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1997 (HCAD)*	Non-Lead								*Tier 5*		
306 (no data)	*2529*	*SEA HORSE CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1996 (HCAD)*	Non-Lead								*Tier 5*		
307 (no data)	*2917*	*SHORE LINE COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2003 (HCAD)*	Non-Lead								*Tier 5*		
308	*4145*	*BOARDWALK BLVD.*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/20/2006*	Non-Lead								*Tier 5*		
309 (no data)	*2614*	*CYPRESS CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
310 (no data)	*2608*	*CYPRESS CT*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead				*Building*				*Tier 5*		
311 (no data)	*2610*	*CYPRESS CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
312	*2606*	*CYPRESS CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/1/1993*	Non-Lead								*Tier 5*		
313	*2301*	*PIN HOOK CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/12/1992*	Non-Lead								*Tier 5*		
314 (no data)	*2305*	*PIN HOOK CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1992 (HCAD)*	Non-Lead								*Tier 5*		
315 (no data)	*2317*	*PIN HOOK CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
316 (no data)	*2321*	*PIN HOOK CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
317 (no data)	*2325*	*PIN HOOK CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
318 (no data)	*2329*	*PIN HOOK CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
319 (no data)	*2333*	*PIN HOOK CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
320	*2337*	*PIN HOOK CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/23/1995*	Non-Lead								*Tier 5*		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Entire Service Line Material Classification[x]	Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[x]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[z]	Service Line Installation Date[z]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[z]	Notes		Is there a Lead Connector?[z]	Is there Lead Solder in the Service Line?[z]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
321 (no data)	*2339*	*PIN HOOK CT*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead				*Building*				*Tier 5*		
322	*2338*	*PIN HOOK CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/31/1992*	Non-Lead								*Tier 5*		
323 (no data)	*2334*	*PIN HOOK CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
324 (no data)	*2330*	*PIN HOOK CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1992 (HCAD)*	Non-Lead								*Tier 5*		
325	*2326*	*PIN HOOK CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/13/1994*	Non-Lead								*Tier 5*		
326 (no data)	*2322*	*PIN HOOK CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
327	*2314*	*PIN HOOK CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/11/1993*	Non-Lead								*Tier 5*		
328 (no data)	*2209*	*ACADIANA CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1992 (HCAD)*	Non-Lead								*Tier 5*		
329 (no data)	*2213*	*ACADIANA CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1992 (HCAD)*	Non-Lead								*Tier 5*		
330 (no data)	*2214*	*ACADIANA CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1992 (HCAD)*	Non-Lead								*Tier 5*		
331 (no data)	*2210*	*ACADIANA CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1992 (HCAD)*	Non-Lead								*Tier 5*		
332 (no data)	*2206*	*ACADIANA CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1992 (HCAD)*	Non-Lead								*Tier 5*		
333 (no data)	*2202*	*ACADIANA CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1992 (HCAD)*	Non-Lead								*Tier 5*		
334	*2605*	*VERMILLION RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/19/1995*	Non-Lead								*Tier 5*		
335	*2609*	*VERMILLION RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/19/1998*	Non-Lead								*Tier 5*		
336	*2613*	*VERMILLION RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/25/1996*	Non-Lead								*Tier 5*		
337	*2617*	*VERMILLION RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/25/1996*	Non-Lead								*Tier 5*		
338	*2633*	*VERMILLION*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/30/1997*	Non-Lead								*Tier 5*		
339	*2637*	*VERMILLION RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/24/1993*	Non-Lead								*Tier 5*		
340	*2641*	*VERMILLION*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/10/1997*	Non-Lead								*Tier 5*		
341	*2634*	*VERMILLION RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/25/1996*	Non-Lead								*Tier 5*		
342	*2630*	*VERMILLION RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/25/1996*	Non-Lead								*Tier 5*		
343	*2626*	*VERMILLION ROAD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/28/1997*	Non-Lead								*Tier 5*		
344	*2622*	*VERMILLION ROAD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/9/1997*	Non-Lead								*Tier 5*		
345	*2618*	*VERMILLION ROAD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/28/1997*	Non-Lead								*Tier 5*		
346	*2614*	*VERMILLION*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/27/1997*	Non-Lead								*Tier 5*		
347	*2606*	*VERMILLION*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/25/1997*	Non-Lead								*Tier 5*		
348	*2602*	*VERMILLION*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/25/1997*	Non-Lead								*Tier 5*		
349	*2526*	*VERMILLION*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/16/1998*	Non-Lead								*Tier 5*		
350	*2522*	*VERMILLION*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/16/1998*	Non-Lead								*Tier 5*		
351	*2518*	*VERMILLION RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/7/1995*	Non-Lead								*Tier 5*		
352	*2514*	*VERMILLION RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/2/1998*	Non-Lead								*Tier 5*		
353	*2510*	*VERMILLION RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/2/1998*	Non-Lead								*Tier 5*		
354	*2506*	*VERMILLION*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/6/1998*	Non-Lead								*Tier 5*		
355	*2502*	*VERMILLION*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/6/1998*	Non-Lead								*Tier 5*		
356	*2501*	*VERMILLION RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/15/1999*	Non-Lead								*Tier 5*		
357	*2505*	*VERMILLION*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/15/1999*	Non-Lead								*Tier 5*		
358	*2509*	*VERMILLION DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/28/1997*	Non-Lead								*Tier 5*		
359	*2513*	*VERMILLION DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/28/1997*	Non-Lead								*Tier 5*		
360	*2517*	*VERMILLION DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/13/1997*	Non-Lead								*Tier 5*		
361	*2521*	*VERMILLION ROAD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/27/1997*	Non-Lead								*Tier 5*		
362	*2525*	*VERMILLION ROAD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/14/1997*	Non-Lead								*Tier 5*		
363	*2554*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/17/1996*	Non-Lead								*Tier 5*		
364	*2550*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/27/1994*	Non-Lead								*Tier 5*		
365	*2534*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/4/1999*	Non-Lead								*Tier 5*		
366	*2530*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/12/1998*	Non-Lead								*Tier 5*		
367	*2526*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/12/1998*	Non-Lead								*Tier 5*		
368	*2522*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/12/1998*	Non-Lead								*Tier 5*		
369	*2518*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/15/1998*	Non-Lead								*Tier 5*		
370	*2514*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/18/1998*	Non-Lead								*Tier 5*		
371	*2510*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/10/1999*	Non-Lead								*Tier 5*		
372	*2430*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/16/1998*	Non-Lead								*Tier 5*		
373	*2329*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/27/2001*	Non-Lead								*Tier 5*		
374	*2418*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/6/1999*	Non-Lead								*Tier 5*		
375	*2337*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/7/2000*	Non-Lead								*Tier 5*		
376	*2414*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/18/1999*	Non-Lead								*Tier 5*		
377 (no data)	*2410*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1999 (HCAD)*	Non-Lead								*Tier 5*		
378 (no data)	*2402*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1999 (HCAD)*	Non-Lead								*Tier 5*		
379 (no data)	*2401*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1999 (HCAD)*	Non-Lead								*Tier 5*		
380	*2405*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/15/1999*	Non-Lead								*Tier 5*		
381	*2409*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/5/1998*	Non-Lead								*Tier 5*		
382	*2413*	*2413 ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/20/1999*	Non-Lead								*Tier 5*		
383 (no data)	*2313*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1998 (HCAD)*	Non-Lead								*Tier 5*		
384	*2534*	*DE FOUR TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/25/2001*	Non-Lead								*Tier 5*		
385	*2321*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/18/1997*	Non-Lead								*Tier 5*		
386	*2325*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/18/1997*	Non-Lead								*Tier 5*		
387 (no data)	*2301*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1999 (HCAD)*	Non-Lead								*Tier 5*		
388 (no data)	*2317*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1997 (HCAD)*	Non-Lead								*Tier 5*		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Entire Service Line Material Classification[x]	Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes		Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
389 (no data)	*2305*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1998 (HCAD)*	Non-Lead								*Tier 5*		
390	*2425*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/28/1998*	Non-Lead								*Tier 5*		
391	*2429*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/6/1998*	Non-Lead								*Tier 5*		
392	*2511*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/15/1999*	Non-Lead								*Tier 5*		
393	*2519*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/10/1999*	Non-Lead								*Tier 5*		
394	*2523*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/10/1999*	Non-Lead								*Tier 5*		
395	*2527*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/10/1999*	Non-Lead								*Tier 5*		
396	*2531*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/20/1999*	Non-Lead								*Tier 5*		
397	*2539*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/20/1999*	Non-Lead								*Tier 5*		
398	*2543*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/20/1999*	Non-Lead								*Tier 5*		
399	*2557*	*DU LAC TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/14/2001*	Non-Lead								*Tier 5*		
400 (no data)	*2949*	*DU LAC TRACE*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead								*Tier 5*		
401	*2545*	*DU LAC TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/16/1997*	Non-Lead								*Tier 5*		
402	*2541*	*DU LAC TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/24/1998*	Non-Lead								*Tier 5*		
403	*2537*	*DU LAC TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/6/1998*	Non-Lead								*Tier 5*		
404	*2547*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/8/1999*	Non-Lead								*Tier 5*		
405	*2510*	*DU LAC TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/19/2001*	Non-Lead								*Tier 5*		
406	*2538*	*DU LAC TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/26/1998*	Non-Lead								*Tier 5*		
407	*2546*	*DU LAC TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/7/1998*	Non-Lead								*Tier 5*		
408	*2554*	*DU LAC TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/14/2000*	Non-Lead								*Tier 5*		
409	*2535*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/20/1999*	Non-Lead								*Tier 5*		
410	*2345*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/5/2000*	Non-Lead								*Tier 5*		
411	*2406*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/9/1998*	Non-Lead								*Tier 5*		
412	*2515*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/16/1998*	Non-Lead								*Tier 5*		
413	*2329*	*WATER WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/4/2004*	Non-Lead								*Tier 5*		
414	*2325*	*WATER WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/17/2004*	Non-Lead								*Tier 5*		
415 (no data)	*2321*	*WATER WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/4/2003*	Non-Lead								*Tier 5*		
416	*2317*	*WATER WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/29/2004*	Non-Lead								*Tier 5*		
417 (no data)	*2313*	*WATER WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/9/2003*	Non-Lead								*Tier 5*		
418	*2239*	*WATER WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/2/2004*	Non-Lead								*Tier 5*		
419	*2235*	*WATER WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/28/2004*	Non-Lead								*Tier 5*		
420	*2231*	*WATER WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/19/2004*	Non-Lead								*Tier 5*		
421 (no data)	*2225*	*WATER WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/20/2002*	Non-Lead								*Tier 5*		
422	*2221*	*WATER WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/20/2002*	Non-Lead								*Tier 5*		
423	*2213*	*WATER WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/20/2002*	Non-Lead								*Tier 5*		
424	*2209*	*WATER WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*7/7/2016*	Non-Lead								*Tier 5*		
425	*2201*	*WATER WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/30/2013*	Non-Lead								*Tier 5*		
426	*2127*	*WATER WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/28/2004*	Non-Lead								*Tier 5*		
427	*2123*	*WATER WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/16/2004*	Non-Lead								*Tier 5*		
428	*2119*	*WATER WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/30/2002*	Non-Lead								*Tier 5*		
429 (no data)	*2318*	*WATER WAY*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead				*Building*				*Tier 5*		
430	*2361*	*ORLEANS LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/17/2001*	Non-Lead								*Tier 5*		
431	*2357*	*ORLEANS LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/17/2001*	Non-Lead								*Tier 5*		
432	*2353*	*ORLEANS LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/20/2001*	Non-Lead								*Tier 5*		
433	*2345*	*ORLEANS LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/19/2001*	Non-Lead								*Tier 5*		
434	*2341*	*ORLEANS LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/7/2001*	Non-Lead								*Tier 5*		
435	*2337*	*ORLEANS LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/6/2001*	Non-Lead								*Tier 5*		
436	*2333*	*ORLEANS LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/5/2001*	Non-Lead								*Tier 5*		
437	*2325*	*ORLEANS LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/7/2001*	Non-Lead								*Tier 5*		
438	*2321*	*ORLEANS LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/1/2001*	Non-Lead								*Tier 5*		
439	*2313*	*ORLEANS LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/29/2000*	Non-Lead								*Tier 5*		
440	*2305*	*ORLEANS LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/29/2000*	Non-Lead								*Tier 5*		
441	*2301*	*ORLEANS LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/19/2000*	Non-Lead								*Tier 5*		
442	*2405*	*ORLEANS LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/27/2000*	Non-Lead								*Tier 5*		
443	*2409*	*ORLEANS LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/30/2000*	Non-Lead								*Tier 5*		
444	*2417*	*ORLEANS LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/17/2000*	Non-Lead								*Tier 5*		
445	*2425*	*ORLEANS LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/24/2000*	Non-Lead								*Tier 5*		
446	*2429*	*ORLEANS*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/29/2004*	Non-Lead								*Tier 5*		
447	*2424*	*ORLEANS LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/11/1999*	Non-Lead								*Tier 5*		
448	*2420*	*ORLEANS LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/25/2000*	Non-Lead								*Tier 5*		
449	*2416*	*ORLEANS LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/17/2000*	Non-Lead								*Tier 5*		
450	*2412*	*ORLEANS LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/7/2000*	Non-Lead								*Tier 5*		
451	*2408*	*ORLEANS LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/7/2000*	Non-Lead								*Tier 5*		
452	*2501*	*LAFAYETTE CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/14/2000*	Non-Lead								*Tier 5*		
453	*2505*	*LAFAYETTE CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/14/2000*	Non-Lead								*Tier 5*		
454	*2509*	*LAFAYETTE CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/22/1999*	Non-Lead								*Tier 5*		
455	*2513*	*LAFAYETTE CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/22/1999*	Non-Lead								*Tier 5*		
456	*2510*	*LAFAYETTE CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/7/2000*	Non-Lead								*Tier 5*		
457	*2506*	*LAFAYETTE CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2000 (HCAD)*	Non-Lead								*Tier 5*		
458	*2601*	*BROUSSARD COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/1/2001*	Non-Lead								*Tier 5*		
459	*2605*	*BROUSSARD COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/1/2001*	Non-Lead								*Tier 5*		
460	*2617*	*BROUSSARD COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/16/2000*	Non-Lead								*Tier 5*		
461	*2621*	*BROUSSARD COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/6/2000*	Non-Lead								*Tier 5*		
462	*2626*	*BROUSSARD COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/17/2000*	Non-Lead								*Tier 5*		
463	*2622*	*BROUSSARD COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/6/2000*	Non-Lead								*Tier 5*		
464	*2618*	*BROUSSARD COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/23/1999*	Non-Lead								*Tier 5*		
465	*2614*	*BROUSSARD COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/16/2000*	Non-Lead								*Tier 5*		
466	*2610*	*BROUSSARD COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/22/2000*	Non-Lead								*Tier 5*		
467	*2602*	*BROUSSARD COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/6/2001*	Non-Lead								*Tier 5*		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion				Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
468	*2542*	*DU LAC TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/29/2003*	Non-Lead								*Tier 5*		
469	*2302*	*LORD NELSON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/30/1995*	Non-Lead								*Tier 5*		
470	*2306*	*LORD NELSON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/12/1995*	Non-Lead								*Tier 5*		
471	*2310*	*LORD NELSON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/28/1997*	Non-Lead								*Tier 5*		
472	*2314*	*LORD NELSON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/20/1996*	Non-Lead								*Tier 5*		
473	*2334*	*LORD NELSON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/25/1996*	Non-Lead								*Tier 5*		
474	*2333*	*LORD NELSON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/11/1996*	Non-Lead								*Tier 5*		
475	*2329*	*LORD NELSON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/16/1997*	Non-Lead								*Tier 5*		
476	*2325*	*LORD NELSON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/27/1997*	Non-Lead								*Tier 5*		
477	*2321*	*LORD NELSON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/28/1997*	Non-Lead								*Tier 5*		
478	*2317*	*LORD NELSON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/21/1996*	Non-Lead								*Tier 5*		
479	*2313*	*LORD NELSON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/11/1996*	Non-Lead								*Tier 5*		
480	*2309*	*LORD NELSON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/20/1996*	Non-Lead								*Tier 5*		
481	*2301*	*LORD NELSON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/27/1995*	Non-Lead								*Tier 5*		
482	*1902*	*FLORIDA DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/24/1998*	Non-Lead								*Tier 5*		
483	*1921*	*LORI COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/19/1995*	Non-Lead								*Tier 5*		
484	*1917*	*LORI COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/27/1995*	Non-Lead								*Tier 5*		
485	*1909*	*LORI COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/23/1993*	Non-Lead								*Tier 5*		
486	*1905*	*LORI COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/5/1993*	Non-Lead								*Tier 5*		
487	*1901*	*LORI COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/6/1993*	Non-Lead								*Tier 5*		
488	*1902*	*LORI COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/29/1993*	Non-Lead								*Tier 5*		
489	*1906*	*LORI COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/5/1993*	Non-Lead								*Tier 5*		
490	*1910*	*LORI COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/26/1993*	Non-Lead								*Tier 5*		
491	*2120*	*LORD NELSON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/22/1994*	Non-Lead								*Tier 5*		
492	*2124*	*LORD NELSON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/9/1995*	Non-Lead								*Tier 5*		
493	*1925*	*ENDEAVOR CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/11/1994*	Non-Lead								*Tier 5*		
494	*1921*	*ENDEAVOR CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/26/1993*	Non-Lead								*Tier 5*		
495	*1917*	*ENDEAVOR CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/16/1993*	Non-Lead								*Tier 5*		
496	*1913*	*ENDEAVOR CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/25/1993*	Non-Lead								*Tier 5*		
497	*1909*	*ENDEAVOR CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/25/1993*	Non-Lead								*Tier 5*		
498	*1905*	*ENDEAVOR CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/31/1993*	Non-Lead								*Tier 5*		
499	*1902*	*ENDEAVOR CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/26/1993*	Non-Lead								*Tier 5*		
500	*1906*	*ENDEAVOR CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/12/1993*	Non-Lead								*Tier 5*		
501	*1910*	*ENDEAVOR CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/20/1993*	Non-Lead								*Tier 5*		
502	*1918*	*ENDEAVOR CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/25/1993*	Non-Lead								*Tier 5*		
503	*1922*	*ENDEAVOR CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/1/1993*	Non-Lead								*Tier 5*		
504	*1824*	*HARBOUR CREST DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/11/1997*	Non-Lead								*Tier 5*		
505	*1828*	*HARBOUR CREST DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/26/1998*	Non-Lead								*Tier 5*		
506	*1517*	*MIJA LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1996 (HCAD)*	Non-Lead								*Tier 5*		
507	*1502*	*MIJA LANE*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead				*Building*				*Tier 5*		
508	*1428*	*MIJA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1995 (HCAD)*	Non-Lead								*Tier 5*		
509	*1416*	*MIJA LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1995 (HCAD)*	Non-Lead								*Tier 5*		
510	*1412*	*MIJA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1995 (HCAD)*	Non-Lead								*Tier 5*		
511	*1408*	*MIJA LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1995 (HCAD)*	Non-Lead								*Tier 5*		
512	*1404*	*MIJA LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1995 (HCAD)*	Non-Lead								*Tier 5*		
513	*1400*	*MIJA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1995 (HCAD)*	Non-Lead								*Tier 5*		
514	*1401*	*MIJA LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1995 (HCAD)*	Non-Lead								*Tier 5*		
515	*1405*	*MIJA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1995 (HCAD)*	Non-Lead								*Tier 5*		
516	*1409*	*MIJA LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1996 (HCAD)*	Non-Lead								*Tier 5*		
517	*1413*	*MIJA LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1996 (HCAD)*	Non-Lead								*Tier 5*		
518	*1417*	*MIJA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1996 (HCAD)*	Non-Lead								*Tier 5*		
519	*1421*	*MIJA LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1995 (HCAD)*	Non-Lead								*Tier 5*		
520	*1425*	*MIJA LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1996 (HCAD)*	Non-Lead								*Tier 5*		
521	*1429*	*MIJA LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1996 (HCAD)*	Non-Lead								*Tier 5*		
522	*1506*	*PARK DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/5/2001*	Non-Lead								*Tier 5*		
523	*1602*	*OLD ORCHARD LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/14/2000*	Non-Lead								*Tier 5*		
524	*1606*	*OLD ORCHARD LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/19/2002*	Non-Lead								*Tier 5*		
525	*1610*	*OLD ORCHARD LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/8/2002*	Non-Lead								*Tier 5*		
526	*1614*	*OLD ORCHARD LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/28/2002*	Non-Lead								*Tier 5*		
527	*1618*	*OLD ORCHARD LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/4/2002*	Non-Lead								*Tier 5*		
528	*1622*	*OLD ORCHARD LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2002 (HCAD)*	Non-Lead								*Tier 5*		
529	*1630*	*OLD ORCHARD LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/14/2000*	Non-Lead								*Tier 5*		
530	*1634*	*OLD ORCHARD LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/10/2001*	Non-Lead								*Tier 5*		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Entire Service Line Material Classification[x]	Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[x]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes		Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
531	1638	OLD ORCHARD LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/30/2000	Non-Lead									Tier 5		
532	1942	WATER'S EDGE LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2001 (HCAD)	Non-Lead									Tier 5		
533	1946	WATER'S EDGE LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/31/2001	Non-Lead									Tier 5		
534	1718	GASLIGHT COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2000 (HCAD)	Non-Lead									Tier 5		
535	1714	GASLIGHT COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/30/2001	Non-Lead									Tier 5		
536	1710	GASLIGHT COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/30/2000	Non-Lead									Tier 5		
537	1706	GASLIGHT CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/14/2000	Non-Lead									Tier 5		
538	1702	GASLIGHT COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/5/2000	Non-Lead									Tier 5		
539	1701	GASLIGHT COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/14/2000	Non-Lead									Tier 5		
540	1709	GASLIGHT CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/29/2000	Non-Lead									Tier 5		
541	1713	GASLIGHT COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/6/2002	Non-Lead									Tier 5		
542	1945	WATER'S EDGE LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/24/2001	Non-Lead									Tier 5		
543	1825	WALLINGTON LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/18/2002	Non-Lead									Tier 5		
544	1821	WALLINGTON LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/8/2002	Non-Lead									Tier 5		
545	1822	WALLINGTON LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/6/2001	Non-Lead									Tier 5		
546	1434	COTTAGE COVE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/27/2001	Non-Lead									Tier 5		
547	1445	COTTAGE COVE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/21/2001	Non-Lead									Tier 5		
548	1441	COTTAGE COVE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/4/2001	Non-Lead									Tier 5		
549	1430	COTTAGE COVE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/7/2001	Non-Lead									Tier 5		
550	1426	COTTAGE COVE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/19/2001	Non-Lead									Tier 5		
551	1437	COTTAGE COVE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/4/2001	Non-Lead									Tier 5		
552	1433	COTTAGE COVE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/30/2001	Non-Lead									Tier 5		
553	1418	COTTAGE COVE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/19/2001	Non-Lead									Tier 5		
554	1429	COTTAGE COVE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/18/2001	Non-Lead									Tier 5		
555	1425	COTTAGE COVE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/1/2002	Non-Lead									Tier 5		
556	1414	COTTAGE COVE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/30/2001	Non-Lead									Tier 5		
557	1410	COTTAGE COVE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/17/2001	Non-Lead									Tier 5		
558	1421	COTTAGE COVE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/1/2002	Non-Lead									Tier 5		
559	1417	COTTAGE COVE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/23/2001	Non-Lead									Tier 5		
560	1409	COTTAGE COVE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/5/2001	Non-Lead									Tier 5		
561	1401	COTTAGE COVE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/6/2001	Non-Lead									Tier 5		
562	1402	COTTAGE COVE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/30/2002	Non-Lead									Tier 5		
563	1406	COTTAGE COVE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/1/2002	Non-Lead									Tier 5		
564	1309	DARDEN LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/26/2001	Non-Lead									Tier 5		
565	1313	PLYMOUTH ROCK LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/29/2000	Non-Lead									Tier 5		
566	1317	PLYMOUTH ROCK LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/6/2001	Non-Lead									Tier 5		
567	1302	PLYMOUTH ROCK LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/21/2001	Non-Lead									Tier 5		
568	1325	PLYMOUTH ROCK LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/29/2000	Non-Lead									Tier 5		
569	1329	PLYMOUTH ROCK LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/10/2001	Non-Lead									Tier 5		
570	1310	PLYMOUTH ROCK LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/2/2001	Non-Lead									Tier 5		
571	1314	PLYMOUTH ROCK LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/10/2001	Non-Lead									Tier 5		
572	1337	PLYMOUTH ROCK LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/1/2002	Non-Lead									Tier 5		
573	1318	PLYMOUTH ROCK LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/23/2001	Non-Lead									Tier 5		
574	1322	PLYMOUTH ROCK LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/3/2001	Non-Lead									Tier 5		
575	1518	PARK DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/27/2003	Non-Lead									Tier 5		
576	1514	PARK DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/4/2001	Non-Lead									Tier 5		
577	801	IRISH MAPLE ST	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/30/2013	Non-Lead									Tier 5		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion				Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
578	*805*	*IRISH MAPLE ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/25/2012*	Non-Lead								*Tier 5*		
579	*809*	*IRISH MAPLE ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/10/2011*	Non-Lead								*Tier 5*		
580	*810*	*IRISH MAPLE ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/6/2010*	Non-Lead								*Tier 5*		
581	*806*	*IRISH MAPLE ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/26/2012*	Non-Lead								*Tier 5*		
582	*802*	*IRISH MAPLE ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/20/2012*	Non-Lead								*Tier 5*		
583	*801*	*DAWN RIDGE WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/27/2010*	Non-Lead								*Tier 5*		
584	*805*	*DAWN RIDGE WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/13/2011*	Non-Lead								*Tier 5*		
585	*809*	*DAWN RIDGE WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/10/2011*	Non-Lead								*Tier 5*		
586	*813*	*DAWN RIDGE WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/24/2012*	Non-Lead								*Tier 5*		
587	*817*	*DAWN RIDGE WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/7/2012*	Non-Lead								*Tier 5*		
588	*818*	*DAWN RIDGE WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/20/2010*	Non-Lead								*Tier 5*		
589	*820*	*DAWN RIDGE WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/19/2011*	Non-Lead								*Tier 5*		
590	*1137*	*AUTUMN BROOK ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/6/2010*	Non-Lead								*Tier 5*		
591	*1133*	*AUTUMN BROOK ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/13/2012*	Non-Lead								*Tier 5*		
592	*1129*	*AUTUMN BROOK ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/15/2011*	Non-Lead								*Tier 5*		
593	*1121*	*AUTUMN BROOK ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/12/2011*	Non-Lead								*Tier 5*		
594	*1117*	*AUTUMN BROOK ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/29/2012*	Non-Lead								*Tier 5*		
595	*1113*	*AUTUMN BROOK ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/1/2011*	Non-Lead								*Tier 5*		
596	*1109*	*AUTUMN BROOK ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/6/2010*	Non-Lead								*Tier 5*		
597	*1105*	*AUTUMN BROOK ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/17/2011*	Non-Lead								*Tier 5*		
598	*1029*	*AUTUMN BROOK ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/25/2011*	Non-Lead								*Tier 5*		
599	*1025*	*AUTUMN BROOK ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/29/2010*	Non-Lead								*Tier 5*		
600	*1410*	*LAKE MIJA COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*		Non-Lead								*Tier 5*		
601	*1414*	*LAKE MIJA COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*		Non-Lead								*Tier 5*		
602	*1422*	*LAKE MIJA COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*		Non-Lead								*Tier 5*		
603	*1426*	*LAKE MIJA COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*		Non-Lead								*Tier 5*		
604	*1430*	*LAKE MIJA CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*		Non-Lead								*Tier 5*		
605	*1434*	*LAKE MIJA CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*		Non-Lead								*Tier 5*		
606	*1438*	*LAKE MIJA COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*		Non-Lead								*Tier 5*		
607	*1442*	*LAKE MIJA CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*		Non-Lead								*Tier 5*		
608	*1446*	*LAKE MIJA CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*		Non-Lead								*Tier 5*		
609	*1450*	*LAKE MIJA COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*		Non-Lead								*Tier 5*		
610	*1433*	*LAKE MIJA COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*		Non-Lead								*Tier 5*		
611	*1429*	*LAKE MIJA COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*		Non-Lead								*Tier 5*		
612	*1425*	*LAKE MIJA COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*		Non-Lead								*Tier 5*		
613	*1421*	*LAKE MIJA COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*		Non-Lead								*Tier 5*		
614	*1417*	*LAKE MIJA COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*		Non-Lead								*Tier 5*		
615	*1413*	*LAKE MIJA COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*		Non-Lead								*Tier 5*		
616	*1405*	*LAKE MIJA CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*		Non-Lead								*Tier 5*		
617	*1401*	*LAKE MIJA CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*		Non-Lead								*Tier 5*		
618	*1345*	*LAKE MIJA CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*		Non-Lead								*Tier 5*		
619	*1341*	*LAKE MIJA CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*		Non-Lead								*Tier 5*		
620	*1337*	*LAKE MIJA COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*		Non-Lead								*Tier 5*		
621	*1333*	*LAKE MIJA COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*		Non-Lead								*Tier 5*		
622	*1329*	*LAKE MIJA CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*		Non-Lead								*Tier 5*		
623	*1325*	*LAKE MIJA COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*		Non-Lead								*Tier 5*		
624	*1321*	*LAKE MIJA CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*		Non-Lead								*Tier 5*		
625	*1305*	*LAKE MIJA COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*		Non-Lead								*Tier 5*		
626	*1301*	*LAKE MIJA COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*		Non-Lead								*Tier 5*		
627	*1523*	*LAKE MIJA CIR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*		Non-Lead								*Tier 5*		
628	*1458*	*LAKE MIJA COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*		Non-Lead								*Tier 5*		
629	*2601*	*DE FOUR TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/14/1994*	Non-Lead								*Tier 5*		
630	*2609*	*LA TECHE LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/29/1996*	Non-Lead								*Tier 5*		
631	*2605*	*AVERY CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/2/1995*	Non-Lead								*Tier 5*		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion				Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
632	*2609*	*AVERY CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/7/1993*	Non-Lead								*Tier 5*		
633	*2426*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/16/1997*	Non-Lead								*Tier 5*		
634	*2533*	*DE FOUR TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/29/2001*	Non-Lead								*Tier 5*		
635	*2509*	*DE FOUR TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/2/2000*	Non-Lead								*Tier 5*		
636	*2506*	*DE FOUR TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/11/1994*	Non-Lead								*Tier 5*		
637	*2505*	*BREAUX TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/1/2002*	Non-Lead								*Tier 5*		
638	*2505*	*DE FOUR TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/4/1998*	Non-Lead								*Tier 5*		
639	*4529*	*CORONADO*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/18/1995*	Non-Lead								*Tier 5*		
640	*4525*	*CORONADO*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1978 (HCAD)*	Non-Lead								*Tier 5*		
641	*4521*	*CORONADO*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1978 (HCAD)*	Non-Lead								*Tier 5*		
642	*4517*	*CORONADO*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1978 (HCAD)*	Non-Lead								*Tier 5*		
643	*4513*	*CORONADO*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1984 (HCAD)*	Non-Lead							*Yes*	*Tier 5*		
644	*4509*	*CORONADO*	*Seabrook*	*77586*				*Non-Lead*				*Galvanized*	*Before 1989*	*1984 (HCAD)*	Galvanized Requiring Replacement										
645	*4505*	*CORONADO*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/7/1992*	Non-Lead								*Tier 5*		
646	*4510*	*CORONADO*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1984*	Non-Lead							*Yes*	*Tier 5*		
647	*4526*	*CORONADO*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1978 (HCAD)*	Non-Lead								*Tier 5*		
648	*4530*	*CORONADO*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1984 (HCAD)*	Non-Lead								*Tier 5*		
649	*4525*	*BEECHCRAFT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1984 (HCAD)*	Non-Lead								*Tier 5*		
650	*4521*	*BEECHCRAFT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1984 (HCAD)*	Non-Lead								*Tier 5*		
651	*4517*	*BEECHCRAFT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1984 (HCAD)*	Non-Lead							*Yes*	*Tier 5*		
652	*4513*	*BEECHCRAFT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1984 (HCAD)*	Non-Lead								*Tier 5*		
653	*4509*	*BEECHCRAFT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1984 (HCAD)*	Non-Lead								*Tier 5*		
654	*4518*	*BEECHCRAFT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1996 (HCAD)*	Non-Lead								*Tier 5*		
655	*4522*	*BEECHCRAFT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1989 (HCAD)*	Non-Lead								*Tier 5*		
656	*4530*	*BEECHCRAFT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1988 (HCAD)*	Non-Lead								*Tier 5*		
657	*4534*	*BEECHCRAFT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1988 (HCAD)*	Non-Lead							*Yes*	*Tier 5*		
658	*4533*	*ALLEGRO*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1988 (HCAD)*	Non-Lead							*Yes*	*Tier 5*		
659	*4529*	*ALLEGRO*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1988 (HCAD)*	Non-Lead							*Yes*	*Tier 5*		
660	*4517*	*ALLEGRO*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/11/1992*	Non-Lead								*Tier 5*		
661	*4513*	*ALLEGRO*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1992 (HCAD)*	Non-Lead								*Tier 5*		
662	*4509*	*ALLEGRO*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/22/1992*	Non-Lead								*Tier 5*		
663	*4510*	*ALLEGRO*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/14/1992*	Non-Lead								*Tier 5*		
664	*4514*	*ALLEGRO*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/2/1992*	Non-Lead								*Tier 5*		
665	*4522*	*ALLEGRO*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/21/1994*	Non-Lead								*Tier 5*		
666	*4534*	*ALLEGRO*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1992 (HCAD)*	Non-Lead								*Tier 5*		
667	*4529*	*ALBATROSS*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1979 (HCAD)*	Non-Lead								*Tier 5*		
668	*4525*	*ALBATROSS*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1978 (HCAD)*	Non-Lead								*Tier 5*		
669	*4521*	*ALBATROSS*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1978 (HCAD)*	Non-Lead								*Tier 5*		
670	*4517*	*ALBATROSS*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1978 (HCAD)*	Non-Lead								*Tier 5*		
671	*4514*	*ALBATROSS*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1979 (HCAD)*	Non-Lead								*Tier 5*		
672	*4534*	*ALBATROSS*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/21/2000*	Non-Lead								*Tier 5*		
673	*1902*	*HARBOUR CREST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/24/1996*	Non-Lead								*Tier 5*		
674	*1906*	*HARBOUR CREST DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/3/1996*	Non-Lead								*Tier 5*		
675	*1914*	*HARBOUR CREST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/22/1996*	Non-Lead								*Tier 5*		
676	*1913*	*HARBOUR CREST DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/26/1996*	Non-Lead								*Tier 5*		
677	*1909*	*HARBOUR CREST DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/11/1996*	Non-Lead								*Tier 5*		
678	*1905*	*HARBOUR CREST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/10/1997*	Non-Lead								*Tier 5*		
679	*1902*	*HARBOUR COVE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/11/1997*	Non-Lead								*Tier 5*		
680	*2205*	*LORD NELSON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/27/1993*	Non-Lead								*Tier 5*		
681	*2201*	*LORD NELSON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/7/1995*	Non-Lead								*Tier 5*		
682	*2133*	*LORD NELSON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/21/1996*	Non-Lead								*Tier 5*		
683	*2129*	*LORD NELSON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/15/1995*	Non-Lead								*Tier 5*		
684	*2125*	*LORD NELSON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/15/1994*	Non-Lead								*Tier 5*		
685	*2121*	*LORD NELSON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/2/1995*	Non-Lead								*Tier 5*		
686	*2117*	*LORD NELSON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/30/1995*	Non-Lead								*Tier 5*		
687	*2113*	*LORD NELSON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/25/1998*	Non-Lead								*Tier 5*		
688	*2105*	*LORD NELSON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/11/1997*	Non-Lead								*Tier 5*		
689	*2101*	*LORD NELSON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/18/1999*	Non-Lead								*Tier 5*		
690	*1937*	*FLORIDA DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/12/1998*	Non-Lead								*Tier 5*		
691	*1933*	*FLORIDA DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/15/1998*	Non-Lead								*Tier 5*		
692	*1929*	*FLORIDA DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/18/1999*	Non-Lead								*Tier 5*		
693	*1925*	*FLORIDA DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/2/1998*	Non-Lead								*Tier 5*		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Entire Service Line Material Classification[x]	Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes		Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
694	1921	FLORIDA DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1998 (HCAD)	Non-Lead									Tier 5		
695	1917	FLORIDA DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/9/1998	Non-Lead									Tier 5		
696	1913	FLORIDA DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/26/1998	Non-Lead									Tier 5		
697	1909	FLORIDA DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/18/1999	Non-Lead									Tier 5		
698	1906	FLORIDA DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/26/1998	Non-Lead									Tier 5		
699	1910	FLORIDA DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/12/1998	Non-Lead									Tier 5		
700	1914	FLORIDA DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/24/1998	Non-Lead									Tier 5		
701	1918	FLORIDA DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/24/1998	Non-Lead									Tier 5		
702	1922	FLORIDA DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/13/1998	Non-Lead									Tier 5		
703	1926	FLORIDA DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/15/1998	Non-Lead									Tier 5		
704	1930	FLORIDA DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/25/1998	Non-Lead									Tier 5		
705	1904	ISLANDER WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/10/1997	Non-Lead									Tier 5		
706	1908	ISLANDER WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/8/2001	Non-Lead									Tier 5		
707	1912	ISLANDER WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/16/1996	Non-Lead									Tier 5		
708	1911	ISLANDER WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/25/1997	Non-Lead									Tier 5		
709	1907	ISLANDER WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/9/1996	Non-Lead									Tier 5		
710	1917	WATERFORD WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/25/1998	Non-Lead									Tier 5		
711	1913	WATERFORD WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/28/1997	Non-Lead									Tier 5		
712	1901	WATERFORD WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/8/1996	Non-Lead									Tier 5		
713	1820	HARBOUR CREST DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/13/1997	Non-Lead									Tier 5		
714	1501	MIJA LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1996 (HCAD)	Non-Lead									Tier 5		
715	1505	MIJA LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1995 (HCAD)	Non-Lead									Tier 5		
716	1509	MIJA LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1996 (HCAD)	Non-Lead									Tier 5		
717	1521	MIJA LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1996 (HCAD)	Non-Lead									Tier 5		
718	1525	MIJA LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1996 (HCAD)	Non-Lead									Tier 5		
719	1529	MIJA LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1996 (HCAD)	Non-Lead									Tier 5		
720	1533	MIJA LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1996 (HCAD)	Non-Lead									Tier 5		
721	1537	MIJA LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1995 (HCAD)	Non-Lead									Tier 5		
722	1546	MIJA LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1996 (HCAD)	Non-Lead									Tier 5		
723	1542	MIJA LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1995 (HCAD)	Non-Lead									Tier 5		
724	1538	MIJA LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1996 (HCAD)	Non-Lead									Tier 5		
725	1534	MIJA LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1995 (HCAD)	Non-Lead									Tier 5		
726	1526	MIJA LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1995 (HCAD)	Non-Lead									Tier 5		
727	1522	MIJA LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1995 (HCAD)	Non-Lead									Tier 5		
728	1518	MIJA LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1995 (HCAD)	Non-Lead									Tier 5		
729	1514	MIJA LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1995 (HCAD)	Non-Lead									Tier 5		
730	1510	MIJA LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1995 (HCAD)	Non-Lead									Tier 5		
731	1506	MIJA LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1995 (HCAD)	Non-Lead									Tier 5		
732	1109	ESSEX COURT .	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/19/2000	Non-Lead									Tier 5		
733	1105	ESSEX COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/3/1999	Non-Lead									Tier 5		
734	1101	ESSEX CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/11/1999	Non-Lead									Tier 5		
735	1102	ESSEX COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/24/2001	Non-Lead									Tier 5		
736	1106	ESSEX COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/19/2002	Non-Lead									Tier 5		
737	1213	CAMBRIDGE CT.	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/15/2002	Non-Lead									Tier 5		
738	1209	CAMBRIDGE CT.	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/25/2002	Non-Lead									Tier 5		
739	1205	CAMBRIDGE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/14/2000	Non-Lead									Tier 5		
740	1201	CAMBRIDGE CT.	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/3/2001	Non-Lead									Tier 5		
741	1202	CAMBRIDGE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/5/2000	Non-Lead									Tier 5		
742	1210	CAMBRIDGE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/14/2000	Non-Lead									Tier 5		
743	1214	CAMBRIDGE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/14/2000	Non-Lead									Tier 5		
744	1906	WATER'S EDGE LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/3/2001	Non-Lead									Tier 5		
745	1910	WATER'S EDGE LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/23/2001	Non-Lead									Tier 5		
746	1914	WATER'S EDGE LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/30/2001	Non-Lead									Tier 5		
747	1918	WATER'S EDGE LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2001 (HCAD)	Non-Lead									Tier 5		
748	1922	WATER'S EDGE LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/9/2001	Non-Lead									Tier 5		
749	1926	WATER'S EDGE LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/26/2002	Non-Lead									Tier 5		
750	1930	WATER'S EDGE LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/6/2001	Non-Lead									Tier 5		
751	1934	WATER'S EDGE LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/9/2001	Non-Lead									Tier 5		
752	1929	WATER'S EDGE LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/6/2001	Non-Lead									Tier 5		
753	1933	WATER'S EDGE LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/1/2001	Non-Lead									Tier 5		
754	1937	WATER'S EDGE LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/21/2001	Non-Lead									Tier 5		
755	1021	AUTUMN BROOK ST	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/9/2010	Non-Lead									Tier 5		
756	1017	AUTUMN BROOK ST	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/18/2010	Non-Lead									Tier 5		
757	1013	AUTUMN BROOK ST	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/27/2012	Non-Lead									Tier 5		
758	1009	AUTUMN BROOK ST	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/25/2011	Non-Lead									Tier 5		
759	1016	AUTUMN BROOK ST	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/9/2009	Non-Lead									Tier 5		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion				Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[x]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
760	*1012*	*AUTUMN BROOK ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/30/2005*	Non-Lead								*Tier 5*		
761	*1008*	*AUTUMN BROOK ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/19/2005*	Non-Lead								*Tier 5*		
762	*961*	*AUTUMN BROOK ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/19/2005*	Non-Lead								*Tier 5*		
763	*957*	*AUTUMN BROOK ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/19/2005*	Non-Lead								*Tier 5*		
764	*953*	*AUTUMN BROOK ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/13/2005*	Non-Lead								*Tier 5*		
765	*949*	*AUTUMN BROOK ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/9/2005*	Non-Lead								*Tier 5*		
766	*945*	*AUTUMN BROOK ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/9/2005*	Non-Lead								*Tier 5*		
767	*941*	*AUTUMN BROOK ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/6/2005*	Non-Lead								*Tier 5*		
768	*937*	*AUTUMN BROOK ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/6/2006*	Non-Lead								*Tier 5*		
769	*933*	*AUTUMN BROOK ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/8/2006*	Non-Lead								*Tier 5*		
770	*929*	*AUTUMN BROOK ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/29/2006*	Non-Lead								*Tier 5*		
771	*925*	*AUTUMN BROOK ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/23/2006*	Non-Lead								*Tier 5*		
772	*921*	*AUTUMN BROOK ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/8/2006*	Non-Lead								*Tier 5*		
773	*917*	*AUTUMN BROOK ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/2/2006*	Non-Lead								*Tier 5*		
774	*913*	*AUTUMN BROOK ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/2/2006*	Non-Lead								*Tier 5*		
775	*909*	*AUTUMN BROOK ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/2/2006*	Non-Lead								*Tier 5*		
776	*914*	*AUTUMN BROOK ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/2/2006*	Non-Lead								*Tier 5*		
777	*918*	*AUTUMN BROOK ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/2/2006*	Non-Lead								*Tier 5*		
778	*1461*	*LAKE MIJA COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*2020 (HCAD)*	Non-Lead								*Tier 5*		
779	*1457*	*LAKE MIJA CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*2018 (HCAD)*	Non-Lead								*Tier 5*		
780	*1453*	*LAKE MIJA COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*2019 (HCAD)*	Non-Lead								*Tier 5*		
781	*1449*	*LAKE MIJA COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*2018 (HCAD)*	Non-Lead								*Tier 5*		
782	*1445*	*LAKE MIJA COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*2019 (HCAD)*	Non-Lead								*Tier 5*		
783	*1441*	*LAKE MIJA COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*2019 (HCAD)*	Non-Lead								*Tier 5*		
784	*1437*	*LAKE MIJA COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*2019 (HCAD)*	Non-Lead								*Tier 5*		
785	*1481*	*LAKE MIJA CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*2020 (HCAD)*	Non-Lead								*Tier 5*		
786	*1473*	*LAKE MIJA COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*2020 (HCAD)*	Non-Lead								*Tier 5*		
787	*1476*	*LAKE MIJA CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*2020 (HCAD)*	Non-Lead								*Tier 5*		
788	*1472*	*LAKE MIJA COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*2020 (HCAD)*	Non-Lead								*Tier 5*		
789	*1469*	*LAKE MIJA CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*2020 (HCAD)*	Non-Lead								*Tier 5*		
790	*1465*	*LAKE MIJA COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*2020 (HCAD)*	Non-Lead								*Tier 5*		
791	*2201*	*ACADIANA CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1992 (HCAD)*	Non-Lead								*Tier 5*		
792	*2205*	*ACADIANA CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1992 (HCAD)*	Non-Lead								*Tier 5*		
793	*2203*	*ACADIANA CT*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead				*Building*				*Tier 5*		
794	*2410*	*DUHON PLACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/28/1992*	Non-Lead								*Tier 5*		
795	*2406*	*DUHON PLACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1992 (HCAD)*	Non-Lead								*Tier 5*		
796	*2402*	*DUHON PLACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/22/1992*	Non-Lead								*Tier 5*		
797	*2422*	*GUILBEAU LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/12/1992*	Non-Lead								*Tier 5*		
798	*2418*	*GUILBEAU LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/17/1992*	Non-Lead								*Tier 5*		
799	*2602*	*AVERY CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/18/1995*	Non-Lead								*Tier 5*		
800	*2509*	*LAKESIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/7/1993*	Non-Lead								*Tier 5*		
801	*2614*	*AVERY CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/6/1993*	Non-Lead								*Tier 5*		
802	*2610*	*AVERY CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/4/1993*	Non-Lead								*Tier 5*		
803	*2518*	*LAKESIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/29/1998*	Non-Lead								*Tier 5*		
804	*2606*	*AVERY COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/22/1994*	Non-Lead								*Tier 5*		
805	*2522*	*LAKESIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/9/1998*	Non-Lead								*Tier 5*		
806	*2526*	*LAKESIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/7/1993*	Non-Lead								*Tier 5*		
807	*2502*	*GUILBEAU LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/17/1995*	Non-Lead								*Tier 5*		
808	*2506*	*GUILBEAU LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/25/1995*	Non-Lead								*Tier 5*		
809	*2505*	*GUILBEAU LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/24/1995*	Non-Lead								*Tier 5*		
810	*2509*	*GUILBEAU LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/8/1999*	Non-Lead								*Tier 5*		
811	*2453*	*LA ROCHELLE CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/1/2001*	Non-Lead								*Tier 5*		
812	*2425*	*LA ROCHELLE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/3/1999*	Non-Lead								*Tier 5*		
813	*2421*	*LA ROCHELLE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/3/1999*	Non-Lead								*Tier 5*		
814	*2418*	*LA ROCHELLE CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/3/1999*	Non-Lead								*Tier 5*		
815	*2422*	*LA ROCHELLE CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/3/1999*	Non-Lead								*Tier 5*		
816	*2446*	*LA ROCHELLE CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/14/2000*	Non-Lead								*Tier 5*		
817	*2450*	*LAKESIDE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/15/1998*	Non-Lead								*Tier 5*		
818	*2438*	*LAKESIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/25/2001*	Non-Lead								*Tier 5*		
819	*2430*	*LAKESIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1998 (HCAD)*	Non-Lead								*Tier 5*		
820	*2426*	*LAKESIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/2/1998*	Non-Lead								*Tier 5*		
821	*2418*	*LAKESIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/10/2001*	Non-Lead								*Tier 5*		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion				Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
822	2434	LAKESIDE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/10/2001	Non-Lead								Tier 5		
823	2422	LAKESIDE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/20/2001	Non-Lead								Tier 5		
824	2414	LA ROCHELLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/8/2001	Non-Lead								Tier 5		
825	2326	ORLEANS LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/9/2001	Non-Lead								Tier 5		
826	2330	ORLEANS LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/16/2001	Non-Lead								Tier 5		
827	2334	ORLEANS LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/30/2001	Non-Lead								Tier 5		
828	2401	DUHON PLACE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/24/2001	Non-Lead								Tier 5		
829	2405	DUHON PLACE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1992 (HCAD)	Non-Lead								Tier 5		
830	2409	DUHON PLACE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1992 (HCAD)	Non-Lead								Tier 5		
831	2413	DUHON PLACE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/23/2003	Non-Lead								Tier 5		
832	2401	GUILBEAU LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1992 (HCAD)	Non-Lead								Tier 5		
833	2405	GUILBEAU LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1992 (HCAD)	Non-Lead								Tier 5		
834	2409	GUILBEAU LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/16/1992	Non-Lead								Tier 5		
835	2413	GUILBEAU LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/28/1994	Non-Lead								Tier 5		
836	2417	GUILBEAU LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1998 (HCAD)	Non-Lead								Tier 5		
837	2421	GUILBEAU LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/11/1992	Non-Lead								Tier 5		
838	2425	GUILBEAU LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/26/1992	Non-Lead								Tier 5		
839	2433	GUILBEAU LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/28/1998	Non-Lead								Tier 5		
840	2414	GUILBEAU LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/11/1992	Non-Lead								Tier 5		
841	2410	GUILBEAU LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/20/1992	Non-Lead								Tier 5		
842	2406	GUILBEAU LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/12/1992	Non-Lead								Tier 5		
843	2402	GUILBEAU LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/1/1993	Non-Lead								Tier 5		
844	2621	ORLEANS DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/9/1992	Non-Lead								Tier 5		
845	2622	ORLEANS DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/22/1992	Non-Lead								Tier 5		
846	2618	ORLEANS DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/15/1992	Non-Lead								Tier 5		
847	2613	ORLEANS DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1992 (HCAD)	Non-Lead								Tier 5		
848	2614	ORLEANS DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/23/1992	Non-Lead								Tier 5		
849	2610	ORLEANS DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/18/2001	Non-Lead								Tier 5		
850	2605	ORLEANS DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/29/1997	Non-Lead								Tier 5		
851	2601	ORLEANS DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/8/1994	Non-Lead								Tier 5		
852	2413	LAKESIDE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/4/1992	Non-Lead								Tier 5		
853	2417	LAKESIDE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/16/1992	Non-Lead								Tier 5		
854	2421	LAKESIDE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/7/1992	Non-Lead								Tier 5		
855	2425	LAKESIDE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/12/1995	Non-Lead								Tier 5		
856	2429	LAKESIDE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/26/1992	Non-Lead								Tier 5		
857	2433	LAKESIDE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1992 (HCAD)	Non-Lead								Tier 5		
858	2502	LAKESIDE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/3/1992	Non-Lead								Tier 5		
859	2506	LAKESIDE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/6/1994	Non-Lead								Tier 5		
860	2510	LAKESIDE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/6/1994	Non-Lead								Tier 5		
861	2725	MOSS COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/17/1992	Non-Lead								Tier 5		
862	2717	MOSS COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/14/1994	Non-Lead								Tier 5		
863	2713	MOSS COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/18/1998	Non-Lead								Tier 5		
864	2705	MOSS CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/18/1998	Non-Lead								Tier 5		
865	2701	MOSS COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/19/1998	Non-Lead								Tier 5		
866	2718	MOSS COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/12/1999	Non-Lead								Tier 5		
867	2714	MOSS CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/25/1994	Non-Lead								Tier 5		
868	2710	MOSS COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/19/1993	Non-Lead								Tier 5		
869	2706	MOSS CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/24/1994	Non-Lead								Tier 5		
870	2502	LA ROCHELLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/1/1997	Non-Lead								Tier 5		
871	2506	LA ROCHELLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/16/1997	Non-Lead								Tier 5		
872	2510	LA ROCHELLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/17/1998	Non-Lead								Tier 5		
873	2514	LA ROCHELLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/4/1998	Non-Lead								Tier 5		
874	2518	LA ROCHELLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/29/1998	Non-Lead								Tier 5		
875	2530	LA ROCHELLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/12/1998	Non-Lead								Tier 5		
876	2534	LA ROCHELLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/17/1997	Non-Lead								Tier 5		
877	2538	LA ROCHELLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/1/1997	Non-Lead								Tier 5		
878	2537	LA ROCHELLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/1/1997	Non-Lead								Tier 5		
879	2533	LA ROCHELLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/6/1997	Non-Lead								Tier 5		
880	2525	LA ROCHELLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/16/1998	Non-Lead								Tier 5		
881	2521	LA ROCHELLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/19/1998	Non-Lead								Tier 5		
882	2517	LA ROCHELLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/4/1998	Non-Lead								Tier 5		
883	2513	LA ROCHELLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/2/1998	Non-Lead								Tier 5		
884	2509	LA ROCHELLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/2/1998	Non-Lead								Tier 5		
885	2505	LA ROCHELLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/16/1997	Non-Lead								Tier 5		
886	2433	LA ROCHELLE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/3/1999	Non-Lead								Tier 5		
887	2429	LA ROCHELLE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/3/1999	Non-Lead								Tier 5		
888	2449	LA ROCHELLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/14/2001	Non-Lead								Tier 5		
889	2417	LA ROCHELLE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/16/1999	Non-Lead								Tier 5		
890	2413	LA ROCHELLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/16/1999	Non-Lead								Tier 5		
891	2405	LA ROCHELLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/19/2005	Non-Lead								Tier 5		
892	2401	LA ROCHELLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/3/2001	Non-Lead								Tier 5		
893	2302	LA ROCHELLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/11/2001	Non-Lead								Tier 5		
894	2353	ACADIANA LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/23/1999	Non-Lead								Tier 5		
895	2338	ACADIANA LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/1/2000	Non-Lead								Tier 5		
896	2342	ACADIANA LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/3/1999	Non-Lead								Tier 5		
897	2346	ACADIANA LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/14/2001	Non-Lead								Tier 5		
898	2318	ACADIANA LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2001 (HCAD)	Non-Lead								Tier 5		
899	2354	ACADIANA LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/14/2000	Non-Lead								Tier 5		
900	2358	ACADIANA LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/25/2000	Non-Lead								Tier 5		
901	2314	ACADIANA LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2003 (HCAD)	Non-Lead								Tier 5		
902	2310	ACADIANA LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2002 (HCAD)	Non-Lead								Tier 5		
903	2322	ACADIANA LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/20/2001	Non-Lead								Tier 5		
904	2306	LA ROCHELLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/14/2000	Non-Lead								Tier 5		
905	2310	LA ROCHELLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/7/2000	Non-Lead								Tier 5		
906	2438	LA ROCHELLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/3/1999	Non-Lead								Tier 5		
907	2442	LA ROCHELLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/6/2001	Non-Lead								Tier 5		
908	2446	LAKESIDE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2001 (HCAD)	Non-Lead								Tier 5		
909	2442	LAKESIDE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/15/1998	Non-Lead								Tier 5		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion				Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
910	*2434*	*LA ROCHELLE CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/1/1999*	Non-Lead								*Tier 5*		
911	*2414*	*LAKESIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/26/2001*	Non-Lead								*Tier 5*		
912	*2410*	*LAKESIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/28/1998*	Non-Lead								*Tier 5*		
913	*2406*	*LAKESIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/4/1998*	Non-Lead								*Tier 5*		
914	*2402*	*LAKESIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/24/1998*	Non-Lead								*Tier 5*		
915	*2334*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/9/1998*	Non-Lead								*Tier 5*		
916	*2349*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/29/2001*	Non-Lead								*Tier 5*		
917	*4406*	*EGRET DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
918	*3705*	*TODVILLE RD*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead				*Building*				*Tier 5*		
919	*1837*	*CAPRI LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1964 (HCAD)*	Non-Lead								*Tier 5*		
920	*509*	*SURF OAKS*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/9/2009*	Non-Lead								*Tier 5*		
921	*558*	*SURF OAKS*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1980 (HCAD)*	Non-Lead								*Tier 5*		
922	*554*	*SURF OAKS*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1985 (HCAD)*	Non-Lead								*Tier 5*		
923	*538*	*SURF OAKS*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/23/1995*	Non-Lead								*Tier 5*		
924	*534*	*SURF OAKS*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1964 (HCAD)*	Non-Lead								*Tier 5*		
925	*501*	*SURF OAKS*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1981 (HCAD)*	Non-Lead								*Tier 5*		
926	*520*	*SURF OAKS*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/17/2010*	Non-Lead								*Tier 5*		
927	*522*	*SURF OAKS*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/9/1993*	Non-Lead								*Tier 5*		
928	*526*	*SURF OAKS*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/8/1993*	Non-Lead								*Tier 5*		
929	*514*	*SURF OAKS*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/18/1993*	Non-Lead								*Tier 5*		
930	*510*	*SURF OAKS*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1986 (HCAD)*	Non-Lead								*Tier 5*		
931	*4310*	*ALBATROSS*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/1/1995*	Non-Lead								*Tier 5*		
932	*4314*	*ALBATROSS*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*			Non-Lead								*Tier 5*		
933	*4402*	*ALBATROSS*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*			Non-Lead								*Tier 5*		
934	*4410*	*ALBATROSS*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/6/1998*	Non-Lead								*Tier 5*		
935	*4414*	*ALBATROSS*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/8/1993*	Non-Lead								*Tier 5*		
936	*4509*	*ALBATROSS*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1978 (HCAD)*	Non-Lead								*Tier 5*		
937	*4513*	*ALBATROSS*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1978 (HCAD)*	Non-Lead								*Tier 5*		
938	*1005*	*SANDPIPER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1976 (HCAD)*	Non-Lead								*Tier 5*		
939	*1101*	*SANDPIPER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1966 (HCAD)*	Non-Lead								*Tier 5*		
940	*1109*	*SANDPIPER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1977 (HCAD)*	Non-Lead								*Tier 5*		
941	*1113*	*SANDPIPER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1966 (HCAD)*	Non-Lead								*Tier 5*		
942	*1117*	*SANDPIPER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1968 (HCAD)*	Non-Lead								*Tier 5*		
943	*1201*	*SANDPIPER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1966 (HCAD)*	Non-Lead								*Tier 5*		
944	*1205*	*SANDPIPER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1970 (HCAD)*	Non-Lead								*Tier 5*		
945	*1209*	*SANDPIPER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1970 (HCAD)*	Non-Lead								*Tier 5*		
946	*1213*	*SANDPIPER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1970 (HCAD)*	Non-Lead								*Tier 5*		
947	*1217*	*SANDPIPER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1970 (HCAD)*	Non-Lead								*Tier 5*		
948	*1221*	*SANDPIPER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1977 (HCAD)*	Non-Lead								*Tier 5*		
949	*1222*	*SANDPIPER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/26/1995*	Non-Lead								*Tier 5*		
950	*1218*	*SANDPIPER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1968 (HCAD)*	Non-Lead								*Tier 5*		
951	*1214*	*SANDPIPER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1970 (HCAD)*	Non-Lead								*Tier 5*		
952	*1210*	*SANDPIPER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1968 (HCAD)*	Non-Lead								*Tier 5*		
953	*1202*	*SANDPIPER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1970 (HCAD)*	Non-Lead								*Tier 5*		
954	*1118*	*SANDPIPER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1970 (HCAD)*	Non-Lead								*Tier 5*		
955	*1114*	*SANDPIPER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1966 (HCAD)*	Non-Lead								*Tier 5*		
956	*1110*	*SANDPIPER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1966 (HCAD)*	Non-Lead								*Tier 5*		
957	*1102*	*SANDPIPER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1966 (HCAD)*	Non-Lead								*Tier 5*		
958	*1014*	*SANDPIPER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1977 (HCAD)*	Non-Lead								*Tier 5*		
959	*1010*	*SANDPIPER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1968 (HCAD)*	Non-Lead								*Tier 5*		
960	*1006*	*SANDPIPER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1968 (HCAD)*	Non-Lead								*Tier 5*		
961	*1002*	*SANDPIPER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1968 (HCAD)*	Non-Lead								*Tier 5*		
962	*4402*	*N HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1967 (HCAD)*	Non-Lead								*Tier 5*		
963	*4406*	*N HERON DR*	*Seabrook*	*77586*				*Non-Lead*					*Before 1989*	*1966 (HCAD)*	Non-lead								*Tier 5*		
964	*4410*	*N HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/9/1995*	Non-Lead								*Tier 5*		
965	*1009*	*W FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1968 (HCAD)*	Non-Lead								*Tier 5*		
966	*1017*	*W FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1966 (HCAD)*	Non-Lead								*Tier 5*		
967	*1101*	*W FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/1/1993*	Non-Lead								*Tier 5*		
968	*1105*	*W FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1975 (HCAD)*	Non-Lead								*Tier 5*		
969	*1109*	*W FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1966 (HCAD)*	Non-Lead								*Tier 5*		
970	*1113*	*W FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/19/1994*	Non-Lead								*Tier 5*		
971	*1117*	*W FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1977 (HCAD)*	Non-Lead								*Tier 5*		
972	*1201*	*W FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1969 (HCAD)*	Non-Lead								*Tier 5*		
973	*1205*	*W FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1968 (HCAD)*	Non-Lead								*Tier 5*		
974	*1209*	*W FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1966 (HCAD)*	Non-Lead								*Tier 5*		
975	*1217*	*W FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1966 (HCAD)*	Non-Lead								*Tier 5*		
976	*1221*	*W FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1977 (HCAD)*	Non-Lead								*Tier 5*		
977	*1222*	*W FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1966 (HCAD)*	Non-Lead								*Tier 5*		
978	*1218*	*W FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1966 (HCAD)*	Non-Lead								*Tier 5*		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion				Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[x]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
979	*1214*	*W FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1968 (HCAD)*	Non-Lead								*Tier 5*		
980	*1212*	*W FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1969 (HCAD)*	Non-Lead								*Tier 5*		
981	*1114*	*W FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1966 (HCAD)*	Non-Lead								*Tier 5*		
982	*1110*	*W FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1966 (HCAD)*	Non-Lead								*Tier 5*		
983	*1106*	*W FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1965 (HCAD)*	Non-Lead								*Tier 5*		
984	*1014*	*W FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1966 (HCAD)*	Non-Lead								*Tier 5*		
985	*1010*	*W FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1966 (HCAD)*	Non-Lead								*Tier 5*		
986	*1006*	*W FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1965 (HCAD)*	Non-Lead								*Tier 5*		
987	*1000*	*W FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1965 (HCAD)*	Non-Lead								*Tier 5*		
988	*4506*	*N HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/13/1994*	Non-Lead								*Tier 5*		
989	*4510*	*N HERON DR*	*Seabrook*	*77586*				*Non-Lead*					*Before 1989*	*1965 (HCAD)*	Non-lead								*Tier 5*		
990	*4514*	*N HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/26/1995*	Non-Lead								*Tier 5*		
991	*4522*	*N HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1970 (HCAD)*	Non-Lead								*Tier 5*		
992	*4526*	*N HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1970 (HCAD)*	Non-Lead								*Tier 5*		
993	*4525*	*N HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1970 (HCAD)*	Non-Lead								*Tier 5*		
994	*4521*	*N HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1970 (HCAD)*	Non-Lead								*Tier 5*		
995	*4517*	*N HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Galvanized*	*Before 1989*	*1970 (HCAD)*	Galvanized Requiring Replacement										
996	*4513*	*N HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1970 (HCAD)*	Non-Lead								*Tier 5*		
997	*4509*	*N HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1970 (HCAD)*	Non-Lead								*Tier 5*		
998	*4505*	*N HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1970 (HCAD)*	Non-Lead								*Tier 5*		
999	*4501*	*N HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/1/1998*	Non-Lead								*Tier 5*		
1000	*4417*	*N HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1976 (HCAD)*	Non-Lead								*Tier 5*		
1001	*4409*	*N HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1976 (HCAD)*	Non-Lead								*Tier 5*		
1002	*4405*	*N HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1976 (HCAD)*	Non-Lead								*Tier 5*		
1003	*4401*	*N HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1976 (HCAD)*	Non-Lead								*Tier 5*		
1004	*4317*	*N HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1977 (HCAD)*	Non-Lead								*Tier 5*		
1005	*4309*	*N HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1977 (HCAD)*	Non-Lead								*Tier 5*		
1006	*4305*	*N HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1968 (HCAD)*	Non-Lead								*Tier 5*		
1007	*1005*	*N HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1977 (HCAD)*	Non-Lead								*Tier 5*		
1008	*1009*	*N HERON DRIVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1977 (HCAD)*	Non-Lead								*Tier 5*		
1009	*1101*	*N HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1977 (HCAD)*	Non-Lead							*Yes*	*Tier 5*		
1010	*1105*	*N HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/25/1994*	Non-Lead								*Tier 5*		
1011	*1109*	*N HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1977 (HCAD)*	Non-Lead								*Tier 5*		
1012	*1113*	*N HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1977 (HCAD)*	Non-Lead								*Tier 5*		
1013	*1117*	*N HERON*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1977 (HCAD)*	Non-Lead								*Tier 5*		
1014	*1121*	*N HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1977 (HCAD)*	Non-Lead								*Tier 5*		
1015	*1201*	*N HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1977 (HCAD)*	Non-Lead							*Yes*	*Tier 5*		
1016	*1205*	*N HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1977 (HCAD)*	Non-Lead								*Tier 5*		
1017	*1209*	*HERON*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1977 (HCAD)*	Non-Lead								*Tier 5*		
1018	*1213*	*N HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1977 (HCAD)*	Non-Lead								*Tier 5*		
1019	*1217*	*HERON*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1977 (HCAD)*	Non-Lead								*Tier 5*		
1020	*1225*	*N HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1977 (HCAD)*	Non-Lead								*Tier 5*		
1021	*1229*	*HERON*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1983 (HCAD)*	Non-Lead							*Yes*	*Tier 5*		
1022	*1216*	*HERON*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/19/1994*	Non-Lead								*Tier 5*		
1023	*1212*	*HERON*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1977 (HCAD)*	Non-Lead								*Tier 5*		
1024	*1204*	*N HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1977 (HCAD)*	Non-Lead								*Tier 5*		
1025	*1200*	*HERON*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1977 (HCAD)*	Non-Lead								*Tier 5*		
1026	*1116*	*HERON*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1977 (HCAD)*	Non-Lead								*Tier 5*		
1027	*1112*	*HERON*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1977 (HCAD)*	Non-Lead								*Tier 5*		
1028	*1108*	*N HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1977 (HCAD)*	Non-Lead								*Tier 5*		
1029	*1104*	*N HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1977 (HCAD)*	Non-Lead								*Tier 5*		
1030	*1100*	*HERON*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1977 (HCAD)*	Non-Lead								*Tier 5*		
1031	*1000*	*HERON*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1977 (HCAD)*	Non-Lead								*Tier 5*		
1032	*4300*	*N HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1977 (HCAD)*	Non-Lead								*Tier 5*		
1033	*4502*	*S FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1967 (HCAD)*	Non-Lead								*Tier 5*		
1034	*4514*	*S FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1975 (HCAD)*	Non-Lead								*Tier 5*		
1035	*4518*	*S FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1966 (HCAD)*	Non-Lead								*Tier 5*		
1036	*4522*	*S FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/14/1993*	Non-Lead								*Tier 5*		
1037	*4526*	*S FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1977 (HCAD)*	Non-Lead								*Tier 5*		
1038	*4530*	*S FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1967 (HCAD)*	Non-Lead								*Tier 5*		
1039	*4600*	*S FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1976 (HCAD)*	Non-Lead								*Tier 5*		
1040	*4503*	*TODVILLE RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*2/17/2020*	Non-Lead								*Tier 5*		
1041	*4602*	*S FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*2/17/2020*	Non-Lead								*Tier 5*		
1042	*4507*	*TODVILLE RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*2020 (HCAD)*	Non-Lead								*Tier 5*		
1043	*4606*	*S FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1965 (HCAD)*	Non-Lead								*Tier 5*		
1044	*4614*	*S FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1965 (HCAD)*	Non-Lead								*Tier 5*		
1045	*4618*	*S FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1964 (HCAD)*	Non-Lead								*Tier 5*		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion				Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
1046	*4622*	*S FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Galvanized*	*Before 1989*	*1964 (HCAD)*	Galvanized Requiring Replacement										
1047	*4626*	*S FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1964 (HCAD)*	Non-Lead								*Tier 5*		
1048	*4630*	*S FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1964 (HCAD)*	Non-Lead								*Tier 5*		
1049	*4634*	*S FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1977 (HCAD)*	Non-Lead								*Tier 5*		
1050	*658*	*N FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1968 (HCAD)*	Non-Lead							*Yes*	*Tier 5*		
1051	*650*	*N FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/11/1992*	Non-Lead								*Tier 5*		
1052	*646*	*N FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/25/1995*	Non-Lead								*Tier 5*		
1053	*642*	*N FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1988 (HCAD)*	Non-Lead							*Yes*	*Tier 5*		
1054	*638*	*N FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1982 (HCAD)*	Non-Lead							*Yes*	*Tier 5*		
1055	*634*	*N FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1976 (HCAD)*	Non-Lead								*Tier 5*		
1056	*630*	*N FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
1057	*626*	*N FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1984 (HCAD)*	Non-Lead							*Yes*	*Tier 5*		
1058	*622*	*N FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1976 (HCAD)*	Non-Lead								*Tier 5*		
1059	*618*	*N FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1976 (HCAD)*	Non-Lead								*Tier 5*		
1060	*614*	*N FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/17/1993*	Non-Lead								*Tier 5*		
1061	*610*	*N FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2010 (HCAD)*	Non-Lead								*Tier 5*		
1062	*602*	*N FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1977 (HCAD)*	Non-Lead							*Yes*	*Tier 5*		
1063	*4717*	*HAMBLEN CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1969 (HCAD)*	Non-Lead								*Tier 5*		
1064	*4714*	*HAMBLEN CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/5/2002*	Non-Lead								*Tier 5*		
1065	*609*	*N FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1964 (HCAD)*	Non-Lead								*Tier 5*		
1066	*613*	*N FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1970 (HCAD)*	Non-Lead								*Tier 5*		
1067	*617*	*N FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1967 (HCAD)*	Non-Lead								*Tier 5*		
1068	*621*	*N FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1970 (HCAD)*	Non-Lead								*Tier 5*		
1069	*625*	*N FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Between 1989 and 2014*	*4/27/2005*	Non-Lead							*Yes*	*Tier 5*		
1070	*629*	*N FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1966 (HCAD)*	Non-Lead								*Tier 5*		
1071	*633*	*N FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/16/1992*	Non-Lead								*Tier 5*		
1072	*641*	*N FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1977 (HCAD)*	Non-Lead								*Tier 5*		
1073	*645*	*N FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1984 (HCAD)*	Non-Lead								*Tier 5*		
1074	*649*	*N FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/2/2002*	Non-Lead								*Tier 5*		
1075	*650*	*BAY CLUB DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1983 (HCAD)*	Non-Lead							*Yes*	*Tier 5*		
1076	*646*	*BAY CLUB DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1983 (HCAD)*	Non-Lead							*Yes*	*Tier 5*		
1077	*642*	*BAY CLUB DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1965 (HCAD)*	Non-Lead								*Tier 5*		
1078	*638*	*BAY CLUB DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1983 (HCAD)*	Non-Lead							*Yes*	*Tier 5*		
1079	*630*	*BAY CLUB DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1984 (HCAD)*	Non-Lead							*Yes*	*Tier 5*		
1080	*622*	*BAY CLUB DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1990 (HCAD)*	Non-Lead								*Tier 5*		
1081	*618*	*BAY CLUB DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1990 (HCAD)*	Non-Lead								*Tier 5*		
1082	*614*	*BAY CLUB DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1990 (HCAD)*	Non-Lead								*Tier 5*		
1083	*610*	*BAY CLUB DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1988 (HCAD)*	Non-Lead							*Yes*	*Tier 5*		
1084	*601*	*BAY CLUB DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1965 (HCAD)*	Non-Lead								*Tier 5*		
1085	*613*	*BAY CLUB DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1973 (HCAD)*	Non-Lead								*Tier 5*		
1086	*617*	*BAY CLUB DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1966 (HCAD)*	Non-Lead								*Tier 5*		
1087	*621*	*BAY CLUB DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1966 (HCAD)*	Non-Lead								*Tier 5*		
1088	*625*	*BAY CLUB DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/22/1993*	Non-Lead								*Tier 5*		
1089	*629*	*BAY CLUB DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/12/1994*	Non-Lead								*Tier 5*		
1090	*633*	*BAY CLUB DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1966 (HCAD)*	Non-Lead								*Tier 5*		
1091	*637*	*BAY CLUB DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1968 (HCAD)*	Non-Lead								*Tier 5*		
1092	*641*	*BAY CLUB DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1977 (HCAD)*	Non-Lead								*Tier 5*		
1093	*645*	*BAY CLUB DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1977 (HCAD)*	Non-Lead								*Tier 5*		
1094	*653*	*BAY CLUB DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1976 (HCAD)*	Non-Lead								*Tier 5*		
1095	*4613*	*S FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1977 (HCAD)*	Non-Lead								*Tier 5*		
1096	*4609*	*S FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/13/2004*	Non-Lead								*Tier 5*		
1097	*4605*	*S FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1977 (HCAD)*	Non-Lead								*Tier 5*		
1098	*4533*	*S FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1977 (HCAD)*	Non-Lead								*Tier 5*		
1099	*4529*	*S FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1975 (HCAD)*	Non-Lead								*Tier 5*		
1100	*4525*	*S FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1975 (HCAD)*	Non-Lead								*Tier 5*		
1101	*4521*	*S FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/16/1995*	Non-Lead								*Tier 5*		
1102	*4517*	*S FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1975 (HCAD)*	Non-Lead								*Tier 5*		
1103	*4513*	*S FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1975 (HCAD)*	Non-Lead								*Tier 5*		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion				Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
1104	4509	S FLAMINGO DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1978 (HCAD)	Non-Lead								Tier 5		
1105	4505	S FLAMINGO DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1977 (HCAD)	Non-Lead								Tier 5		
1106	4617	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/20/2003	Non-Lead								Tier 5		
1107	4501	S FLAMINGO DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1976 (HCAD)	Non-Lead								Tier 5		
1108	4910	TODVILLE RD	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		
1109	4910	TODVILLE RD	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		
1110	4910	TODVILLE RD	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		
1111	5002	TODVILLE RD	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead								Tier 5		
1112	656	PINE GULLEY	Seabrook	77586				Non-Lead					Before 1989	1955 (HCAD)	Non-lead								Tier 5		
1113	614	PINE GULLEY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/21/1995	Non-Lead								Tier 5		
1114	5233	TODVILLE RD	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		
1115	5311	TODVILLE RD	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead								Tier 5		
1116	609	PINE GULLY	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1964 (HCAD)	Non-Lead								Tier 5		
1117	609	BAYWOOD DR	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1959 (HCAD)	Non-Lead								Tier 5		
1118	602	PINE GULLY RD	Seabrook	77586				Non-Lead				Non-Lead		Building removed	Non-Lead								Tier 5		
1119	601	BAYWOOD DR	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1963 (HCAD)	Non-Lead								Tier 5		
1120	541	BAYWOOD DR	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1959 (HCAD)	Non-Lead								Tier 5		
1121	537	BAYWOOD DR	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1987 (HCAD)	Non-Lead								Tier 5		
1122	533	BAYWOOD DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/12/2013	Non-Lead								Tier 5		
1123	529	BAYWOOD DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/4/2009	Non-Lead								Tier 5		
1124	513	BAYWOOD DR	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1966 (HCAD)	Non-Lead								Tier 5		
1125	509	BAYWOOD DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/10/1995	Non-Lead								Tier 5		
1126	505	BAYWOOD DR	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1973 (HCAD)	Non-Lead								Tier 5		
1127	501	BAYWOOD DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/3/1993	Non-Lead								Tier 5		
1128	413	BAYWOOD DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/29/2002	Non-Lead								Tier 5		
1129	410	BAYWOOD DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/11/1997	Non-Lead								Tier 5		
1130	414	BAYWOOD DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/10/1998	Non-Lead								Tier 5		
1131	502	BAYWOOD DR	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1959 (HCAD)	Non-Lead								Tier 5		
1132	506	BAYWOOD DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/18/1993	Non-Lead								Tier 5		
1133	514	BAYWOOD DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/24/1995	Non-Lead								Tier 5		
1134	518	BAYWOOD DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/27/1993	Non-Lead								Tier 5		
1135	530	BAYWOOD DR	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1965 (HCAD)	Non-Lead								Tier 5		
1136	534	BAYWOOD DR	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1966 (HCAD)	Non-Lead								Tier 5		
1137	538	BAYWOOD DR	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1960 (HCAD)	Non-Lead								Tier 5		
1138	606	BAYWOOD DR	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1960 (HCAD)	Non-Lead								Tier 5		
1139	614	BAYWOOD DR	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1973 (HCAD)	Non-Lead								Tier 5		
1140	618	BAYWOOD DR	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1963 (HCAD)	Non-Lead								Tier 5		
1141	4622	PARK DR	Seabrook	77586				Non-Lead						NOT IN SEABROOK	Non-lead								Tier 5		
1142	4620	PARK DR	Seabrook	77586				Non-Lead						NOT IN SEABROOK	Non-lead								Tier 5		
1143	1902	BAYVIEW	Seabrook	77586				Non-Lead					Before 1989	1975 (HCAD)	Non-lead								Tier 5		
1144	1928	BAYVIEW	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/9/2004	Non-Lead								Tier 5		
1145	1910	BAYVIEW DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/14/1997	Non-Lead								Tier 5		
1146	1924	BAYVIEW	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/8/2004	Non-Lead								Tier 5		
1147	1950	BAYVIEW	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/28/2003	Non-Lead								Tier 5		
1148	1954	BAYVIEW	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead								Tier 5		
1149	1955	BAYVIEW ST	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead								Tier 5		
1150	1957	RED BLUFF RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/28/2003	Non-Lead								Tier 5		
1151	1945	RED BLUFF RD	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1981 (HCAD)	Non-Lead								Tier 5		
1152	4001	OLD HWY 146	Seabrook	77586				Non-Lead				Non-Lead	After 2014	2/1/2018	Non-Lead				Building				Tier 5		
1153	1953	RED BLUFF RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/16/1995	Non-Lead								Tier 5		
1154	1941	RED BLUFF RD	Seabrook	77586				Non-Lead						NO BUILDING	Non-lead								Tier 5		
1155	1937	RED BLUFF RD	Seabrook	77586				Non-Lead					Before 1989	1967 (HCAD)	Non-lead								Tier 5		
1156	1913	RED BLUFF RD	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead								Tier 5		
1157	1905	RED BLUFF RD	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1946 (HCAD)	Non-Lead								Tier 5		
1158	1903	RED BLUFF RD	Seabrook	77586				Non-Lead					Before 1989	1957 (HCAD)	Non-lead								Tier 5		
1159	1902	RED BLUFF RD	Seabrook	77586				Non-Lead					Before 1989	1971 (HCAD)	Non-lead				Building				Tier 5		
1160	5719	NEAL DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1961 (HCAD)	Non-Lead								Tier 5		
1161	5715	NEAL DR	Seabrook	77586				Non-Lead				Galvanized	Before 1989	1953 (HCAD)	Galvanized Requiring Replacement										
1162	5711	NEAL DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1955 & 1986 (HCAD)	Non-Lead				Multiple Family Residence				Tier 5		
1163	2517	LOGANBERRY CI	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/1/1993	Non-Lead								Tier 5		
1164	2513	LOGANBERRY CR	Seabrook	77586				Non-Lead				Non-Lead	After 2014	11/10/2020	Non-Lead								Tier 5		
1165	5710	NEAL DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1991 (HCAD)	Non-Lead								Tier 5		
1166	2519	LOGANBERRY	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1958 (HCAD)	Non-Lead								Tier 5		
1167	2506	LOGANBERRY	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1987 (HCAD)	Non-Lead								Tier 5		
1168	2504	LOGANBERRY CI	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1962 (HCAD)	Non-Lead								Tier 5		
1169	2522	LOGANBERRY CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/17/2000	Non-Lead								Tier 5		
1170	2521	LOGANBERRY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1991 (HCAD)	Non-Lead								Tier 5		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion				Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
1171	2526	LOGANBERRY	Seabrook	77586				Non-Lead				Non-Lead - Copper	Between 1989 and 2014	12/10/1995	Non-Lead							Yes	Tier 5		
1172	2530	LOGANBERRY CI	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1984 (HCAD)	Non-Lead								Tier 5		
1173	2534	LOGANBERRY	Seabrook	77586				Non-Lead				Non-Lead	After 2014	11/17/2017	Non-Lead								Tier 5		
1174	2540	LOGANBERRY	Seabrook	77586				Non-Lead				Non-Lead - Copper	Before 1989	1986 (HCAD)	Non-Lead							Yes	Tier 5		
1175	2550	LOGANBERRY	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1972 (HCAD)	Non-Lead								Tier 5		
1176	2552	LOGANBERRY CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/19/2000	Non-Lead								Tier 5		
1177	2561	LOGANBERRY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1991 (HCAD)	Non-Lead								Tier 5		
1178	4617	NEAL DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/5/1995	Non-Lead								Tier 5		
1179	4613	NEAL DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1974 (HCAD)	Non-Lead								Tier 5		
1180	4609	NEAL DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1980 (HCAD)	Non-Lead								Tier 5		
1181	2569	LOGANBERRY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/19/1995	Non-Lead								Tier 5		
1182	2601	LOGANBERRY	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1957 (HCAD)	Non-Lead								Tier 5		
1183	2602	LOGANBERRY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/16/1995	Non-Lead								Tier 5		
1184	2605	LOGANBERRY	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1966 (HCAD)	Non-Lead								Tier 5		
1185	2606	LOGANBERRY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/10/1995	Non-Lead								Tier 5		
1186	2610	LOGANBERRY	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1978 (HCAD)	Non-Lead								Tier 5		
1187	2613	LOGANBERRY	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1979 (HCAD)	Non-Lead								Tier 5		
1188	2614	LOGANBERRY	Seabrook	77586				Non-Lead				Non-Lead	After 2014	6/9/2015	Non-Lead								Tier 5		
1189	2619	LOGANBERRY CI	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1960 (HCAD)	Non-Lead								Tier 5		
1190	2617	LOGANBERRY	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1960 (HCAD)	Non-Lead								Tier 5		
1191	2612	SAMS	Seabrook	77586				Non-Lead				Non-Lead	After 2014	6/9/2015	Non-Lead								Tier 5		
1192	2614	SAMS	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1962 (HCAD)	Non-Lead								Tier 5		
1193	2818	LOGANBERRY	Seabrook	77586				Non-Lead				Non-Lead		NO LOCATION	Non-Lead								Tier 5		
1194	2811	SAMS DRIVE	Seabrook	77586				Non-Lead				Non-Lead		NO LOCATION	Non-Lead								Tier 5		
1195	2620	LOGANBERRY CI	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1962 (HCAD)	Non-Lead								Tier 5		
1196	2632	LOGANBERRY CI	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/4/1992	Non-Lead								Tier 5		
1197	2627	LOGANBERRY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1990 (HCAD)	Non-Lead								Tier 5		
1198	2638	LOGANBERRY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/13/1995	Non-Lead								Tier 5		
1199	2642	LOGANBERRY	Seabrook	77586				Non-Lead				Non-Lead - Copper	Before 1989	1906 (HCAD)	Non-Lead								Tier 5		
1200	2600	RED BLUFF RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/7/2000	Non-Lead				Building				Tier 5		
1201	2618	RED BLUFF RD	Seabrook	77586				Non-Lead					Before 1989	1961 (HCAD)	Non-lead								Tier 5		
1202	2702	RED BLUFF RD	Seabrook	77586				Non-Lead					Before 1989	1967 (HCAD)	Non-lead				Building				Tier 5		
1203	2708	RED BLUFF RD	Seabrook	77586				Non-Lead						NO BUILDING	Non-lead								Tier 5		
1204	2802	RED BLUFF RD	Seabrook	77586				Non-Lead					Before 1989	1940 (HCAD)	Non-lead								Tier 5		
1205	2806	RED BLUFF RD	Seabrook	77586				Non-Lead						NO BUILDING	Non-lead								Tier 5		
1206	5916	SHADY LAKE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1993 (HCAD)	Non-Lead								Tier 5		
1207	5918	SHADY LAKE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2009 (HCAD)	Non-Lead								Tier 5		
1208	4401	SHADY LAKE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/7/1992	Non-Lead								Tier 5		
1209	4407	SHADY LAKE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1991 (HCAD)	Non-Lead								Tier 5		
1210	4417	SHADY LAKE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/5/1994	Non-Lead								Tier 5		
1211	4429	SHADY LAKE DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1983 (HCAD)	Non-Lead								Tier 5		
1212	4433	SHADY LAKE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1999 (HCAD)	Non-Lead								Tier 5		
1213	4441	SHADY LAKE DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead								Tier 5		
1214	4449	SHADY LAKE DR	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1946 (HCAD)	Non-Lead								Tier 5		
1215	4457	SHADY LAKE DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1974 (HCAD)	Non-Lead								Tier 5		
1216	4461	SHADY LAKE DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1984 (HCAD)	Non-Lead								Tier 5		
1217	4469	SHADY LAKE DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead								Tier 5		
1218	4100	BOARDWALK BLVD.	Seabrook	77586				Non-Lead				Non-Lead		NO BUILDING	Non-Lead								Tier 5		
1219	4108	BOARDWALK BLVD.	Seabrook	77586				Non-Lead				Non-Lead	After 2014	6/23/2015	Non-Lead								Tier 5		
1220	4116	BOARDWALK BLVD.	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/21/2006	Non-Lead								Tier 5		
1221	4128	BOARDWALK BLVD.	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/21/2006	Non-Lead								Tier 5		
1222	4141	BOARDWALK BLVD.	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/20/2006	Non-Lead								Tier 5		
1223	4137	BOARDWALK BLVD.	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/29/2006	Non-Lead								Tier 5		
1224	4133	BOARDWALK BLVD.	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/29/2006	Non-Lead								Tier 5		
1225	4129	BOARDWALK BLVD.	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/21/2006	Non-Lead								Tier 5		
1226	4125	BOARDWALK BLVD.	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/21/2006	Non-Lead								Tier 5		
1227	4121	BOARDWALK BLVD.	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/12/2006	Non-Lead								Tier 5		
1228	4117	BOARDWALK BLVD.	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/12/2006	Non-Lead								Tier 5		
1229	4101	BOARDWALK BLVD.	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/12/2006	Non-Lead								Tier 5		
1230	4037	BOARDWALK BLVD.	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/24/2006	Non-Lead								Tier 5		
1231	4033	BOARDWALK BLVD.	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/24/2006	Non-Lead								Tier 5		
1232	2500	BAYPORT BLVD	Seabrook	77586				Non-Lead				Galvanized	Before 1989	1979 (HCAD)	Galvanized Requiring Replacement										
1233	1910	MARVIN CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1983 (HCAD)	Non-Lead				Building				Tier 5		
1234	1906	MARVIN CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1984 (HCAD)	Non-Lead				Building				Tier 5		
1235	1901	MARVIN CIRCLE	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1984 (HCAD)	Non-Lead				Building				Tier 5		
1236	1909	MARVIN CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1984 (HCAD)	Non-Lead				Building				Tier 5		
1237	1929	MARVIN CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1999 (HCAD)	Non-Lead				Building				Tier 5		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion				Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
1238	*2130*	*A BAYPORT BLVD*	*Seabrook*	*77586*				*Non-Lead*						*NO BUILDING*	Non-lead										
1239	*1908*	*EL MAR LN*	*Seabrook*	*77586*				*Non-Lead*						*NO BUILDING*	Non-lead									*Tier 5*	
1240	*2024*	*BAYPORT BLVD*	*Seabrook*	*77586*				*Non-Lead*						*NO BUILDING*	Non-lead				*Building*					*Tier 5*	
1241	*2028*	*BAYPORT BLVD*	*Seabrook*	*77586*				*Non-Lead*						*NO BUILDING*	Non-lead									*Tier 5*	
1242	*2020*	*BAYPORT BLVD*	*Seabrook*	*77586*				*Non-Lead*						*NO BUILDING*	Non-lead				*Building*					*Tier 5*	
1243	*2116*	*BAYPORT BLVD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/21/1993*	Non-Lead				*Building*					*Tier 5*	
1244	*2120*	*BAYPORT BLVD 1*	*Seabrook*	*77586*				*Non-Lead*						*NO BUILDING*	Non-lead									*Tier 5*	
1245	*2124*	*BAYPORT BLVD*	*Seabrook*	*77586*				*Non-Lead*						*NO BUILDING*	Non-lead									*Tier 5*	
1246	*1900*	*MIRAMAR GREEN*	*Seabrook*	*77586*				*Non-Lead*				*Galvanized*	*Before 1989*	*1978 (HCAD)*	Galvanized Requiring Replacement				*Multiple Family Residence*						
1247	*2814*	*BAYPORT BLVD*	*Seabrook*	*77586*				*Non-Lead*						*NO BUILDING*	Non-lead				*Building*				*Tier 5*		
1248	*2912*	*BAYPORT BLVD A*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/23/1994*	Non-Lead				*Building*				*Tier 5*		
1249	*2910*	*BAYPORT BLVD*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead				*Building*				*Tier 5*		
1250	*3014*	*BAYPORT BLVD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1905 (HCAD)*	Non-Lead								*Tier 5*		
1251	*3018*	*BAYPORT BLVD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1984 (HCAD)*	Non-Lead				*Building*				*Tier 5*		
1252	*3110*	*BAYPORT BLVD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1983 (HCAD)*	Non-Lead				*Building*				*Tier 5*		
1253	*1909*	*BAHAMA DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/19/1994*	Non-Lead				*Multiple Family Residence*				*Tier 5*		
1254	*1905*	*BAHAMA DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1966 (HCAD)*	Non-Lead				*Multiple Family Residence*				*Tier 5*		
1255	*1901*	*BAHAMA DR*	*Seabrook*	*77586*				*Non-Lead*				*Galvanized*	*Before 1989*	*1966 (HCAD)*	Galvanized Requiring Replacement				*Multiple Family Residence*						
1256	*1813*	*BAHAMA DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1966 (HCAD)*	Non-Lead				*Multiple Family Residence*				*Tier 5*		
1257	*1877*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
1258	*1873*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
1259	*1861*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/4/1994*	Non-Lead								*Tier 5*		
1260	*1857*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
1261	*1853*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
1262	*1849*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1965 (HCAD)*	Non-Lead								*Tier 5*		
1263	*1841*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/27/1993*	Non-Lead								*Tier 5*		
1264	*1837*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
1265	*1829*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
1266	*1825*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
1267	*1817*	*DOLPHIN DRIVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
1268	*1813*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
1269	*1809*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
1270	*1805*	*DOLPHIN DRIVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
1271	*1801*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
1272	*1745*	*DOLPHIN DRIVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1973 (HCAD)*	Non-Lead								*Tier 5*		
1273	*1737*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1973 (HCAD)*	Non-Lead								*Tier 5*		
1274	*1733*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1973 (HCAD)*	Non-Lead								*Tier 5*		
1275	*1729*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1973 (HCAD)*	Non-Lead								*Tier 5*		
1276	*1725*	*DOLPHIN DRIVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1973 (HCAD)*	Non-Lead								*Tier 5*		
1277	*1721*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/29/1994*	Non-Lead								*Tier 5*		
1278	*1717*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1970 (HCAD)*	Non-Lead								*Tier 5*		
1279	*1713*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1973 (HCAD)*	Non-Lead								*Tier 5*		
1280	*1709*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1973 (HCAD)*	Non-Lead								*Tier 5*		
1281	*1705*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1973 (HCAD)*	Non-Lead								*Tier 5*		
1282	*1701*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1973 (HCAD)*	Non-Lead								*Tier 5*		
1283	*1700*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1969 (HCAD)*	Non-Lead								*Tier 5*		
1284	*1704*	*DOLPHIN DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1973 (HCAD)*	Non-Lead								*Tier 5*		
1285	*1712*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1973 (HCAD)*	Non-Lead								*Tier 5*		
1286	*1720*	*DOLPHIN DRIVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1973 (HCAD)*	Non-Lead								*Tier 5*		
1287	*1724*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1973 (HCAD)*	Non-Lead								*Tier 5*		
1288	*1728*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1973 (HCAD)*	Non-Lead								*Tier 5*		
1289	*1748*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1973 (HCAD)*	Non-Lead								*Tier 5*		
1290	*1752*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1973 (HCAD)*	Non-Lead								*Tier 5*		
1291	*1800*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1964 (HCAD)*	Non-Lead								*Tier 5*		
1292	*1804*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
1293	*1808*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
1294	*1824*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1964 (HCAD)*	Non-Lead								*Tier 5*		
1295	*1828*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1964 (HCAD)*	Non-Lead								*Tier 5*		
1296	*1840*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1965 (HCAD)*	Non-Lead								*Tier 5*		
1297	*1844*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1964 (HCAD)*	Non-Lead								*Tier 5*		
1298	*1848*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/31/1995*	Non-Lead								*Tier 5*		
1299	*1852*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
1300	*1856*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/25/1994*	Non-Lead								*Tier 5*		
1301	*1860*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
1302	*1864*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1976 (HCAD)*	Non-Lead								*Tier 5*		
1303	*1868*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1962 (HCAD)*	Non-Lead								*Tier 5*		
1304	*1872*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
1305	*1877*	*EL MAR LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1968 (HCAD)*	Non-Lead								*Tier 5*		
1306	*1873*	*EL MAR LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1966 (HCAD)*	Non-Lead								*Tier 5*		
1307	*1869*	*EL MAR LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1966 (HCAD)*	Non-Lead								*Tier 5*		
1308	*1865*	*EL MAR LN*	*Seabrook*	*77586*				*Non-Lead*				*Galvanized*	*Before 1989*	*1966 (HCAD)*	Galvanized Requiring Replacement										
1309	*1861*	*EL MAR LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/19/1992*	Non-Lead								*Tier 5*		
1310	*1849*	*EL MAR LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1966 (HCAD)*	Non-Lead								*Tier 5*		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion				Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
1311	1837	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1966 (HCAD)	Non-Lead								Tier 5		
1312	1829	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1966 (HCAD)	Non-Lead								Tier 5		
1313	1825	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1966 (HCAD)	Non-Lead								Tier 5		
1314	1821	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1964 (HCAD)	Non-Lead								Tier 5		
1315	1817	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1964 (HCAD)	Non-Lead								Tier 5		
1316	1813	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1964 (HCAD)	Non-Lead								Tier 5		
1317	1809	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1964 (HCAD)	Non-Lead								Tier 5		
1318	1805	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/22/1994	Non-Lead								Tier 5		
1319	1763	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/30/1993	Non-Lead								Tier 5		
1320	1761	EL MAR LN	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Multiple Family Residence				Tier 5		
1321	1753	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1967 (HCAD)	Non-Lead				Multiple Family Residence				Tier 5		
1322	1749	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1967 (HCAD)	Non-Lead				Multiple Family Residence				Tier 5		
1323	1745	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1967 (HCAD)	Non-Lead				Multiple Family Residence				Tier 5		
1324	1741	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1967 (HCAD)	Non-Lead				Multiple Family Residence				Tier 5		
1325	1701	BAYWAY DR	Seabrook	77586				Non-Lead				Non-Lead	After 2014	10/15/2018	Non-Lead								Tier 5		
1326	1705	BAYWAY DR	Seabrook	77586				Non-Lead				Non-Lead	After 2014	10/15/2018	Non-Lead								Tier 5		
1327	1709	BAYWAY DR	Seabrook	77586				Non-Lead				Non-Lead	After 2014	7/3/2019	Non-Lead								Tier 5		
1328	1713	BAYWAY DR	Seabrook	77586				Non-Lead				Non-Lead	After 2014	7/3/2019	Non-Lead								Tier 5		
1329	1717	BAYWAY DR	Seabrook	77586				Non-Lead				Non-Lead	After 2014	7/25/2018	Non-Lead								Tier 5		
1330	1721	BAYWAY DR	Seabrook	77586				Non-Lead				Non-Lead	After 2014	7/26/2018	Non-Lead								Tier 5		
1331	1725	BAYWAY DR	Seabrook	77586				Non-Lead				Non-Lead	After 2014	11/1/2017	Non-Lead								Tier 5		
1332	1729	BAYWAY DR	Seabrook	77586				Non-Lead				Non-Lead	After 2014	11/1/2017	Non-Lead								Tier 5		
1333	1731	BAYWAY DR	Seabrook	77586				Non-Lead				Non-Lead	After 2014	2/7/2017	Non-Lead								Tier 5		
1334	1735	BAYWAY DR	Seabrook	77586				Non-Lead				Non-Lead	After 2014	2/7/2017	Non-Lead								Tier 5		
1335	1736	BAYWAY DR	Seabrook	77586				Non-Lead				Non-Lead	After 2014	2/7/2017	Non-Lead								Tier 5		
1336	1711	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	After 2014	4/5/2018	Non-Lead								Tier 5		
1337	1715	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	After 2014	4/5/2018	Non-Lead								Tier 5		
1338	1719	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	After 2014	7/8/2019	Non-Lead								Tier 5		
1339	1723	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	After 2014	7/8/2019	Non-Lead								Tier 5		
1340	1727	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	After 2014	9/18/2019	Non-Lead								Tier 5		
1341	1731	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	After 2014	9/18/2019	Non-Lead								Tier 5		
1342	1736	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead								Tier 5		
1343	1740	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead								Tier 5		
1344	1744	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead								Tier 5		
1345	1748	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/4/1994	Non-Lead								Tier 5		
1346	1752	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead								Tier 5		
1347	1756	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1967 (HCAD)	Non-Lead								Tier 5		
1348	1760	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1967 (HCAD)	Non-Lead								Tier 5		
1349	1764	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1967 (HCAD)	Non-Lead								Tier 5		
1350	1768	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1967 (HCAD)	Non-Lead								Tier 5		
1351	1772	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1967 (HCAD)	Non-Lead								Tier 5		
1352	1800	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead								Tier 5		
1353	1808	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1965 (HCAD)	Non-Lead								Tier 5		
1354	1816	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1965 (HCAD)	Non-Lead								Tier 5		
1355	1820	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/3/1995	Non-Lead								Tier 5		
1356	1824	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1966 (HCAD)	Non-Lead								Tier 5		
1357	1828	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1966 (HCAD)	Non-Lead								Tier 5		
1358	1832	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1966 (HCAD)	Non-Lead								Tier 5		
1359	1836	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1966 (HCAD)	Non-Lead								Tier 5		
1360	1840	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/15/1994	Non-Lead								Tier 5		
1361	1844	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1965 (HCAD)	Non-Lead								Tier 5		
1362	1848	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1965 (HCAD)	Non-Lead								Tier 5		
1363	1852	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1966 (HCAD)	Non-Lead								Tier 5		
1364	1860	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1966 (HCAD)	Non-Lead								Tier 5		
1365	1864	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1966 (HCAD)	Non-Lead								Tier 5		
1366	1868	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead								Tier 5		
1367	1876	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1964 (HCAD)	Non-Lead				Multiple Family Residence				Tier 5		
1368	2000	BAHAMA DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1965 (HCAD)	Non-Lead				Multiple Family Residence				Tier 5		
1369	1773	FLORIDA DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead								Tier 5		
1370	1769	FLORIDA DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/27/1993	Non-Lead								Tier 5		
1371	1765	FLORIDA DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead								Tier 5		
1372	1761	FLORIDA DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead								Tier 5		
1373	1757	FLORIDA DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead								Tier 5		
1374	1753	FLORIDA DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead								Tier 5		
1375	1749	FLORIDA DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead								Tier 5		
1376	1745	FLORIDA DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead								Tier 5		
1377	1741	FLORIDA DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead								Tier 5		
1378	1740	FLORIDA DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead								Tier 5		
1379	1744	FLORIDA DR	Seabrook	77586				Non-Lead				Non-Lead - Copper	Before 1989	1968 (HCAD)	Non-Lead								Tier 5		
1380	1748	FLORIDA DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead								Tier 5		
1381	1752	FLORIDA DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead								Tier 5		
1382	1760	FLORIDA DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead								Tier 5		
1383	1764	FLORIDA DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead								Tier 5		
1384	1768	FLORIDA DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead								Tier 5		
1385	1772	FLORIDA DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead								Tier 5		
1386	1773	HIALEAH DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead								Tier 5		
1387	1769	HIALEAH DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1974 (HCAD)	Non-Lead								Tier 5		
1388	1757	HIALEAH	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1974 (HCAD)	Non-Lead								Tier 5		
1389	1753	HIALEAH	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1973 (HCAD)	Non-Lead								Tier 5		
1390	1749	HIALEAH	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1973 (HCAD)	Non-Lead								Tier 5		
1391	1745	HIALEAH	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/13/1993	Non-Lead								Tier 5		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Entire Service Line Material Classification[x]	Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[x]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes		Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
1392	*2200*	*HIALEAH*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1976 (HCAD)*	Non-Lead								*Tier 5*		
1393	*2204*	*HIALEAH*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/8/1995*	Non-Lead								*Tier 5*		
1394	*2208*	*HIALEAH DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1969 (HCAD)*	Non-Lead								*Tier 5*		
1395	*2212*	*HIALEAH*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1969 (HCAD)*	Non-Lead								*Tier 5*		
1396	*1740*	*ISLANDER WAY*	*Seabrook*	*77586*				*Non-Lead*				*Galvanized*	*Before 1989*	*1969 (HCAD)*	Galvanized Requiring Replacement										
1397	*1744*	*ISLANDER WAY*	*Seabrook*	*77586*				*Non-Lead*				*Galvanized*	*Before 1989*	*1973 (HCAD)*	Galvanized Requiring Replacement										
1398	*1748*	*ISLANDER WAY*	*Seabrook*	*77586*				*Non-Lead*				*Galvanized*	*Before 1989*	*1968 (HCAD)*	Galvanized Requiring Replacement										
1399	*1752*	*ISLANDER WAY*	*Seabrook*	*77586*				*Non-Lead*				*Galvanized*	*Before 1989*	*1969 (HCAD)*	Galvanized Requiring Replacement										
1400	*1756*	*ISLANDER WAY*	*Seabrook*	*77586*				*Non-Lead*				*Galvanized*	*Before 1989*	*1968 (HCAD)*	Galvanized Requiring Replacement										
1401	*1760*	*ISLANDER WAY*	*Seabrook*	*77586*				*Non-Lead*				*Galvanized*	*Before 1989*	*1969 (HCAD)*	Galvanized Requiring Replacement										
1402	*2300*	*NASSAU DR*	*Seabrook*	*77586*				*Non-Lead*				*Galvanized*	*Before 1989*	*1974 (HCAD)*	Galvanized Requiring Replacement										
1403	*1761*	*ISLANDER WAY*	*Seabrook*	*77586*				*Non-Lead*				*Galvanized*	*Before 1989*	*1968 (HCAD)*	Galvanized Requiring Replacement										
1404	*2209*	*HIALEAH*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1968 (HCAD)*	Non-Lead								*Tier 5*		
1405	*2205*	*HIALEAH*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1974 (HCAD)*	Non-Lead								*Tier 5*		
1406	*2201*	*HIALEAH*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1976 (HCAD)*	Non-Lead								*Tier 5*		
1407	*1756*	*HIALEAH*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1975 (HCAD)*	Non-Lead								*Tier 5*		
1408	*1764*	*HIALEAH DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1969 (HCAD)*	Non-Lead								*Tier 5*		
1409	*1768*	*HIALEAH DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/9/1995*	Non-Lead								*Tier 5*		
1410	*1772*	*HIALEAH DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1974 (HCAD)*	Non-Lead								*Tier 5*		
1411	*2308*	*NASSAU DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1968 (HCAD)*	Non-Lead								*Tier 5*		
1412	*2312*	*NASSAU DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1968 (HCAD)*	Non-Lead								*Tier 5*		
1413	*2316*	*NASSAU DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1968 (HCAD)*	Non-Lead								*Tier 5*		
1414	*2320*	*NASSAU DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1968 (HCAD)*	Non-Lead								*Tier 5*		
1415	*2325*	*NASSAU DR*	*Seabrook*	*77586*				*Non-Lead*				*Galvanized*	*Before 1989*	*1968 (HCAD)*	Galvanized Requiring Replacement										
1416	*2321*	*NASSAU DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1968 (HCAD)*	Non-Lead								*Tier 5*		
1417	*2317*	*NASSAU DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1968 (HCAD)*	Non-Lead								*Tier 5*		
1418	*2313*	*NASSAU DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1968 (HCAD)*	Non-Lead								*Tier 5*		
1419	*2309*	*NASSAU DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1968 (HCAD)*	Non-Lead								*Tier 5*		
1420	*2305*	*NASSAU DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1968 (HCAD)*	Non-Lead								*Tier 5*		
1421	*2301*	*NASSAU DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1968 (HCAD)*	Non-Lead								*Tier 5*		
1422	*2109*	*NASSAU DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/27/2004*	Non-Lead								*Tier 5*		
1423	*2125*	*NASSAU DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/28/1998*	Non-Lead								*Tier 5*		
1424	*2121*	*NASSAU DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/28/1998*	Non-Lead								*Tier 5*		
1425	*2117*	*NASSAU DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/28/1998*	Non-Lead								*Tier 5*		
1426	*2101*	*NASSAU DRIVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/29/2001*	Non-Lead								*Tier 5*		
1427	*2105*	*NASSAU DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/5/2006*	Non-Lead								*Tier 5*		
1428	*2113*	*SEABROOK CIR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1998 (HCAD)*	Non-Lead				*Building*				*Tier 5*		
1429	*2129*	*SEABROOK CIR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/28/2013*	Non-Lead				*Building*				*Tier 5*		
1430	*3300*	*TOWERS BLVD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/20/2014*	Non-Lead				*Multiple Family Residence*				*Tier 5*		
1431	*4526*	*ALBATROSS*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/5/1997*	Non-Lead								*Tier 5*		
1432	*4530*	*ALBATROSS*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/3/1995*	Non-Lead								*Tier 5*		
1433	*1914*	*HARBOUR COVE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/22/1995*	Non-Lead								*Tier 5*		
1434	*2010*	*HARBOUR COVE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/17/1993*	Non-Lead								*Tier 5*		
1435	*2017*	*HARBOUR COVE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/5/1995*	Non-Lead								*Tier 5*		
1436	*2013*	*HARBOUR COVE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/7/1995*	Non-Lead								*Tier 5*		
1437	*2009*	*HARBOUR COVE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/21/1994*	Non-Lead								*Tier 5*		
1438	*2005*	*HARBOUR COVE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1995 (HCAD)*	Non-Lead								*Tier 5*		
1439	*2001*	*HARBOUR COVE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/17/1993*	Non-Lead								*Tier 5*		
1440	*1933*	*HARBOUR COVE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/20/1993*	Non-Lead								*Tier 5*		
1441	*1929*	*HARBOUR COVE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/12/1995*	Non-Lead								*Tier 5*		
1442	*1925*	*HARBOUR COVE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/24/1994*	Non-Lead								*Tier 5*		
1443	*1917*	*HARBOUR COVE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/6/1993*	Non-Lead								*Tier 5*		
1444	*1913*	*HARBOUR COVE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/17/1993*	Non-Lead								*Tier 5*		
1445	*1909*	*HARBOUR COVE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/5/1993*	Non-Lead								*Tier 5*		
1446	*1905*	*HARBOUR COVE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/15/1995*	Non-Lead								*Tier 5*		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion				Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
1447	*1900*	*HARBOUR COVE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/18/1992*	Non-Lead				*Building*				*Tier 5*		
1448	*1901*	*HARBOUR COVE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/14/1993*	Non-Lead								*Tier 5*		
1449	*1835*	*HARBOUR CREST DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/25/1997*	Non-Lead								*Tier 5*		
1450	*1831*	*HARBOUR CREST DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/8/1997*	Non-Lead								*Tier 5*		
1451	*1827*	*HARBOUR CREST DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/4/1997*	Non-Lead								*Tier 5*		
1452	*1924*	*WATERFORD WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/14/1997*	Non-Lead								*Tier 5*		
1453	*1928*	*WATERFORD WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/16/1997*	Non-Lead								*Tier 5*		
1454	*1932*	*WATERFORD WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/24/1997*	Non-Lead								*Tier 5*		
1455	*1936*	*WATERFORD WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/17/1997*	Non-Lead								*Tier 5*		
1456	*1948*	*WATERFORD WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/24/1997*	Non-Lead								*Tier 5*		
1457	*1965*	*WATERFORD WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/9/1998*	Non-Lead								*Tier 5*		
1458	*1961*	*WATERFORD WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/28/1998*	Non-Lead								*Tier 5*		
1459	*1957*	*WATERFORD WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/11/2000*	Non-Lead								*Tier 5*		
1460	*1953*	*WATERFORD WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/12/1998*	Non-Lead								*Tier 5*		
1461	*1949*	*WATERFORD WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/18/1999*	Non-Lead								*Tier 5*		
1462	*1945*	*WATERFORD WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/4/1998*	Non-Lead								*Tier 5*		
1463	*1941*	*WATERFORD WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/17/1998*	Non-Lead								*Tier 5*		
1464	*1937*	*WATERFORD WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/22/1997*	Non-Lead								*Tier 5*		
1465	*1929*	*WATERFORD WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/8/1997*	Non-Lead								*Tier 5*		
1466	*1925*	*WATERFORD WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/16/1997*	Non-Lead								*Tier 5*		
1467	*1921*	*WATERFORD WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/25/1997*	Non-Lead								*Tier 5*		
1468	*1909*	*WATERFORD WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/8/1996*	Non-Lead								*Tier 5*		
1469	*1905*	*WATERFORD WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/26/1996*	Non-Lead								*Tier 5*		
1470	*1840*	*HARBOUR CREST DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/12/1998*	Non-Lead								*Tier 5*		
1471	*1836*	*HARBOUR CREST DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/22/1996*	Non-Lead								*Tier 5*		
1472	*902*	*MYSTIC VILLAGE LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/21/2002*	Non-Lead								*Tier 5*		
1473	*906*	*MYSTIC VILLAGE LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/28/2002*	Non-Lead								*Tier 5*		
1474	*918*	*MYSTIC VILLAGE LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/25/2003*	Non-Lead								*Tier 5*		
1475	*922*	*MYSTIC VILLAGE LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/7/2003*	Non-Lead								*Tier 5*		
1476	*926*	*MYSTIC VILLAGE LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/2/2003*	Non-Lead								*Tier 5*		
1477	*930*	*MYSTIC VILLAGE LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/18/2002*	Non-Lead								*Tier 5*		
1478	*934*	*MYSTIC VILLAGE LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/5/2002*	Non-Lead								*Tier 5*		
1479	*938*	*MYSTIC VILLAGE LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/18/2002*	Non-Lead								*Tier 5*		
1480	*946*	*MYSTIC VILLAGE LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/23/1999*	Non-Lead								*Tier 5*		
1481	*950*	*MYSTIC VILLAGE LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/23/1999*	Non-Lead								*Tier 5*		
1482	*1509*	*PARK DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/4/2001*	Non-Lead								*Tier 5*		
1483	*1505*	*PARK DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/15/1999*	Non-Lead								*Tier 5*		
1484	*1502*	*PARK DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/30/2002*	Non-Lead								*Tier 5*		
1485	*1501*	*PARK DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/25/2001*	Non-Lead								*Tier 5*		
1486	*1613*	*OLD ORCHARD LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/12/2002*	Non-Lead								*Tier 5*		
1487	*1617*	*OLD ORCHARD LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/26/2002*	Non-Lead								*Tier 5*		
1488	*1621*	*OLD ORCHARD LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/25/2002*	Non-Lead								*Tier 5*		
1489	*1625*	*OLD ORCHARD LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/15/1999*	Non-Lead								*Tier 5*		
1490	*1629*	*OLD ORCHARD LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/22/2002*	Non-Lead								*Tier 5*		
1491	*1633*	*OLD ORCHARD LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/13/2002*	Non-Lead								*Tier 5*		
1492	*1637*	*OLD ORCHARD LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/16/2002*	Non-Lead								*Tier 5*		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Entire Service Line Material Classification[x]	Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes		Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
1493	*1641*	*OLD ORCHARD LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/6/2002*	Non-Lead								*Tier 5*		
1494	*2013*	*YORKTOWN COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/18/2001*	Non-Lead								*Tier 5*		
1495	*2009*	*YORKTOWN COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/29/2001*	Non-Lead								*Tier 5*		
1496	*2005*	*YORKTOWN COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/8/2002*	Non-Lead								*Tier 5*		
1497	*2001*	*YORKTOWN CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/14/2001*	Non-Lead								*Tier 5*		
1498	*2002*	*YORKTOWN COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/30/2000*	Non-Lead								*Tier 5*		
1499	*2006*	*YORKTOWN COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/4/2001*	Non-Lead								*Tier 5*		
1500	*2010*	*YORKTOWN COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/2/2002*	Non-Lead								*Tier 5*		
1501	*2014*	*YORKTOWN COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/8/2002*	Non-Lead								*Tier 5*		
1502	*1950*	*WATER'S EDGE LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/26/2002*	Non-Lead								*Tier 5*		
1503	*1717*	*GASLIGHT CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/9/2000*	Non-Lead								*Tier 5*		
1504	*1941*	*WATER'S EDGE LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/24/2001*	Non-Lead								*Tier 5*		
1505	*1818*	*WALLINGTON LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/9/2002*	Non-Lead				*Building*				*Tier 5*		
1506	*1817*	*WALLINGTON LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/25/2002*	Non-Lead								*Tier 5*		
1507	*1813*	*WALLINGTON LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/3/2002*	Non-Lead								*Tier 5*		
1508	*1814*	*WALLINGTON LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/28/2002*	Non-Lead								*Tier 5*		
1509	*1810*	*WALLINGTON LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/28/2003*	Non-Lead								*Tier 5*		
1510	*1809*	*WALLINGTON LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/9/2002*	Non-Lead								*Tier 5*		
1511	*1805*	*WALLINGTON LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/19/2002*	Non-Lead								*Tier 5*		
1512	*1806*	*WALLINGTON LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/4/2001*	Non-Lead								*Tier 5*		
1513	*1802*	*WALLINGTON LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/4/2001*	Non-Lead								*Tier 5*		
1514	*1801*	*WALLINGTON LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/12/2001*	Non-Lead								*Tier 5*		
1515	*1301*	*DARDEN LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/10/2002*	Non-Lead								*Tier 5*		
1516	*1305*	*DARDEN LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/10/2001*	Non-Lead								*Tier 5*		
1517	*1306*	*PLYMOUTH ROCK LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/14/2001*	Non-Lead								*Tier 5*		
1518	*1326*	*PLYMOUTH ROCK LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/4/2001*	Non-Lead								*Tier 5*		
1519	*1522*	*PARK DRIVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/7/2003*	Non-Lead								*Tier 5*		
1520	*1225*	*MYSTIC VILLAGE LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/3/2001*	Non-Lead								*Tier 5*		
1521	*1510.5*	*PARK DR*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead				*Building*				*Tier 5*		
1522	*1221*	*MYSTIC VILLAGE LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/16/2001*	Non-Lead								*Tier 5*		
1523	*1217*	*MYSTIC VILLAGE LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/29/2000*	Non-Lead								*Tier 5*		
1524	*1213*	*MYSTIC VILLAGE LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/4/2001*	Non-Lead								*Tier 5*		
1525	*1209*	*MYSTIC VILLAGE LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/29/2000*	Non-Lead								*Tier 5*		
1526	*1205*	*MYSTIC VILLAGE LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/29/2000*	Non-Lead								*Tier 5*		
1527	*1110*	*CARRIAGE CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/14/2000*	Non-Lead								*Tier 5*		
1528	*1114*	*CARRIAGE COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/23/1999*	Non-Lead								*Tier 5*		
1529	*1122*	*CARRIAGE COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/11/2002*	Non-Lead								*Tier 5*		
1530	*1129*	*CARRIAGE COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/14/2000*	Non-Lead								*Tier 5*		
1531	*1125*	*CARRIAGE COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/3/2002*	Non-Lead								*Tier 5*		
1532	*1121*	*CARRIAGE CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/8/2002*	Non-Lead								*Tier 5*		
1533	*1117*	*CARRIAGE COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/11/2002*	Non-Lead								*Tier 5*		
1534	*1113*	*CARRIAGE COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/3/2002*	Non-Lead								*Tier 5*		
1535	*1002*	*VICTORIAN COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/11/2002*	Non-Lead								*Tier 5*		
1536	*1006*	*VICTORIAN CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/26/2002*	Non-Lead								*Tier 5*		
1537	*1010*	*VICTORIAN COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/23/1999*	Non-Lead								*Tier 5*		
1538	*1014*	*VICTORIAN COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/23/1999*	Non-Lead								*Tier 5*		
1539	*1018*	*VICTORIAN CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/3/2001*	Non-Lead								*Tier 5*		
1540	*1022*	*VICTORIAN COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/10/2001*	Non-Lead								*Tier 5*		
1541	*1021*	*VICTORIAN COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/9/2002*	Non-Lead								*Tier 5*		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion				Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[x]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
1542	1017	VICTORIAN COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/13/2000	Non-Lead								Tier 5		
1543	1013	VICTORIAN COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/13/2000	Non-Lead								Tier 5		
1544	1009	VICTORIAN CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/030/00	Non-Lead								Tier 5		
1545	1005	VICTORIAN COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/27/1999	Non-Lead								Tier 5		
1546	1001	VICTORIAN CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/23/1999	Non-Lead								Tier 5		
1547	937	MYSTIC VILLAGE LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/19/2001	Non-Lead								Tier 5		
1548	933	MYSTIC VILLAGE LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/23/1999	Non-Lead								Tier 5		
1549	929	MYSTIC VILLAGE LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/23/1999	Non-Lead								Tier 5		
1550	925	MYSTIC VILLAGE LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/31/2002	Non-Lead								Tier 5		
1551	921	MYSTIC VILLAGE LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/27/1999	Non-Lead								Tier 5		
1552	917	MYSTIC VILLAGE LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/4/2002	Non-Lead								Tier 5		
1553	913	MYSTIC VILLAGE LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/31/2002	Non-Lead								Tier 5		
1554	905	MYSTIC VILLAGE LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/5/2000	Non-Lead								Tier 5		
1555	901	MYSTIC VILLAGE LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2003 (HCAD)	Non-Lead								Tier 5		
1556	1601	E MEYER AVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/9/2000	Non-Lead								Tier 5		
1557	1605	E MEYER AVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/11/2001	Non-Lead								Tier 5		
1558	1609	E MEYER AVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/20/2001	Non-Lead								Tier 5		
1559	1613	E MEYER AVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/1/2002	Non-Lead								Tier 5		
1560	1617	E MEYER AVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/18/2001	Non-Lead								Tier 5		
1561	1621	E MEYER AVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/20/2001	Non-Lead								Tier 5		
1562	1625	E MEYER AVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/4/2000	Non-Lead								Tier 5		
1563	1629	E MEYER AVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/4/2000	Non-Lead								Tier 5		
1564	1633	E MEYER AVE	Seabrook	77586				Non-Lead				Non-Lead	After 2014	Aug-20	Non-Lead								Tier 5		
1565	1637	E MEYER AVE	Seabrook	77586				Non-Lead				Non-Lead	After 2014	8/19/2020	Non-Lead								Tier 5		
1566	1850	E MEYER AVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/29/2005	Non-Lead				Building				Tier 5		
1567	1850	E MEYER AVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/29/2005	Non-Lead				Building				Tier 5		
1568	925	BAY SKY WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/11/2013	Non-Lead								Tier 5		
1569	929	BAY SKY WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/2/2012	Non-Lead								Tier 5		
1570	933	BAY SKY WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/1/2011	Non-Lead								Tier 5		
1571	928	BAY SKY WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/17/2010	Non-Lead								Tier 5		
1572	932	BAY SKY WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/15/2012	Non-Lead								Tier 5		
1573	936	BAY SKY WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/30/2013	Non-Lead								Tier 5		
1574	940	BAY SKY WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/29/2009	Non-Lead								Tier 5		
1575	944	BAY SKY WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/15/2013	Non-Lead								Tier 5		
1576	948	BAY SKY WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/24/2012	Non-Lead								Tier 5		
1577	952	BAY SKY WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/17/2013	Non-Lead								Tier 5		
1578	956	BAY SKY WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/18/2010	Non-Lead								Tier 5		
1579	960	BAY SKY WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/9/2009	Non-Lead								Tier 5		
1580	1002	BAY SKY WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/5/2005	Non-Lead								Tier 5		
1581	805	HALLMARK OAK ST	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/5/2005	Non-Lead								Tier 5		
1582	809	HALLMARK OAK ST	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/5/2005	Non-Lead								Tier 5		
1583	813	HALLMARK OAK ST	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/13/2005	Non-Lead								Tier 5		
1584	817	HALLMARK OAK ST	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/13/2005	Non-Lead								Tier 5		
1585	818	HALLMARK OAK ST	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/13/2005	Non-Lead								Tier 5		
1586	806	HALLMARK OAK ST	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/5/2005	Non-Lead								Tier 5		
1587	802	HALLMARK OAK ST	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/5/2005	Non-Lead								Tier 5		
1588	1014	BAY SKY WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/4/2005	Non-Lead								Tier 5		
1589	1018	BAY SKY WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/4/2005	Non-Lead								Tier 5		
1590	1022	BAY SKY WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/4/2005	Non-Lead								Tier 5		
1591	801	JUNE WOOD WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/4/2005	Non-Lead								Tier 5		
1592	805	JUNE WOOD WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/4/2005	Non-Lead								Tier 5		
1593	809	JUNE WOOD WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/4/2005	Non-Lead								Tier 5		
1594	810	JUNE WOOD WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/22/2005	Non-Lead								Tier 5		
1595	806	JUNE WOOD WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/22/2005	Non-Lead								Tier 5		
1596	802	JUNE WOOD WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/22/2005	Non-Lead								Tier 5		
1597	1026	BAY SKY WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/4/2005	Non-Lead								Tier 5		
1598	1034	BAY SKY WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/21/2013	Non-Lead								Tier 5		
1599	1038	BAY SKY WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/21/2013	Non-Lead								Tier 5		
1600	801	CORNER SQUARE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/19/2012	Non-Lead								Tier 5		
1601	805	CORNER SQUARE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/28/2012	Non-Lead								Tier 5		
1602	809	CORNER SQUARE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/8/2011	Non-Lead								Tier 5		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Entire Service Line Material Classification[x]	Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[x]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes		Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
1603	*813*	*CORNER SQUARE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/29/2012*	Non-Lead								*Tier 5*		
1604	*818*	*CORNER SQUARE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/10/2011*	Non-Lead								*Tier 5*		
1605	*814*	*CORNER SQUARE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/25/2012*	Non-Lead								*Tier 5*		
1606	*806*	*CORNER SQUARE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/21/2011*	Non-Lead								*Tier 5*		
1607	*802*	*CORNER SQUARE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/9/2012*	Non-Lead								*Tier 5*		
1608	*1102*	*BAY SKY WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/27/2011*	Non-Lead								*Tier 5*		
1609	*1110*	*BAY SKY WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/24/2012*	Non-Lead								*Tier 5*		
1610	*1114*	*BAY SKY WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/19/2010*	Non-Lead								*Tier 5*		
1611	*1118*	*BAY SKY WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/28/2011*	Non-Lead								*Tier 5*		
1612	*813*	*IRISH MAPLE ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/13/2011*	Non-Lead								*Tier 5*		
1613	*817*	*IRISH MAPLE ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/20/2012*	Non-Lead								*Tier 5*		
1614	*818*	*IRISH MAPLE ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/20/2012*	Non-Lead								*Tier 5*		
1615	*814*	*IRISH MAPLE ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/30/2011*	Non-Lead								*Tier 5*		
1616	*1122*	*BAY SKY WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/30/2011*	Non-Lead								*Tier 5*		
1617	*1126*	*BAY SKY WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/17/2013*	Non-Lead								*Tier 5*		
1618	*1130*	*BAY SKY WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/2/2011*	Non-Lead								*Tier 5*		
1619	*1134*	*BAY SKY WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/1/2011*	Non-Lead								*Tier 5*		
1620	*1142*	*BAY SKY WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/29/2010*	Non-Lead								*Tier 5*		
1621	*1146*	*BAY SKY WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/1/2010*	Non-Lead								*Tier 5*		
1622	*1020*	*AUTUMN BROOK ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/9/2009*	Non-Lead								*Tier 5*		
1623	*942*	*AUTUMN BROOK ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/9/2005*	Non-Lead								*Tier 5*		
1624	*938*	*AUTUMN BROOK ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/6/2006*	Non-Lead								*Tier 5*		
1625	*1504*	*LAKE MIJA CIR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*1/25/2021*	Non-Lead								*Tier 5*		
1626	*1466*	*LAKE MIJA CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*After 2014*	*2020 (HCAD)*	Non-Lead								*Tier 5*		
1627	*4418*	*EGRET DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1990 (HCAD)*	Non-Lead								*Tier 5*		
1628	*2330*	*ACADIANA LN A*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2004 (HCAD)*	Non-Lead								*Tier 5*		
1629	*2326*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/24/2001*	Non-Lead								*Tier 5*		
1630	*2214*	*WATER WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/2/2004*	Non-Lead								*Tier 5*		
1631	*4143*	*LAKEPOINTE FO*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1993 (HCAD)*	Non-Lead								*Tier 5*		
1632	*4135*	*LAKEPOINTE FOREST DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2002 (HCAD)*	Non-Lead								*Tier 5*		
1633	*4102*	*SEA LEDGE CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
1634	*4139*	*LAKEPOINTE FOREST DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2014 (HCAD)*	Non-Lead								*Tier 5*		
1635	*4111*	*SEA LEDGE CT.*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1988 (HCAD)*	Non-Lead								*Tier 5*		
1636	*4107*	*SEA LEDGE CT.*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
1637	*4103*	*SEA LEDGE CT.*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
1638	*2726*	*SEA LEDGE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1987 (HCAD)*	Non-Lead								*Tier 5*		
1639	*2730*	*SEA LEDGE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1988 (HCAD)*	Non-Lead								*Tier 5*		
1640	*2734*	*SEA LEDGE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1988 (HCAD)*	Non-Lead								*Tier 5*		
1641	*2738*	*SEA LEDGE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1988 (HCAD)*	Non-Lead								*Tier 5*		
1642	*2806*	*SEA LEDGE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1987 (HCAD)*	Non-Lead								*Tier 5*		
1643	*2810*	*SEA LEDGE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*2017 (HCAD)*	Non-Lead								*Tier 5*		
1644	*2814*	*SEA LEDGE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1989 (HCAD)*	Non-Lead								*Tier 5*		
1645	*2818*	*SEA LEDGE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*		Non-Lead							*Yes*	*Tier 5*		
1646	*2822*	*SEA LEDGE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1992 (HCAD)*	Non-Lead								*Tier 5*		
1647	*2826*	*SEA LEDGE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
1648	*2902*	*SEA LEDGE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
1649	*2906*	*SEA LEDGE DR.*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1992 (HCAD)*	Non-Lead								*Tier 5*		
1650	*2910*	*SEA LEDGE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1989 (HCAD)*	Non-Lead								*Tier 5*		
1651	*2914*	*SEA LEDGE DR.*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
1652	*2918*	*SEA LEDGE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*2022 (HCAD)*	Non-Lead								*Tier 5*		
1653	*2922*	*SEA LEDGE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
1654	*2926*	*SEA LEDGE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1990 (HCAD)*	Non-Lead								*Tier 5*		
1655	*2930*	*SEA LEDGE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
1656	*2934*	*SEA LEDGE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/8/1994*	Non-Lead								*Tier 5*		
1657	*2827*	*CARMEL WOODS DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/24/1992*	Non-Lead								*Tier 5*		
1658	*2823*	*CARMEL WOODS DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/1/1993*	Non-Lead								*Tier 5*		
1659	*2819*	*CARMEL WOODS DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/18/2002*	Non-Lead								*Tier 5*		
1660	*2815*	*CARMEL WOODS DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/30/2003*	Non-Lead								*Tier 5*		
1661	*2811*	*CARMEL WOODS DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/21/1994*	Non-Lead								*Tier 5*		
1662	*2806*	*CARMEL WOODS DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/6/1993*	Non-Lead								*Tier 5*		
1663	*2814*	*CARMEL WOODS DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/12/1993*	Non-Lead								*Tier 5*		
1664	*2822*	*CARMEL WOODS DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/14/2014*	Non-Lead								*Tier 5*		
1665	*2915*	*SEA LEDGE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1992 (HCAD)*	Non-Lead								*Tier 5*		
1666	*2919*	*SEA LEDGE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2006 (HCAD)*	Non-Lead								*Tier 5*		
1667	*2911*	*SEA LEDGE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1990 (HCAD)*	Non-Lead								*Tier 5*		
1668	*2907*	*SEA LEDGE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1992 (HCAD)*	Non-Lead								*Tier 5*		
1669	*2823*	*SEA LEDGE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1993 (HCAD)*	Non-Lead								*Tier 5*		
1670	*2819*	*SEA LEDGE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1988 (HCAD)*	Non-Lead								*Tier 5*		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Entire Service Line Material Classification[x]	Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes		Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
1671	2811	SEA LEDGE DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1988 (HCAD)	Non-Lead								Tier 5		
1672	2807	SEA LEDGE DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1988 (HCAD)	Non-Lead								Tier 5		
1673	2803	SEA LEDGE DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1988 (HCAD)	Non-Lead								Tier 5		
1674	2739	SEA LEDGE DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1988 (HCAD)	Non-Lead								Tier 5		
1675	2727	SEA LEDGE DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1988 (HCAD)	Non-Lead								Tier 5		
1676	2731	SEA LEDGE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2014 (HCAD)	Non-Lead								Tier 5		
1677	2735	SEA LEDGE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/26/2002	Non-Lead								Tier 5		
1678	2723	SEA LEDGE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1992 (HCAD)	Non-Lead								Tier 5		
1679	2719	SEA LEDGE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1991 (HCAD)	Non-Lead								Tier 5		
1680	2715	SEA LEDGE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1989 (HCAD)	Non-Lead								Tier 5		
1681	2711	SEA LEDGE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1992 (HCAD)	Non-Lead								Tier 5		
1682	2703	SEA LEDGE DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1988 (HCAD)	Non-Lead								Tier 5		
1683	2710	SANDPEBBLE DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1988 (HCAD)	Non-Lead								Tier 5		
1684	2718	SANDPEBBLE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/26/1993	Non-Lead								Tier 5		
1685	2726	SANDPEBBLE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/2/1993	Non-Lead								Tier 5		
1686	2730	SANDPEBBLE DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1988 (HCAD)	Non-Lead								Tier 5		
1687	2800	SANDPEBBLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/6/1998	Non-Lead								Tier 5		
1688	2804	SANDPEBBLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1991 (HCAD)	Non-Lead								Tier 5		
1689	2810	SANDPEBBLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1989 (HCAD)	Non-Lead								Tier 5		
1690	2814	SANDPEBBLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/10/1992	Non-Lead								Tier 5		
1691	2819	SANDPEBBLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1989 (HCAD)	Non-Lead								Tier 5		
1692	2815	SANDPEBBLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/19/1993	Non-Lead								Tier 5		
1693	2811	SANDPEBBLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1992 (HCAD)	Non-Lead								Tier 5		
1694	2807	SANDPEBBLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/11/1992	Non-Lead								Tier 5		
1695	2747	SANDPEBBLE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1991 (HCAD)	Non-Lead								Tier 5		
1696	2743	SANDPEBBLE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/21/1992	Non-Lead								Tier 5		
1697	2739	SANDPEBBLE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/3/1994	Non-Lead								Tier 5		
1698	4119	WINDJAMMER CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/3/1992	Non-Lead								Tier 5		
1699	4115	WINDJAMMER CT	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1988 (HCAD)	Non-Lead								Tier 5		
1700	4111	WINDJAMMER CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/11/1999	Non-Lead								Tier 5		
1701	4107	WINDJAMMER CT	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1988 (HCAD)	Non-Lead								Tier 5		
1702	4102	WINDJAMMER CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1989 (HCAD)	Non-Lead							Yes	Tier 5		
1703	4106	WINDJAMMER CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1992 (HCAD)	Non-Lead								Tier 5		
1704	4110	WINDJAMMER CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/5/1992	Non-Lead								Tier 5		
1705	4114	WINDJAMMER CT	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1988 (HCAD)	Non-Lead								Tier 5		
1706	4118	WINDJAMMER CT	Seabrook	77586				Non-Lead				Non-Lead - Copper	Before 1989	1988 (HCAD)	Non-Lead							Yes	Tier 5		
1707	4122	WINDJAMMER CT	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1988 (HCAD)	Non-Lead								Tier 5		
1708	4126	WINDJAMMER	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/19/2001	Non-Lead								Tier 5		
1709	4015	LAKEPOINTE FORE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1997 (HCAD)	Non-Lead								Tier 5		
1710	4011	LAKEPOINTE FO	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1991 (HCAD)	Non-Lead								Tier 5		
1711	4007	LAKEPOINTE FOREST D	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2004 (HCAD)	Non-Lead								Tier 5		
1712	2706	CARMEL WOODS DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/13/2014	Non-Lead								Tier 5		
1713	2714	CARMEL WOODS DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/29/1992	Non-Lead								Tier 5		
1714	2710	CARMEL WOODS DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/3/2012	Non-Lead								Tier 5		
1715	2722	CARMEL WOODS DR	Seabrook	77586				Non-Lead				Non-Lead - Copper	Before 1989	1988 (HCAD)	Non-Lead							Yes	Tier 5		
1716	2726	CARMEL WOODS DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/25/1993	Non-Lead								Tier 5		
1717	4005	BREEZWOOD DR	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		
1718	4006	BREEZWOOD DR	Seabrook	77586				Non-Lead				Non-Lead - Copper	Before 1989	1988 (HCAD)	Non-Lead							Yes	Tier 5		
1719	4014	BREEZEWOOD DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1988 (HCAD)	Non-Lead								Tier 5		
1720	2723	CARMEL WOODS DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1991 (HCAD)	Non-Lead								Tier 5		
1721	2719	CARMEL WOODS DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1991 (HCAD)	Non-Lead								Tier 5		
1722	2711	CARMEL WOODS DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/2/2000	Non-Lead								Tier 5		
1723	2707	CARMEL WOODS DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/2/1993	Non-Lead								Tier 5		
1724	2702	CARMEL WOODS DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/17/2009	Non-Lead								Tier 5		
1725	4002	LAKEPOINTE FO	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1991 (HCAD)	Non-Lead								Tier 5		
1726	4006	LAKEPOINTE FO	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1989 (HCAD)	Non-Lead								Tier 5		
1727	4010	LAKEPOINTE FO	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1989 (HCAD)	Non-Lead								Tier 5		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion				Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
1728	4014	LAKEPOINTE FO	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1993 (HCAD)	Non-Lead								Tier 5		
1729	4102	LAKEPOINTE FO	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1993 (HCAD)	Non-Lead								Tier 5		
1730	4106	LAKEPOINTE FO	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1992 (HCAD)	Non-Lead								Tier 5		
1731	4110	LAKEPOINT FOR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1993 (HCAD)	Non-Lead								Tier 5		
1732	4114	LAKEPOINTE FO	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1992 (HCAD)	Non-Lead								Tier 5		
1733	4118	LAKEPOINTE FO	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1991 (HCAD)	Non-Lead								Tier 5		
1734	4122	LAKEPOINTE FOREST DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2002 (HCAD)	Non-Lead								Tier 5		
1735	4126	LAKEPOINTE FOREST DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2002 (HCAD)	Non-Lead								Tier 5		
1736	4130	LAKEPOINTE FO	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1987 (HCAD)	Non-Lead								Tier 5		
1737	4134	LAKEPOINTE FO	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1987 (HCAD)	Non-Lead								Tier 5		
1738	4138	LAKEPOINTE FOREST DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2007 (HCAD)	Non-Lead								Tier 5		
1739	4142	LAKEPOINTE FO	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		
1740	2642	HAMPTON SPRIN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1992 (HCAD)	Non-Lead								Tier 5		
1741	2638	HAMPTON SPRIN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1992 (HCAD)	Non-Lead								Tier 5		
1742	2630	HAMPTON SPRIN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1992 (HCAD)	Non-Lead								Tier 5		
1743	2626	HAMPTON SPRIN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/20/1992	Non-Lead								Tier 5		
1744	2622	HAMPTON SPRIN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/11/1992	Non-Lead								Tier 5		
1745	2618	HAMPTON SPRIN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/11/1992	Non-Lead								Tier 5		
1746	2614	HAMPTON SPRIN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/2/1992	Non-Lead								Tier 5		
1747	2610	HAMPTON SPRIN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/11/1992	Non-Lead								Tier 5		
1748	2606	HAMPTON SPRINGS	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/7/1993	Non-Lead								Tier 5		
1749	2601	HAMPTON SPRIN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/26/1994	Non-Lead								Tier 5		
1750	2605	HAMPTON SPRIN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/13/1993	Non-Lead								Tier 5		
1751	2609	HAMPTON SPRIN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/29/1992	Non-Lead								Tier 5		
1752	2613	HAMPTON SPRIN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/11/1992	Non-Lead								Tier 5		
1753	2617	HAMPTON SPRIN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/2/1992	Non-Lead								Tier 5		
1754	2621	HAMPTON SPRIN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/22/1992	Non-Lead								Tier 5		
1755	2625	HAMPTON SPRIN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1992 (HCAD)	Non-Lead								Tier 5		
1756	2629	HAMPTON SPGS	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1992 (HCAD)	Non-Lead								Tier 5		
1757	2633	HAMPTON SPRIN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1992 (HCAD)	Non-Lead								Tier 5		
1758	2642	LAKEWAY DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/20/1992	Non-Lead								Tier 5		
1759	2638	LAKEWAY DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/25/1992	Non-Lead								Tier 5		
1760	2634	LAKEWAY DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/25/1992	Non-Lead								Tier 5		
1761	2630	LAKEWAY DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/23/1992	Non-Lead								Tier 5		
1762	2626	LAKEWAY DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/7/1992	Non-Lead								Tier 5		
1763	2622	LAKEWAY DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/5/1993	Non-Lead								Tier 5		
1764	2618	LAKEWAY DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/5/1993	Non-Lead								Tier 5		
1765	2610	LAKEWAY DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/19/1993	Non-Lead								Tier 5		
1766	2606	LAKEWAY DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/20/1993	Non-Lead								Tier 5		
1767	2602	LAKEWAY DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/19/1993	Non-Lead								Tier 5		
1768	2601	LAKEWAY DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/25/1993	Non-Lead								Tier 5		
1769	2605	LAKEWAY DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/6/1993	Non-Lead								Tier 5		
1770	2613	LAKEWAY DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/1/1993	Non-Lead								Tier 5		
1771	2617	LAKEWAY DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/1/1993	Non-Lead								Tier 5		
1772	2625	LAKEWAY DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/19/1993	Non-Lead								Tier 5		
1773	2629	LAKEWAY DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/18/1993	Non-Lead								Tier 5		
1774	2633	LAKEWAY DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/19/1993	Non-Lead								Tier 5		
1775	2637	LAKEWAY DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/29/1993	Non-Lead								Tier 5		
1776	2641	LAKEWAY DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/19/1993	Non-Lead								Tier 5		
1777	4001	LAKEWAY DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/7/1992	Non-Lead								Tier 5		
1778	4005	LAKEWAY DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/11/1993	Non-Lead								Tier 5		
1779	4009	LAKEWAY DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/10/1993	Non-Lead								Tier 5		
1780	4013	LAKEWAY DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/7/1992	Non-Lead								Tier 5		
1781	4017	LAKEWAY DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/25/1992	Non-Lead								Tier 5		
1782	4021	LAKEWAY DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/25/1992	Non-Lead								Tier 5		
1783	2633	SEASHORE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/7/1993	Non-Lead								Tier 5		
1784	2637	SEASHORE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/16/1993	Non-Lead								Tier 5		
1785	2641	SEASHORE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/13/1993	Non-Lead								Tier 5		
1786	2645	SEASHORE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/12/1993	Non-Lead								Tier 5		
1787	2649	SEASHORE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/19/1993	Non-Lead								Tier 5		
1788	2653	SEASHORE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/30/1993	Non-Lead								Tier 5		
1789	2657	SEASHORE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/16/1993	Non-Lead								Tier 5		
1790	2656	SEASHORE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1993 (HCAD)	Non-Lead								Tier 5		
1791	2648	SEASHORE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/5/1994	Non-Lead								Tier 5		
1792	2644	SEASHORE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/5/1994	Non-Lead								Tier 5		
1793	4105	SEAVIEW COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/6/1994	Non-Lead								Tier 5		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Entire Service Line Material Classification[x]	Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[x]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes		Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
1794	4109	SEAVIEW COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/11/2009	Non-Lead								Tier 5		
1795	4113	SEAVIEW CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/28/1994	Non-Lead								Tier 5		
1796	4114	SEAVIEW COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/20/1993	Non-Lead								Tier 5		
1797	4110	SEAVIEW COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/7/1994	Non-Lead								Tier 5		
1798	4106	SEAVIEW COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/7/1994	Non-Lead								Tier 5		
1799	4102	SEAVIEW COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/7/1994	Non-Lead								Tier 5		
1800	2629	SEASHORE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/10/1994	Non-Lead								Tier 5		
1801	2625	SEASHORE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/19/1993	Non-Lead								Tier 5		
1802	2621	SEASHORE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/20/1993	Non-Lead								Tier 5		
1803	2617	SEASHORE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/19/1993	Non-Lead								Tier 5		
1804	2613	SEASHORE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/19/1993	Non-Lead								Tier 5		
1805	2609	SEASHORE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/7/1993	Non-Lead								Tier 5		
1806	2605	SEASHORE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/12/1993	Non-Lead								Tier 5		
1807	4101	SEASHELL CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/21/1994	Non-Lead								Tier 5		
1808	4105	SEASHELL CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/3/1994	Non-Lead								Tier 5		
1809	4110	SEASHELL CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/28/1994	Non-Lead								Tier 5		
1810	4106	SEASHELL CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/17/1995	Non-Lead								Tier 5		
1811	4102	SEASHELL CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/23/1998	Non-Lead								Tier 5		
1812	4100	SEASHELL CT	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead								Tier 5		
1813	4107	SAND DOLLAR CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1995 (HCAD)	Non-Lead								Tier 5		
1814	4111	SAND DOLLAR CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1996 (HCAD)	Non-Lead								Tier 5		
1815	4113	SAND DOLLAR CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1997 (HCAD)	Non-Lead								Tier 5		
1816	4117	SAND DOLLAR CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1996 (HCAD)	Non-Lead								Tier 5		
1817	2502	SEA HORSE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/7/1996	Non-Lead								Tier 5		
1818	2506	SEA HORSE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1997 (HCAD)	Non-Lead								Tier 5		
1819	2510	SEA HORSE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/19/1997	Non-Lead								Tier 5		
1820	2514	SEA HORSE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1998 (HCAD)	Non-Lead								Tier 5		
1821	2518	SEA HORSE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1997 (HCAD)	Non-Lead								Tier 5		
1822	2522	SEA HORSE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1997 (HCAD)	Non-Lead								Tier 5		
1823	2526	SEA HORSE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/10/1995	Non-Lead								Tier 5		
1824	2530	SEA HORSE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1997 (HCAD)	Non-Lead								Tier 5		
1825	2521	SEA HORSE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1997 (HCAD)	Non-Lead								Tier 5		
1826	2517	SEA HORSE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/23/1998	Non-Lead								Tier 5		
1827	2513	SEA HORSE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/6/1998	Non-Lead								Tier 5		
1828	2509	SEA HORSE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/6/1998	Non-Lead								Tier 5		
1829	2505	SEA HORSE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/6/1998	Non-Lead								Tier 5		
1830	4102	SAND DOLLAR CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1998 (HCAD)	Non-Lead								Tier 5		
1831	2502	SAND BAR CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1998 (HCAD)	Non-Lead								Tier 5		
1832	2506	SAND BAR CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1996 (HCAD)	Non-Lead								Tier 5		
1833	2510	SAND BAR CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1996 (HCAD)	Non-Lead								Tier 5		
1834	2514	SAND BAR CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1996 (HCAD)	Non-Lead								Tier 5		
1835	2522	SAND BAR CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1996 (HCAD)	Non-Lead								Tier 5		
1836	2521	SAND BAR CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1995 (HCAD)	Non-Lead								Tier 5		
1837	2517	SAND BAR CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1996 (HCAD)	Non-Lead								Tier 5		
1838	2513	SAND BAR CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1994 (HCAD)	Non-Lead								Tier 5		
1839	2505	SAND BAR CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1996 (HCAD)	Non-Lead								Tier 5		
1840	2501	SAND BAR CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/14/1996	Non-Lead								Tier 5		
1841	4021	SAND DOLLAR CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1997 (HCAD)	Non-Lead								Tier 5		
1842	4017	SAND DOLLAR CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1997 (HCAD)	Non-Lead								Tier 5		
1843	4013	SAND DOLLAR CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1997 (HCAD)	Non-Lead								Tier 5		
1844	4009	SAND DOLLAR CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1995 (HCAD)	Non-Lead								Tier 5		
1845	4008	SAND DOLLAR CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1996 (HCAD)	Non-Lead								Tier 5		
1846	2514	SAND CASTLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1996 (HCAD)	Non-Lead								Tier 5		
1847	2518	SAND CASTLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/7/1996	Non-Lead								Tier 5		
1848	2522	SAND CASTLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1994 (HCAD)	Non-Lead								Tier 5		
1849	2526	SAND CASTLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1994 (HCAD)	Non-Lead								Tier 5		
1850	2525	SAND CASTLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1994 (HCAD)	Non-Lead								Tier 5		
1851	2521	SAND CASTLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1995 (HCAD)	Non-Lead								Tier 5		
1852	2517	SAND CASTLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1995 (HCAD)	Non-Lead								Tier 5		
1853	2513	SAND CASTLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1996 (HCAD)	Non-Lead								Tier 5		
1854	2505	SAND CASTLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1995 (HCAD)	Non-Lead								Tier 5		
1855	2501	SAND CASTLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1995 (HCAD)	Non-Lead								Tier 5		
1856	4001	SAND DOLLAR CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1994 (HCAD)	Non-Lead								Tier 5		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Entire Service Line Material Classification[x]	Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
Unique Service Line ID	Location Identifier[x]							System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes		Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[x]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)																			
1857	*4005*	*SAND DOLLAR CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1995 (HCAD)*	Non-Lead									*Tier 5*		
1858	*2334*	*SEAMIST CIRCLE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/25/2002*	Non-Lead									*Tier 5*		
1859	*2342*	*SEAMIST CIR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/3/1999*	Non-Lead									*Tier 5*		
1860	*2346*	*SEAMIST CIRCLE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/21/2002*	Non-Lead									*Tier 5*		
1861	*2350*	*SEAMIST CR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/29/2002*	Non-Lead									*Tier 5*		
1862	*2354*	*SEAMIST CIRCLE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/30/2001*	Non-Lead									*Tier 5*		
1863	*2237*	*SCENIC SHORE DRIVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/22/2001*	Non-Lead									*Tier 5*		
1864	*2233*	*SCENIC SHORE DRIVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/31/2001*	Non-Lead									*Tier 5*		
1865	*2229*	*SCENIC SHORE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/18/2002*	Non-Lead									*Tier 5*		
1866	*2225*	*SCENIC SHORE DRIVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/1/2002*	Non-Lead									*Tier 5*		
1867	*2221*	*SCENIC SHORE DRIVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/29/2002*	Non-Lead									*Tier 5*		
1868	*2217*	*SCENIC SHORE DRIVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/1/2002*	Non-Lead									*Tier 5*		
1869	*2213*	*SCENIC SHORE DRIVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/1/2001*	Non-Lead									*Tier 5*		
1870	*3317*	*ARBOR LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/30/2001*	Non-Lead									*Tier 5*		
1871	*3313*	*ARBOR LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/25/2001*	Non-Lead									*Tier 5*		
1872	*3309*	*ARBOR LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/18/2001*	Non-Lead									*Tier 5*		
1873	*3301*	*ARBOR LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/25/2001*	Non-Lead									*Tier 5*		
1874	*3302*	*ARBOR LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/23/2001*	Non-Lead									*Tier 5*		
1875	*3806*	*CORAL CIRCLE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/25/2003*	Non-Lead									*Tier 5*		
1876	*3802*	*CORAL CIRCLE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/25/2003*	Non-Lead									*Tier 5*		
1877	*3801*	*CORAL CIRCLE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/25/2003*	Non-Lead									*Tier 5*		
1878	*3805*	*CORAL CIRCLE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/24/2003*	Non-Lead									*Tier 5*		
1879	*3809*	*CORAL CIRCLE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/25/2003*	Non-Lead									*Tier 5*		
1880	*3813*	*CORAL CIRCLE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/25/2003*	Non-Lead									*Tier 5*		
1881	*3817*	*CORAL CIRCLE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/27/2003*	Non-Lead									*Tier 5*		
1882	*3821*	*CORAL CIRCLE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/27/2003*	Non-Lead									*Tier 5*		
1883	*3834*	*CORAL CR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/3/2002*	Non-Lead									*Tier 5*		
1884	*3830*	*CORAL CR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/3/2002*	Non-Lead									*Tier 5*		
1885	*3826*	*CORAL CIRCLE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/29/2002*	Non-Lead									*Tier 5*		
1886	*3822*	*CORAL CIRCLE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/6/2002*	Non-Lead									*Tier 5*		
1887	*2914*	*SEA CHANNEL DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2006 (HCAD)*	Non-Lead									*Tier 5*		
1888	*2922*	*SEA CHANNEL DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2002 (HCAD)*	Non-Lead									*Tier 5*		
1889	*2926*	*SEA CHANNEL DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2002 (HCAD)*	Non-Lead									*Tier 5*		
1890	*2921*	*SHORE LINE COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2002 (HCAD)*	Non-Lead									*Tier 5*		
1891	*2926*	*OCEAN MIST CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/3/2002*	Non-Lead									*Tier 5*		
1892	*2930*	*COVE VIEW DRIVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/3/2002*	Non-Lead									*Tier 5*		
1893	*2934*	*COVE VIEW DRIVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/1/2003*	Non-Lead									*Tier 5*		
1894	*3002*	*COVE VIEW DRIVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/12/2003*	Non-Lead									*Tier 5*		
1895	*3006*	*COVE VIEW DRIVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/12/2002*	Non-Lead									*Tier 5*		
1896	*3001*	*SHORE LINE CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2002 (HCAD)*	Non-Lead									*Tier 5*		
1897	*3010*	*SCENIC VIEW CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/5/2002*	Non-Lead									*Tier 5*		
1898	*3014*	*SCENIC VIEW CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/1/2003*	Non-Lead									*Tier 5*		
1899	*3018*	*SCENIC VIEW CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/12/2003*	Non-Lead									*Tier 5*		
1900	*3118*	*SEA CHANNEL DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2003 (HCAD)*	Non-Lead									*Tier 5*		
1901	*3122*	*SEA CHANNEL DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2003 (HCAD)*	Non-Lead									*Tier 5*		
1902	*3126*	*SEA CHANNEL DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2003 (HCAD)*	Non-Lead									*Tier 5*		
1903	*3130*	*SEA CHANNEL DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2003 (HCAD)*	Non-Lead									*Tier 5*		
1904	*3129*	*SEA CHANNEL DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2001 (HCAD)*	Non-Lead									*Tier 5*		
1905	*3125*	*SEA CHANNEL DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2003 (HCAD)*	Non-Lead									*Tier 5*		
1906	*3121*	*SEA CHANNEL DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2001 (HCAD)*	Non-Lead									*Tier 5*		
1907	*3117*	*SEA CHANNEL DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2000 (HCAD)*	Non-Lead									*Tier 5*		
1908	*3113*	*SEA CHANNEL DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2002 (HCAD)*	Non-Lead									*Tier 5*		
1909	*3109*	*SEA CHANNEL DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2002 (HCAD)*	Non-Lead									*Tier 5*		
1910	*3105*	*SEA CHANNEL DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2002 (HCAD)*	Non-Lead									*Tier 5*		
1911	*3101*	*SEA CHANNEL DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2001 (HCAD)*	Non-Lead									*Tier 5*		
1912	*3025*	*SEA CHANNEL DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2003 (HCAD)*	Non-Lead									*Tier 5*		
1913	*2933*	*N ISLAND DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/25/2004*	Non-Lead									*Tier 5*		
1914	*2929*	*SEA CHANNEL DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2001 (HCAD)*	Non-Lead									*Tier 5*		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion				Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
1915	*2925*	*SEA CHANNEL DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2005 (HCAD)*	Non-Lead								*Tier 5*		
1916	*3429*	*BAY BREEZE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/5/2004*	Non-Lead								*Tier 5*		
1917	*3425*	*BAY BREEZE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/13/2005*	Non-Lead								*Tier 5*		
1918	*3421*	*BAY BREEZE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/20/2005*	Non-Lead								*Tier 5*		
1919	*3419*	*BAY BREEZE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/11/2005*	Non-Lead								*Tier 5*		
1920	*3415*	*BAY BREEZE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/19/2005*	Non-Lead								*Tier 5*		
1921	*3411*	*BAY BREEZE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/20/2005*	Non-Lead								*Tier 5*		
1922	*3407*	*BAY BREEZE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/10/2005*	Non-Lead								*Tier 5*		
1923	*3403*	*BAY BREEZE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/10/2005*	Non-Lead								*Tier 5*		
1924	*3401*	*BAY BREEZE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/5/2004*	Non-Lead								*Tier 5*		
1925	*2601*	*BAY SHORE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/4/2004*	Non-Lead								*Tier 5*		
1926	*2605*	*BAY SHORE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/13/2004*	Non-Lead								*Tier 5*		
1927	*2609*	*BAY SHORE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/13/2004*	Non-Lead								*Tier 5*		
1928	*2613*	*BAY SHORE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/20/2005*	Non-Lead								*Tier 5*		
1929	*2706*	*BAY SHORE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/25/2004*	Non-Lead								*Tier 5*		
1930	*2702*	*BAY SHORE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/20/2005*	Non-Lead								*Tier 5*		
1931	*3402*	*BAY BREEZE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/13/2005*	Non-Lead								*Tier 5*		
1932	*3406*	*BAY BREEZE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/13/2005*	Non-Lead								*Tier 5*		
1933	*3414*	*BAY BREEZE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/29/2005*	Non-Lead								*Tier 5*		
1934	*3418*	*BAY BREEZE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/20/2005*	Non-Lead								*Tier 5*		
1935	*3422*	*BAY BREEZE DRIVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/20/2005*	Non-Lead								*Tier 5*		
1936	*2560*	*WILD OAK FOREST LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/12/2011*	Non-Lead								*Tier 5*		
1937	*2556*	*WILD OAK FOREST LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/28/2012*	Non-Lead								*Tier 5*		
1938	*2552*	*WILD OAK FOREST LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/10/2012*	Non-Lead								*Tier 5*		
1939	*634*	*BAY CLUB DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1984 (HCAD)*	Non-Lead							*Yes*	*Tier 5*		
1940	*521*	*BAYWOOD DR*	*Seabrook*	*77586*				*Non-Lead*						*UNKNOWN*	Non-lead								*Tier 5*		
1941	*1506*	*BAYPORT BLVD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/9/2003*	Non-Lead				*Building*				*Tier 5*		
1942	*1405*	*LIDSTONE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1950 (HCAD)*	Non-Lead								*Tier 5*		
1943	*1403*	*LIDSTONE*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead								*Tier 5*		
1944	*1406*	*LIDSTONE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
1945	*1806*	*1 ST ST*	*Seabrook*	*77586*				*Non-Lead*				*Galvanized*	*Before 1989*	*1957 (HCAD)*	Galvanized Requiring Replacement										
1946	*1805*	*1 ST ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1966 (HCAD)*	Non-Lead				*Building*				*Tier 5*		
1947	*1210*	*ANDERS AVE*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead								*Tier 5*		
1948	*1206*	*ANDERS AVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/7/1995*	Non-Lead								*Tier 5*		
1949	*1301*	*ANDERS AVE*	*Seabrook*	*77586*				*Non-Lead*				*Galvanized*	*Before 1989*	*1949 (HCAD)*	Galvanized Requiring Replacement										
1950	*1305*	*ANDERS AVE*	*Seabrook*	*77586*				*Non-Lead*						*NO BUILDING*	Non-lead								*Tier 5*		
1951	*1700*	*FIRST ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*6/18/2019*	Non-Lead								*Tier 5*		
1952	*1402*	*COOK ST*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead								*Tier 5*		
1953	*1614*	*1 ST ST*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead								*Tier 5*		
1954	*1214*	*MOSKOWITZ*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/27/1993*	Non-Lead								*Tier 5*		
1955	*1206*	*MOSKOWITZ*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead				*Building*				*Tier 5*		
1956	*1504*	*MAIN STREET*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead				*Building*				*Tier 5*		
1957	*1502*	*MAIN ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1955 (HCAD)*	Non-Lead				*Building*				*Tier 5*		
1958	*1217*	*N MEYER RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/26/1993*	Non-Lead								*Tier 5*		
1959	*1305*	*N MEYER RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/10/2011*	Non-Lead								*Tier 5*		
1960	*1317*	*N MEYER RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1950 (HCAD)*	Non-Lead								*Tier 5*		
1961	*1325*	*N MEYER RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/23/2015*	Non-Lead								*Tier 5*		
1962	*1512*	*ASHLEY CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*12/16/2019*	Non-Lead								*Tier 5*		
1963	*1508*	*ASHLEY CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*12/4/2019*	Non-Lead								*Tier 5*		
1964	*1504*	*ASHLEY CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*5/55/20*	Non-Lead								*Tier 5*		
1965	*1337*	*N MEYER RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/16/2019*	Non-Lead								*Tier 5*		
1966	*1314*	*N MEYER RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1930 (HCAD)*	Non-Lead							*Yes*	*Tier 5*		
1967	*1310*	*N MEYER RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/4/2014*	Non-Lead								*Tier 5*		
1968	*1306*	*N MEYER RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/24/2000*	Non-Lead								*Tier 5*		
1969	*1302*	*N MEYER RD*	*Seabrook*	*77586*				*Non-Lead*					*Before 1989*	*1964 (HCAD)*	Non-lead				*Building*				*Tier 5*		
1970	*1406*	*MAIN STREET*	*Seabrook*	*77586*				*Non-Lead*					*Before 1989*	*1949 (HCAD)*	Non-lead				*Building*				*Tier 5*		
1971	*1217*	*HARDESTY*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead				*Building*				*Tier 5*		
1972	*1306*	*1 ST ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1976 (HCAD)*	Non-Lead								*Tier 5*		
1973	*1302*	*1ST ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/19/1992*	Non-Lead								*Tier 5*		
1974	*1304*	*1 ST ST*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead				*Building*				*Tier 5*		
1975	*1228*	*1 ST ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1984 (HCAD)*	Non-Lead								*Tier 5*		
1976	*1301*	*1 ST ST*	*Seabrook*	*77586*				*Non-Lead*						*NO BUILDING*	Non-lead								*Tier 5*		
1977	*1210*	*MAIN ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*2020 (HCAD)*	Non-Lead								*Tier 5*		
1978	*1100*	*MAIN STREET*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead								*Tier 5*		
1979	*1101*	*MAIN STREET*	*Seabrook*	*77586*				*Non-Lead*						*NO BUILDING*	Non-lead								*Tier 5*		
1980	*1006*	*3 RD ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1984 (HCAD)*	Non-Lead								*Tier 5*		
1981	*1009*	*3 RD ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1982 (HCAD)*	Non-Lead								*Tier 5*		
1982	*1010*	*STAPLES*	*Seabrook*	*77586*				*Non-Lead*					*Before 1989*	*1986 (HCAD)*	Non-lead								*Tier 5*		
1983	*1005*	*STAPLES*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1940 (HCAD)*	Non-Lead								*Tier 5*		
1984	*1004*	*STAPLES*	*Seabrook*	*77586*				*Non-Lead*					*Before 1989*	*1983 (HCAD)*	Non-lead								*Tier 5*		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Entire Service Line Material Classification[x]	Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes		Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
1985	*1009*	*4TH ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/27/1992*	Non-Lead								*Tier 5*		
1986	*1005*	*4TH ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1950 (HCAD)*	Non-Lead							*Yes*	*Tier 5*		
1987	*1001*	*4 TH ST*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead								*Tier 5*		
1988	*918*	*GRUNEWALD ST*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead								*Tier 5*		
1989	*910*	*GRUNEWALD ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1975 (HCAD)*	Non-Lead							*Yes*	*Tier 5*		
1990	*909*	*GRUNEWALD AVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/23/2010*	Non-Lead								*Tier 5*		
1991	*906*	*GRUNEWALD ST*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead								*Tier 5*		
1992	*817*	*STAPLES*	*Seabrook*	*77586*				*Non-Lead*					*Before 1989*	*1964 (HCAD)*	Non-lead				*Multiple Family Residence*				*Tier 5*		
1993	*812*	*STAPLES*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1997 (HCAD)*	Non-Lead								*Tier 5*		
1994	*913*	*STAPLES*	*Seabrook*	*77586*				*Non-Lead*					*Before 1989*	*1963 (HCAD)*	Non-lead								*Tier 5*		
1995	*1105*	*4 TH ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1960 (HCAD)*	Non-Lead								*Tier 5*		
1996	*906*	*BRYAN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Between 1989 and 2014*	*1990 (HCAD)*	Non-Lead							*Yes*	*Tier 5*		
1997	*808*	*BRYAN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Between 1989 and 2014*	*2009 (HCAD)*	Non-Lead							*Yes*	*Tier 5*		
1998	*801*	*BRYAN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/18/1994*	Non-Lead								*Tier 5*		
1999	*817*	*BRYAN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1983 (HCAD)*	Non-Lead							*Yes*	*Tier 5*		
2000	*901*	*BRYAN*	*Seabrook*	*77586*				*Non-Lead*						*NO BUILDING*	Non-lead								*Tier 5*		
2001	*1002*	*BRYAN AVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*5/22/2020*	Non-Lead								*Tier 5*		
2002	*1009*	*BRYAN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/10/2012*	Non-Lead								*Tier 5*		
2003	*1013*	*BRYAN ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/10/2012*	Non-Lead								*Tier 5*		
2004	*1005*	*BRYAN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1981 (HCAD)*	Non-Lead								*Tier 5*		
2005	*1105*	*MAIN STREET*	*Seabrook*	*77586*				*Non-Lead*						*NO BUILDING*	Non-lead								*Tier 5*		
2006	*1209*	*MAIN STREET*	*Seabrook*	*77586*				*Non-Lead*						*NO BUILDING*	Non-lead								*Tier 5*		
2007	*1205*	*MAIN ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*2/14/2017*	Non-Lead				*Building*				*Tier 5*		
2008	*1205*	*HALL ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/12/2013*	Non-Lead								*Tier 5*		
2009	*1113*	*HALL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2000 (HCAD)*	Non-Lead				*Building*				*Tier 5*		
2010	*1110*	*HALL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/6/1992*	Non-Lead								*Tier 5*		
2011	*1206*	*3RD ST*	*Seabrook*	*77586*				*Non-Lead*						*NO BUILDING*	Non-lead								*Tier 5*		
2012	*1304*	*5 TH ST*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead				*Building*				*Tier 5*		
2013	*909*	*HARDESTY*	*Seabrook*	*77586*				*Non-Lead*						*NO BUILDING*	Non-lead								*Tier 5*		
2014	*1317*	*4 TH ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1962 (HCAD)*	Non-Lead								*Tier 5*		
2015	*902*	*HARDESTY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1960 (HCAD)*	Non-Lead				*Building*				*Tier 5*		
2016	*1320*	*5 TH ST*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead				*Building*				*Tier 5*		
2017	*1114*	*HARDESTY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1952 (HCAD)*	Non-Lead								*Tier 5*		
2018	*1210*	*HARDESTY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/8/2013*	Non-Lead								*Tier 5*		
2019	*1109*	*HARDESTY*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead								*Tier 5*		
2020	*1402*	*3RD ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1981 (HCAD)*	Non-Lead				*Building*				*Tier 5*		
2021	*1108*	*N MEYER RD*	*Seabrook*	*77586*				*Non-Lead*					*Before 1989*	*1960 (HCAD)*	Non-lead				*Building*				*Tier 5*		
2022	*1101*	*N MEYER RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/11/1995*	Non-Lead				*Building*				*Tier 5*		
2023	*1405*	*3RD ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1954 (HCAD)*	Non-Lead								*Tier 5*		
2024	*1014*	*N MEYER RD*	*Seabrook*	*77586*				*Non-Lead*					*Before 1989*	*1965 (HCAD)*	Non-lead								*Tier 5*		
2025	*1106*	*BAYPORT BLVD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*10/28/2015*	Non-Lead				*Building*				*Tier 5*		
2026	*1106*	*BAYPORT BLVD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*10/28/2015*	Non-Lead				*Building*				*Tier 5*		
2027	*1008*	*N MEYER RD*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead								*Tier 5*		
2028	*1001*	*HARDESTY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1940 (HCAD)*	Non-Lead								*Tier 5*		
2029	*1002*	*HARDESTY*	*Seabrook*	*77586*				*Non-Lead*				*Galvanized*	*Before 1989*	*1950 (HCAD)*	Galvanized Requiring Replacement				*Building*						
2030	*1302*	*4TH ST*	*Seabrook*	*77586*				*Non-Lead*				*Galvanized*	*Before 1989*	*1954 (HCAD)*	Galvanized Requiring Replacement										
2031	*1301*	*4TH ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1960 (HCAD)*	Non-Lead								*Tier 5*		
2032	*1206*	*4TH ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/7/2012*	Non-Lead								*Tier 5*		
2033	*1211*	*4TH ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/16/1994*	Non-Lead								*Tier 5*		
2034	*913*	*BRYAN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*		*NO BUILDING*	Non-Lead								*Tier 5*		
2035	*1202*	*4TH ST*	*Seabrook*	*77586*				*Non-Lead*				*Galvanized*	*Before 1989*	*1951 (HCAD)*	Galvanized Requiring Replacement										
2036	*1014*	*HALL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1980 (HCAD)*	Non-Lead								*Tier 5*		
2037	*1301*	*3RD ST*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead								*Tier 5*		
2038	*1306*	*3RD ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1960 (HCAD)*	Non-Lead								*Tier 5*		
2039	*1514*	*3RD ST*	*Seabrook*	*77586*				*Non-Lead*				*Galvanized*	*Before 1989*	*1955 (HCAD)*	Galvanized Requiring Replacement				*Building*						
2040	*1606*	*3RD ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1951 (HCAD)*	Non-Lead				*Building*				*Tier 5*		
2041	*1108*	*COOK ST*	*Seabrook*	*77586*				*Non-Lead*						*NO BUILDING*	Non-lead								*Tier 5*		
2042	*1105*	*MOSKOWITZ*	*Seabrook*	*77586*				*Non-Lead*				*Galvanized*	*Before 1989*	*1946 (HCAD)*	Galvanized Requiring Replacement				*Building*						
2043	*1106*	*MOSCOWITZ*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead								*Tier 5*		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion				Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
2044	1309	MAIN STREET	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1999 (HCAD)	Non-Lead								Tier 5		
2045	1509	MAIN ST	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/23/1992	Non-Lead				Building				Tier 5		
2046	1605	MAIN ST	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1948 (HCAD)	Non-Lead				Building				Tier 5		
2047	1714	MAIN STREET	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1986 (HCAD)	Non-Lead				Building				Tier 5		
2048	1318	HARBOURTOWN CT	Seabrook	77586				Non-Lead				Non-Lead	After 2014	2020 (HCAD)	Non-Lead								Tier 5		
2049	706	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	1/14/2019	Non-Lead								Tier 5		
2050	704	MAIN STREET	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/17/2014	Non-Lead								Tier 5		
2051	1000	MAIN STREET	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead								Tier 5		
2052	702	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	8/20/2018	Non-Lead								Tier 5		
2053	715	MAIN STREET	Seabrook	77586				Non-Lead				Non-Lead		MSWWTP	Non-Lead								Tier 5		
2054	603	3 RD ST	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2011 (HCAD)	Non-Lead								Tier 5		
2055	1102	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2000 (HCAD)	Non-Lead								Tier 5		
2056	606	2 ND ST	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead								Tier 5		
2057	602	2 ND ST	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead								Tier 5		
2058	605	MAIN STREET	Seabrook	77586				Non-Lead					Before 1989	1984 (HCAD)	Non-lead								Tier 5		
2059	1104	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/6/2000	Non-Lead								Tier 5		
2060	1010	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/4/2009	Non-Lead				Building				Tier 5		
2061	1002	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1990 (HCAD)	Non-Lead								Tier 5		
2062	918	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2011 (HCAD)	Non-Lead								Tier 5		
2063	1004	MAIN STREET	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead								Tier 5		
2064	1106	MAIN STREET	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead								Tier 5		
2065	910	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead		6/3/2009	Non-Lead								Tier 5		
2066	906	TODVILLE RD	Seabrook	77586				Non-Lead						NO BUILDING	Non-lead								Tier 5		
2067	416	WATERFRONT DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/17/2009	Non-Lead				Building				Tier 5		
2068	414	WATERFRONT DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/14/2002	Non-Lead				Building				Tier 5		
2069	302	WATERFRONT DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/9/2009	Non-Lead				Building				Tier 5		
2070	114	WATERFRONT DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2009 (HCAD)	Non-Lead				Building				Tier 5		
2071	313	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2015 (HCAD)	Non-Lead				Building				Tier 5		
2072	605	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	7/31/2017	Non-Lead								Tier 5		
2073	703	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	3/24/2017	Non-Lead								Tier 5		
2074	715	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/23/2013	Non-Lead				Multiple Family Residence				Tier 5		
2075	705	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	11/27/2017	Non-Lead								Tier 5		
2076	711	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/19/2005	Non-Lead								Tier 5		
2077	921	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/16/1994	Non-Lead								Tier 5		
2078	1009	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/1/2009	Non-Lead								Tier 5		
2079	1015	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/21/2014	Non-Lead								Tier 5		
2080	1205	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	9/6/2019	Non-Lead								Tier 5		
2081	1209	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/8/2009	Non-Lead								Tier 5		
2082	1213	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead		8/7/1992	Non-Lead								Tier 5		
2083	1217	TODVILLE RD	Seabrook	77586				Non-Lead					Before 1989	1984 (HCAD)	Non-lead								Tier 5		
2084	1309	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	3/16/2015	Non-Lead								Tier 5		
2085	1305	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/24/2014	Non-Lead								Tier 5		
2086	1304	MENARD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/24/2014	Non-Lead								Tier 5		
2087	1300	MENARD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	1/3/2017	Non-Lead								Tier 5		
2088	706	BRUMMERHOP	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/18/2009	Non-Lead								Tier 5		
2089	1401	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/17/1997	Non-Lead								Tier 5		
2090	709	CURRY	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1963 (HCAD)	Non-Lead								Tier 5		
2091	1517	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/19/2003	Non-Lead								Tier 5		
2092	1501	TODVILLE RD	Seabrook	77586				Non-Lead					Before 1989	1981 (HCAD)	Non-lead								Tier 5		
2093	1521	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/14/2000	Non-Lead								Tier 5		
2094	1605	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/4/1992	Non-Lead								Tier 5		
2095	1701	TODVILLE RD	Seabrook	77586				Non-Lead						NO BUILDING	Non-lead								Tier 5		
2096	1721	TODVILLE RD	Seabrook	77586				Non-Lead						NO BUILDING	Non-lead								Tier 5		
2097	1801	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/30/2009	Non-Lead								Tier 5		
2098	1805	TODVILLE RD	Seabrook	77586				Non-Lead						NO BUILDING	Non-lead								Tier 5		
2099	1813	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/12/2009	Non-Lead								Tier 5		
2100	1825	TODVILLE RD	Seabrook	77586				Non-Lead				Galvanized	Before 1989	1962 (HCAD)	Galvanized Requiring Replacement										
2101	1901	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/26/1995	Non-Lead								Tier 5		
2102	1921	TODVILLE RD	Seabrook	77586				Non-Lead					Before 1989	1968 (HCAD)	Non-lead								Tier 5		
2103	1921	CLOPPER	Seabrook	77586				Non-Lead				Galvanized	Before 1989	1985 (HCAD)	Galvanized Requiring Replacement				Multiple Family Residence						
2104	1925	CLOPPER	Seabrook	77586				Non-Lead				Non-Lead	After 2014	2/10/2020	Non-Lead								Tier 5		
2105	2009	TODVILLE RD	Seabrook	77586				Non-Lead					Before 1989	1962 (HCAD)	Non-lead								Tier 5		
2106	2205	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/20/1994	Non-Lead								Tier 5		
2107	704	HAMMER ST	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/4/1996	Non-Lead								Tier 5		
2108	2213	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/20/1992	Non-Lead								Tier 5		
2109	2221	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	4/23/2020	Non-Lead								Tier 5		
2110	2225	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	3/18/2020	Non-Lead								Tier 5		
2111	2301	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/3/1995	Non-Lead								Tier 5		
2112	2317	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead - Copper	Before 1989	1988 (HCAD)	Non-Lead							Yes	Tier 5		
2113	2320	MENARD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/14/2013	Non-Lead								Tier 5		
2114	2401	MENARD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/24/1993	Non-Lead								Tier 5		
2115	709	MILBY	Seabrook	77586				Non-Lead						NO BUILDING	Non-lead								Tier 5		
2116	917	E MEYER RD	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1979 (HCAD)	Non-Lead								Tier 5		
2117	921	E MEYER RD	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1988 (HCAD)	Non-Lead								Tier 5		
2118	1017	E MEYER RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/10/2012	Non-Lead								Tier 5		
2119	2455	PINE BROOK CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/18/1997	Non-Lead								Tier 5		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Entire Service Line Material Classification[x]	Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes		Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
2120	2451	PINE BROOK CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/18/1996	Non-Lead									Tier 5		
2121	2450	PINE BROOK CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/13/1996	Non-Lead									Tier 5		
2122	2454	PINE BROOK CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/17/1996	Non-Lead									Tier 5		
2123	1001	RIPPLINGBROOK	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1996 (HCAD)	Non-Lead									Tier 5		
2124	906	RIPPLINGBROOK	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/5/1997	Non-Lead									Tier 5		
2125	902	RIPPLINGBROOK	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/3/1997	Non-Lead									Tier 5		
2126	909	RIPPLINGBROOK	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/16/1996	Non-Lead									Tier 5		
2127	905	RIPPLINGBROOK	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/18/1997	Non-Lead									Tier 5		
2128	901	RIPPLINGBROOK	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/18/1997	Non-Lead									Tier 5		
2129	2505	HOLLYBROOK DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/17/1997	Non-Lead									Tier 5		
2130	2509	HOLLYBROOK DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/27/1997	Non-Lead									Tier 5		
2131	2513	HOLLYBROOK DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1997 (HCAD)	Non-Lead									Tier 5		
2132	2517	HOLLYBROOK DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/16/1997	Non-Lead									Tier 5		
2133	2502	HOLLYBROOK DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/5/1997	Non-Lead									Tier 5		
2134	2506	HOLLYBROOK DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/6/1997	Non-Lead									Tier 5		
2135	2602	HOLLYBROOK DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/24/1997	Non-Lead									Tier 5		
2136	2521	HOLLYBROOK DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/22/1997	Non-Lead									Tier 5		
2137	2601	HOLLYBROOK DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/16/1997	Non-Lead									Tier 5		
2138	2605	HOLLYBROOK DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/18/1997	Non-Lead									Tier 5		
2139	2609	HOLLYBROOK DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/18/1997	Non-Lead									Tier 5		
2140	2617	HOLLYBROOK DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/10/1997	Non-Lead									Tier 5		
2141	2604	PINE BROOK LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/6/1997	Non-Lead									Tier 5		
2142	2602	PINE BROOK LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/27/1997	Non-Lead									Tier 5		
2143	2601	PINE BROOK LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/29/1997	Non-Lead									Tier 5		
2144	2517	PINE BROOK LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/5/1997	Non-Lead									Tier 5		
2145	2509	PINE BROOK LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/16/1996	Non-Lead									Tier 5		
2146	2505	PINE BROOK	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/12/1997	Non-Lead									Tier 5		
2147	2400	N MEYER RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/19/2010	Non-Lead									Tier 5		
2148	818	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/28/1998	Non-Lead									Tier 5		
2149	2701	N MEYER RD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	3/4/2015	Non-Lead									Tier 5		
2150	2709	N MEYER RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/22/2013	Non-Lead									Tier 5		
2151	1101	E MEYER RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/22/2013	Non-Lead									Tier 5		
2152	1109	E MEYER RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/14/2013	Non-Lead									Tier 5		
2153	1113	E MEYER RD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	1/20/2017	Non-Lead									Tier 5		
2154	1117	E MEYER RD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	9/30/2016	Non-Lead									Tier 5		
2155	1121	E MEYER RD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	4/9/2019	Non-Lead									Tier 5		
2156	1125	E MEYER AVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/17/2014	Non-Lead									Tier 5		
2157	1129	E MEYER RD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	2/24/2017	Non-Lead									Tier 5		
2158	1133	E MEYER RD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	1/20/2017	Non-Lead									Tier 5		
2159	3401	N MEYER AVE	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead									Tier 5		
2160	3601	N MEYER AVE	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1982 (HCAD)	Non-Lead									Tier 5		
2161	3613	N MEYER AVE	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1960 (HCAD)	Non-Lead									Tier 5		
2162	1114	E MEYER RD	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1954 (HCAD)	Non-Lead									Tier 5		
2163	1102	E MEYER RD	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead									Tier 5		
2164	2711	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/17/2001	Non-Lead									Tier 5		
2165	1014	E MEYER RD	Seabrook	77586				Non-Lead						NO BUILDING	Non-lead									Tier 5		
2166	1010	E MEYER RD	Seabrook	77586				Non-Lead				Galvanized	Before 1989	1932 (HCAD)	Galvanized Requiring Replacement											
2167	918	E MEYER RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/24/1993	Non-Lead									Tier 5		
2168	914	E MEYER RD	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1962 (HCAD)	Non-Lead									Tier 5		
2169	910	E MEYER RD	Seabrook	77586				Non-Lead						NO BUILDING	Non-lead									Tier 5		
2170	906	E MEYER RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2001 (HCAD)	Non-Lead									Tier 5		
2171	802	E MEYER RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/10/2001	Non-Lead									Tier 5		
2172	713	WATERCREST	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1963 (HCAD)	Non-Lead									Tier 5		
2173	4221	TODVILLE RD	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead									Tier 5		
2174	910	QUINTANA ROO PL	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/3/1994	Non-Lead									Tier 5		
2175	806	QUINTANA ROO	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/26/1998	Non-Lead									Tier 5		
2176	710	QUINTANA ROO PL	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/8/1996	Non-Lead									Tier 5		
2177	706	QUINANTA ROO PL	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1992 (HCAD)	Non-Lead									Tier 5		
2178	602	QUINTANA ROO PL	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/8/1993	Non-Lead									Tier 5		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion				Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
2179	511	QUINTANA ROO	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead								Tier 5		
2180	605	QUINTANA ROO PL	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/27/1997	Non-Lead								Tier 5		
2181	609	QUINTANA ROO PL	Seabrook	77586				Non-Lead				Non-Lead - Copper	Between 1989 and 2014	11/4/1996	Non-Lead							Yes	Tier 5		
2182	709	QUINTANA ROO PL	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/8/1993	Non-Lead								Tier 5		
2183	717	QUINTANA ROO PL	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/29/1994	Non-Lead								Tier 5		
2184	801	QUINTANA ROO PL	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1992 (HCAD)	Non-Lead								Tier 5		
2185	809	QUINTANA ROO PL	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/4/1996	Non-Lead								Tier 5		
2186	817	QUINTANA ROO	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/10/1998	Non-Lead								Tier 5		
2187	901	QUINTANA ROO PL	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/4/1994	Non-Lead								Tier 5		
2188	902	QUINTANA ROO PL	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/22/2002	Non-Lead								Tier 5		
2189	909	QUINTANA ROO PL	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1991 (HCAD)	Non-Lead								Tier 5		
2190	654	BRADLEY ST	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1973 (HCAD)	Non-Lead								Tier 5		
2191	650	BRADLEY ST	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1973 (HCAD)	Non-Lead								Tier 5		
2192	646	BRADLEY ST	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1973 (HCAD)	Non-Lead								Tier 5		
2193	642	BRADLEY ST	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1973 (HCAD)	Non-Lead								Tier 5		
2194	610	BRADLEY ST	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/27/2012	Non-Lead								Tier 5		
2195	602	BRADLEY	Seabrook	77586				Non-Lead				Non-Lead	After 2014	10/12/2016	Non-Lead								Tier 5		
2196	3613	ELMEN	Seabrook	77586				Non-Lead					Before 1989	1963 (HCAD)	Non-lead								Tier 5		
2197	3617	ELMEN	Seabrook	77586				Non-Lead					Before 1989	1950 (HCAD)	Non-lead								Tier 5		
2198	603	BRADLEY ST	Seabrook	77586				Non-Lead				Non-Lead	After 2014	2015 (HCAD)	Non-Lead								Tier 5		
2199	605	BRADLEY ST	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/8/2010	Non-Lead								Tier 5		
2200	625	BRADLEY ST	Seabrook	77586				Non-Lead						NO BUILDING	Non-lead								Tier 5		
2201	629	BRADLEY ST	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1952 (HCAD)	Non-Lead								Tier 5		
2202	3514	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1951 (HCAD)	Non-Lead								Tier 5		
2203	538	E MEYER RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/25/1993	Non-Lead								Tier 5		
2204	514	E MEYER RD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	6/16/2016	Non-Lead								Tier 5		
2205	510	E MEYER RD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	6/16/2016	Non-Lead								Tier 5		
2206	504	E. MEYER RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/25/2009	Non-Lead								Tier 5		
2207	502	E MEYER RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/29/2011	Non-Lead								Tier 5		
2208	617	BAY VISTA DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1979 (HCAD)	Non-Lead								Tier 5		
2209	633	BAY VISTA DR	Seabrook	77586				Non-Lead						NO BUILDING	Non-lead								Tier 5		
2210	641	BAY VISTA DR	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead								Tier 5		
2211	3018	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1984 (HCAD)	Non-Lead								Tier 5		
2212	2810	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/6/2010	Non-Lead								Tier 5		
2213	2718	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/16/2009	Non-Lead								Tier 5		
2214	2710	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/1/2009	Non-Lead								Tier 5		
2215	2612	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	8/3/2015	Non-Lead								Tier 5		
2216	2703	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/29/2013	Non-Lead								Tier 5		
2217	2314	TODVILLE RD	Seabrook	77586				Non-Lead						HCAD server error	Non-lead								Tier 5		
2218	2306	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/18/1994	Non-Lead								Tier 5		
2219	2122	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/11/1992	Non-Lead								Tier 5		
2220	2101	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	3/12/2015	Non-Lead								Tier 5		
2221	2102	TODVILLE RD #6	Seabrook	77586				Non-Lead						NO BUILDING	Non-lead								Tier 5		
2222	2102	TODVILLE RD #5	Seabrook	77586				Non-Lead					Before 1989	1984 (HCAD)	Non-lead								Tier 5		
2223	2020	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/28/1992	Non-Lead								Tier 5		
2224	2018	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/1/1992	Non-Lead								Tier 5		
2225	2014	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/31/1992	Non-Lead								Tier 5		
2226	2010	TODVILLE RD	Seabrook	77586				Non-Lead					Before 1989	1980 (HCAD)	Non-lead								Tier 5		
2227	1914	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1990 (HCAD)	Non-Lead								Tier 5		
2228	1902	TODVILLE RD	Seabrook	77586				Non-Lead					Before 1989	1963 (HCAD)	Non-lead								Tier 5		
2229	1808	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/15/2009	Non-Lead								Tier 5		
2230	1804	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/6/2009	Non-Lead								Tier 5		
2231	1714	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead - Copper	Before 1989	1987 (HCAD)	Non-Lead							Yes	Tier 5		
2232	1610	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	8/7/2017	Non-Lead								Tier 5		
2233	1518	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/24/2004	Non-Lead								Tier 5		
2234	1402	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/15/2001	Non-Lead								Tier 5		
2235	2109	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/7/2014	Non-Lead								Tier 5		
2236	2113	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/12/2012	Non-Lead								Tier 5		
2237	2117	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/2/2013	Non-Lead								Tier 5		
2238	2121	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	10/12/2015	Non-Lead								Tier 5		
2239	2120	MENARD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	5/24/2016	Non-Lead								Tier 5		
2240	2116	MENARD ST	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/14/2010	Non-Lead								Tier 5		
2241	2112	MENARD ST	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/14/2010	Non-Lead								Tier 5		
2242	2108	MENARD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	5/13/2016	Non-Lead								Tier 5		
2243	2104	MENARD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	11/17/2015	Non-Lead								Tier 5		
2244	2100	MENARD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	12/2/2015	Non-Lead								Tier 5		
2245	2101	MENARD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	7/14/2016	Non-Lead								Tier 5		
2246	2105	MENARD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/1/2012	Non-Lead								Tier 5		
2247	2109	MENARD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/20/2012	Non-Lead								Tier 5		
2248	2113	MENARD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/12/2013	Non-Lead								Tier 5		
2249	2117	MENARD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/23/2014	Non-Lead								Tier 5		
2250	2105	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/12/2013	Non-Lead								Tier 5		
2251	2714	N MEYER RD	Seabrook	77586				Non-Lead						NO BUILDING	Non-lead								Tier 5		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Entire Service Line Material Classification[x]	Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[x]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[z]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes		Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
2252	4530	THARP	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1983 (HCAD)	Non-Lead									Tier 5		
2253	526	BAYWOOD DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1959 (HCAD)	Non-Lead									Tier 5		
2254	4905	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/23/1994	Non-Lead									Tier 5		
2255	1857	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1966 (HCAD)	Non-Lead									Tier 5		
2256	1845	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1966 (HCAD)	Non-Lead									Tier 5		
2257	1841	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1966 (HCAD)	Non-Lead									Tier 5		
2258	1703	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	After 2014	3/29/2019	Non-Lead									Tier 5		
2259	2242	REPSDORPH RD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	10/11/2017	Non-Lead				Building					Tier 5		
2260	1906	HARBOUR COVE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/5/1995	Non-Lead									Tier 5		
2261	1910	HARBOUR COVE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/21/1994	Non-Lead									Tier 5		
2262	806	DAWN RIDGE WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/11/2010	Non-Lead									Tier 5		
2263	810	DAWN RIDGE WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/18/2010	Non-Lead									Tier 5		
2264	4417	KINGFISH	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1984 (HCAD)	Non-Lead									Tier 5		
2265	4405	SPOONBILL	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1991 (HCAD)	Non-Lead									Tier 5		
2266	2606	ORLEANS DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/19/2001	Non-Lead									Tier 5		
2267	2602	ORLEANS DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/29/1992	Non-Lead									Tier 5		
2268	2441	LA ROCHELLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/16/1999	Non-Lead									Tier 5		
2269	2437	LA ROCELLE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/1/1999	Non-Lead									Tier 5		
2270	2304	WATER WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/24/2002	Non-Lead									Tier 5		
2271	2329	ORLEANS LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/6/2001	Non-Lead									Tier 5		
2272	4100	SEA LEDGE CT	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead									Tier 5		
2273	2326	PALM CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/15/1999	Non-Lead									Tier 5		
2274	2330	PALM CR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/25/2002	Non-Lead									Tier 5		
2275	2202	SCENIC SHORE DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/17/2002	Non-Lead									Tier 5		
2276	3221	SCENIC SHORE DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/7/2001	Non-Lead									Tier 5		
2277	3217	SCENIC SHORE DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/14/2000	Non-Lead									Tier 5		
2278	3213	SCENIC SHORE DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/2/2000	Non-Lead									Tier 5		
2279	3209	SCENIC SHORE DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/29/2000	Non-Lead									Tier 5		
2280	3201	SCENIC SHORE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/9/2001	Non-Lead									Tier 5		
2281	3733	CORAL REEF DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/11/2000	Non-Lead									Tier 5		
2282	2810	SEA CHANNEL DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2004 (HCAD)	Non-Lead									Tier 5		
2283	2922	OCEAN MIST CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/27/2003	Non-Lead									Tier 5		
2284	3102	SEA CHANNEL DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2004 (HCAD)	Non-Lead									Tier 5		
2285	3013	SEA CHANNEL DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2002 (HCAD)	Non-Lead									Tier 5		
2286	3014	SEA CHANNEL DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2003 (HCAD)	Non-Lead									Tier 5		
2287	3009	SEA CHANNEL DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2003 (HCAD)	Non-Lead									Tier 5		
2288	3010	SEA CHANNEL DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2003 (HCAD)	Non-Lead									Tier 5		
2289	3005	SEA CHANNEL DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2004 (HCAD)	Non-Lead									Tier 5		
2290	3001	SEA CHANNEL DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2004 (HCAD)	Non-Lead									Tier 5		
2291	3006	SEA CHANNEL DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2005 (HCAD)	Non-Lead									Tier 5		
2292	3010	S ISLAND DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2003 (HCAD)	Non-Lead									Tier 5		
2293	3018	S ISLAND DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2000 (HCAD)	Non-Lead									Tier 5		
2294	3026	S ISLAND DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2000 (HCAD)	Non-Lead									Tier 5		
2295	3042	S ISLAND DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/16/2003	Non-Lead									Tier 5		
2296	2925	N ISLAND DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/15/2007	Non-Lead									Tier 5		
2297	2909	N ISLAND DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/15/2007	Non-Lead									Tier 5		
2298	2901	NORTH ISLAND DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/4/2005	Non-Lead									Tier 5		
2299	2914	N ISLAND DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/10/2000	Non-Lead									Tier 5		
2300	2922	N ISLAND DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/11/2000	Non-Lead									Tier 5		
2301	2926	N ISLAND DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/20/2002	Non-Lead									Tier 5		
2302	2934	N ISLAND DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/29/2007	Non-Lead									Tier 5		
2303	2938	N ISLAND DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/30/2003	Non-Lead									Tier 5		
2304	2950	N ISLAND DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/4/2003	Non-Lead									Tier 5		
2305	2921	SEA CHANNEL DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2002 (HCAD)	Non-Lead									Tier 5		
2306	2648	DRIFT WOOD LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/12/2005	Non-Lead									Tier 5		
2307	2644	DRIFT WOOD LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/13/2004	Non-Lead									Tier 5		
2308	2640	DRIFT WOOD LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/13/2004	Non-Lead									Tier 5		
2309	2636	DRIFTWOOD LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/13/2004	Non-Lead									Tier 5		
2310	2632	DRIFT WOOD LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/14/2004	Non-Lead									Tier 5		
2311	2628	DRIFT WOOD LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/5/2004	Non-Lead									Tier 5		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Entire Service Line Material Classification[x]	Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes		Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
2312	2616	DRIFT WOOD LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/5/2004	Non-Lead								Tier 5		
2313	2617	DRIFT WOOD LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/21/2005	Non-Lead								Tier 5		
2314	2621	DRIFT WOOD LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/5/2004	Non-Lead								Tier 5		
2315	2625	DRIFT WOOD LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/5/2004	Non-Lead								Tier 5		
2316	2641	DRIFT WOOD LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/5/2004	Non-Lead								Tier 5		
2317	3421	PALM BAY CIRLCE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/29/2005	Non-Lead								Tier 5		
2318	3417	PALM BAY CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/28/2006	Non-Lead								Tier 5		
2319	3300	LAKESIDE DR	Seabrook	77586				Non-Lead				Non-Lead	After 2014	2/13/2019	Non-Lead								Tier 5		
2320	3300	LAKESIDE DR	Seabrook	77586				Non-Lead				Non-Lead	After 2014	2/13/2019	Non-Lead				Building				Tier 5		
2321	2505	WILD OAK FOREST LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/20/2012	Non-Lead								Tier 5		
2322	415	WATERFRONT DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/21/2007	Non-Lead				Building				Tier 5		
2323	511	WATERFRONT DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/15/2004	Non-Lead				Building				Tier 5		
2324	1421	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/12/2001	Non-Lead								Tier 5		
2325	1613	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/22/2009	Non-Lead								Tier 5		
2326	1717	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1970 (HCAD)	Non-Lead								Tier 5		
2327	2421	CLOPPER	Seabrook	77586				Non-Lead						NO BUILDING	Non-lead								Tier 5		
2328	2421	TODVILLE RD	Seabrook	77586				Non-Lead					Before 1989	1985 (HCAD)	Non-lead								Tier 5		
2329	717	E MEYER RD	Seabrook	77586				Non-Lead						NO BUILDING	Non-lead								Tier 5		
2330	1013	E MEYER RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/15/2012	Non-Lead								Tier 5		
2331	2506	PINE BROOK LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/4/1997	Non-Lead								Tier 5		
2332	2502	PINE BROOK LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/4/1996	Non-Lead								Tier 5		
2333	710	E MEYER RD	Seabrook	77586				Non-Lead						NO BUILDING	Non-lead								Tier 5		
2334	702	E MEYER RD	Seabrook	77586				Non-Lead				Non-Lead - Copper	Before 1989	1983 (HCAD)	Non-Lead							Yes	Tier 5		
2335	709	WATERCREST	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1963 (HCAD)	Non-Lead								Tier 5		
2336	725	WATERCREST	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1963 (HCAD)	Non-Lead								Tier 5		
2337	4001	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead - Copper	Before 1989	1985 (HCAD)	Non-Lead							Yes	Tier 5		
2338	4017	TODVILLE RD	Seabrook	77586				Non-Lead						NO BUILDING	Non-lead								Tier 5		
2339	4444	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/21/2013	Non-Lead								Tier 5		
2340	3604	TODVILLE RD	Seabrook	77586				Non-Lead					Before 1989	1984 (HCAD)	Non-lead								Tier 5		
2341	3608	ELMEN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/3/2001	Non-Lead								Tier 5		
2342	3606	ELMEN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/30/2002	Non-Lead								Tier 5		
2343	613	BRADLEY ST	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead								Tier 5		
2344	621	BRADLEY ST	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1950 (HCAD)	Non-Lead								Tier 5		
2345	534	VILLA DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/3/1999	Non-Lead								Tier 5		
2346	537	VILLA DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/14/2001	Non-Lead								Tier 5		
2347	546	VILLA DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/9/2000	Non-Lead								Tier 5		
2348	602	BAY VISTA DR	Seabrook	77586				Non-Lead						NO BUILDING	Non-lead								Tier 5		
2349	625	BAY VISTA DR	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead								Tier 5		
2350	3014	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/17/2009	Non-Lead								Tier 5		
2351	2922	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/1/2011	Non-Lead								Tier 5		
2352	2920	TODVILLE RD	Seabrook	77586				Non-Lead					Before 1989	1983 (HCAD)	Non-lead								Tier 5		
2353	2918	TODVILLE RD	Seabrook	77586				Non-Lead					Before 1989	1954 (HCAD)	Non-lead								Tier 5		
2354	2906	TODVILLE RD	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead								Tier 5		
2355	2614	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/6/1994	Non-Lead								Tier 5		
2356	2222	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/22/2009	Non-Lead								Tier 5		
2357	2200	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/16/1999	Non-Lead								Tier 5		
2358	1869	ASPEN LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead								Tier 5		
2359	1865	ASPEN LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1964 (HCAD)	Non-Lead								Tier 5		
2360	1861	ASPEN LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1966 (HCAD)	Non-Lead								Tier 5		
2361	1857	ASPEN LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/27/1996	Non-Lead								Tier 5		
2362	1853	ASPEN LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead								Tier 5		
2363	1849	ASPEN LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1964 (HCAD)	Non-Lead								Tier 5		
2364	1845	ASPEN LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/11/1994	Non-Lead								Tier 5		
2365	1841	ASPEN LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1964 (HCAD)	Non-Lead								Tier 5		
2366	1837	ASPEN LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead								Tier 5		
2367	1833	ASPEN LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead								Tier 5		
2368	1829	ASPEN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead								Tier 5		
2369	1825	ASPEN LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead								Tier 5		
2370	1817	ASPEN LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead								Tier 5		
2371	1809	ASPEN LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead								Tier 5		
2372	1805	ASPEN LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1967 (HCAD)	Non-Lead								Tier 5		
2373	1801	ASPEN LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/21/1996	Non-Lead								Tier 5		
2374	1713	ASPEN LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1967 (HCAD)	Non-Lead								Tier 5		
2375	1709	ASPEN LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1967 (HCAD)	Non-Lead								Tier 5		
2376	1712	ASPEN LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1967 (HCAD)	Non-Lead								Tier 5		
2377	1716	ASPEN LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1967 (HCAD)	Non-Lead								Tier 5		
2378	1800	ASPEN LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/17/1993	Non-Lead								Tier 5		
2379	1804	ASPEN LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1967 (HCAD)	Non-Lead								Tier 5		
2380	1824	ASPEN LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1967 (HCAD)	Non-Lead								Tier 5		
2381	1828	ASPEN LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1967 (HCAD)	Non-Lead								Tier 5		
2382	1840	ASPEN LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1964 (HCAD)	Non-Lead								Tier 5		
2383	1844	ASPEN LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1964 (HCAD)	Non-Lead								Tier 5		
2384	1848	ASPEN LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1964 (HCAD)	Non-Lead								Tier 5		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Entire Service Line Material Classification[x]	Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes		Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
2385	1852	ASPEN LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1964 (HCAD)	Non-Lead									Tier 5		
2386	1864	ASPEN LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead									Tier 5		
2387	1868	ASPEN LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead									Tier 5		
2388	1877	BIMINI WAY	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead									Tier 5		
2389	1873	BIMINI WAY	Seabrook	77586				Non-Lead				Galvanized	Before 1989	1963 (HCAD)	Galvanized Requiring Replacement											
2390	1869	BIMINI WAY	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead									Tier 5		
2391	1865	BIMINI WAY	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead									Tier 5		
2392	1861	BIMINI WAY	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead									Tier 5		
2393	1857	BIMINI WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/26/1995	Non-Lead									Tier 5		
2394	1700	BIMINI WAY	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead									Tier 5		
2395	1704	BIMINI WAY	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead									Tier 5		
2396	1708	BIMINI WAY	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead									Tier 5		
2397	1712	BIMINI WAY	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead									Tier 5		
2398	1716	BIMINI WAY	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead									Tier 5		
2399	1720	BIMINI WAY	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead									Tier 5		
2400	1728	BIMINI WAY	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1967 (HCAD)	Non-Lead									Tier 5		
2401	1872	BIMINI WAY	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead									Tier 5		
2402	1876	BIMINI WAY	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead									Tier 5		
2403	1877	CAPRI LANE	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead									Tier 5		
2404	1869	CAPRI LANE	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1964 (HCAD)	Non-Lead									Tier 5		
2405	1865	CAPRI LANE	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead									Tier 5		
2406	1861	CAPRI LANE	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1963 (HCAD)	Non-Lead									Tier 5		
2407	1857	CAPRI LANE	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead									Tier 5		
2408	1853	CAPRI LANE	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead									Tier 5		
2409	1849	CAPRI LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/21/1995	Non-Lead									Tier 5		
2410	1841	CAPRI LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1964 (HCAD)	Non-Lead									Tier 5		
2411	1805	CAPRI LANE	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1969 (HCAD)	Non-Lead									Tier 5		
2412	1801	CAPRI LANE	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead									Tier 5		
2413	1737	CAPRI LANE	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1969 (HCAD)	Non-Lead									Tier 5		
2414	1733	CAPRI LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1969 (HCAD)	Non-Lead									Tier 5		
2415	1725	CAPRI LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/13/1993	Non-Lead									Tier 5		
2416	1717	CAPRI LANE	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead									Tier 5		
2417	1713	CAPRI LANE	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1969 (HCAD)	Non-Lead									Tier 5		
2418	1709	CAPRI LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead									Tier 5		
2419	1701	CAPRI LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/11/1995	Non-Lead									Tier 5		
2420	1700	CAPRI LANE	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead									Tier 5		
2421	1708	CAPRI LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1969 (HCAD)	Non-Lead									Tier 5		
2422	1716	CAPRI LANE	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1969 (HCAD)	Non-Lead									Tier 5		
2423	1720	CAPRI LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/27/1995	Non-Lead									Tier 5		
2424	1828	CAPRI LANE	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1964 (HCAD)	Non-Lead									Tier 5		
2425	1832	CAPRI LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/5/1994	Non-Lead									Tier 5		
2426	1840	CAPRI LANE	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1964 (HCAD)	Non-Lead									Tier 5		
2427	1844	CAPRI LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/8/1995	Non-Lead									Tier 5		
2428	1848	CAPRI LANE	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1964 (HCAD)	Non-Lead									Tier 5		
2429	1852	CAPRI LANE	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1964 (HCAD)	Non-Lead									Tier 5		
2430	1856	CAPRI LANE	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1964 (HCAD)	Non-Lead									Tier 5		
2431	1860	CAPRI LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/4/1993	Non-Lead									Tier 5		
2432	1425	CEDARBROOK	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead									Tier 5		
2433	1421	CEDARBROOK	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1967 (HCAD)	Non-Lead									Tier 5		
2434	1417	CEDARBROOK	Seabrook	77586				Non-Lead				Galvanized	Before 1989	1967 (HCAD)	Galvanized Requiring Replacement											
2435	1413	CEDARBROOK	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1966 (HCAD)	Non-Lead									Tier 5		
2436	1409	CEDARBROOK	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/12/1994	Non-Lead									Tier 5		
2437	1401	CEDARBROOK	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1967 (HCAD)	Non-Lead									Tier 5		
2438	1402	CEDARBROOK	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1967 (HCAD)	Non-Lead									Tier 5		
2439	1406	CEDARBROOK	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1967 (HCAD)	Non-Lead									Tier 5		
2440	1410	CEDARBROOK	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead									Tier 5		
2441	1418	CEDARBROOK	Seabrook	77586				Non-Lead				Non-Lead		4/10/2001	Non-Lead									Tier 5		
2442	1429	DELABROOK	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1967 (HCAD)	Non-Lead									Tier 5		
2443	1425	DELABROOK	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1964 (HCAD)	Non-Lead									Tier 5		
2444	4710	HAMBLEN CT	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1974 (HCAD)	Non-Lead									Tier 5		
2445	4705	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/4/1992	Non-Lead									Tier 5		
2446	5922	SHADY LAKE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2010 (HCAD)	Non-Lead									Tier 5		
2447	2001	OCEAN VIEW DR 1/2	Seabrook	77586				Non-Lead				Non-Lead	After 2014	2019 (HCAD)	Non-Lead									Tier 5		
2448	2005	OCEAN VIEW	Seabrook	77586				Non-Lead				Non-Lead	After 2014	4/25/2016	Non-Lead									Tier 5		
2449	2009	OCEAN VIEW	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/10/2014	Non-Lead									Tier 5		
2450	2033	OCEAN VIEW	Seabrook	77586				Non-Lead				Non-Lead - Copper	Before 1989	1984 (HCAD)	Non-Lead							Yes		Tier 5		
2451	2037	OCEAN VIEW	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1959 (HCAD)	Non-Lead									Tier 5		
2452	2041	OCEAN VIEW	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1962 (HCAD)	Non-Lead									Tier 5		
2453	2045	OCEAN VIEW	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1976 (HCAD)	Non-Lead									Tier 5		
2454	2049	OCEAN VIEW	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1976 (HCAD)	Non-Lead									Tier 5		
2455	2053	OCEAN VIEW	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/20/1993	Non-Lead									Tier 5		
2456	2118	OCEAN VIEW	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1978 (HCAD)	Non-Lead									Tier 5		
2457	2114	OCEAN VIEW	Seabrook	77586				Non-Lead				Non-Lead - Copper	Before 1989	1963 (HCAD)	Non-Lead									Tier 5		
2458	2009	WILLOW WISP	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1960 (HCAD)	Non-Lead									Tier 5		
2459	2013	WILLOW WISP	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1960 (HCAD)	Non-Lead									Tier 5		
2460	2017	WILLOW WISP	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1961 (HCAD)	Non-Lead									Tier 5		
2461	2025	WILLOW WISP	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1972 (HCAD)	Non-Lead									Tier 5		
2462	2022	WILLOW WISP	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/29/1993	Non-Lead									Tier 5		
2463	2034	LAKESIDE DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1978 (HCAD)	Non-Lead									Tier 5		
2464	2038	LAKESIDE DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1978 (HCAD)	Non-Lead									Tier 5		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion				Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
2465	2040	LAKESIDE DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1978 (HCAD)	Non-Lead								Tier 5		
2466	2042	LAKESIDE DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1978 (HCAD)	Non-Lead								Tier 5		
2467	2018	LAKESIDE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1998 (HCAD)	Non-Lead								Tier 5		
2468	2020	LAKESIDE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1998 (HCAD)	Non-Lead								Tier 5		
2469	2022	LAKESIDE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1998 (HCAD)	Non-Lead								Tier 5		
2470	2024	LAKESIDE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1998 (HCAD)	Non-Lead								Tier 5		
2471	2026	LAKESIDE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/10/1998	Non-Lead								Tier 5		
2472	2028	LAKESIDE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1998 (HCAD)	Non-Lead								Tier 5		
2473	2030	LAKESIDE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1998 (HCAD)	Non-Lead								Tier 5		
2474	2032	LAKESIDE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1998 (HCAD)	Non-Lead								Tier 5		
2475	2518	BREAUX TRACE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/15/1997	Non-Lead								Tier 5		
2476	2522	BREAUX TRACE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/8/1997	Non-Lead								Tier 5		
2477	4002	BREEZEWOOD DR	Seabrook	77586				Non-Lead				Non-Lead - Copper	Before 1989	1988 (HCAD)	Non-Lead							Yes	Tier 5		
2478	709	BALLENTINE ST	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/2/2012	Non-Lead								Tier 5		
2479	2102	TODVILLE RD #11	Seabrook	77586				Non-Lead					Before 1989	1988 (HCAD)	Non-lead								Tier 5		
2480	1805	BAHAMA DR	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Multiple Family Residence				Tier 5		
2481	1801	BAHAMA DR	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Multiple Family Residence				Tier 5		
2482	1701	BAHAMA DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1966 (HCAD)	Non-Lead								Tier 5		
2483	1617	BAHAMA DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1966 (HCAD)	Non-Lead								Tier 5		
2484	1613	BAHAMA DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1966 (HCAD)	Non-Lead								Tier 5		
2485	1609	BAHAMA DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1965 (HCAD)	Non-Lead								Tier 5		
2486	1505	BAHAMA DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1966 (HCAD)	Non-Lead								Tier 5		
2487	1705	ASPEN LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1967 (HCAD)	Non-Lead								Tier 5		
2488	1700	ASPEN LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1967 (HCAD)	Non-Lead								Tier 5		
2489	1704	ASPEN LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1967 (HCAD)	Non-Lead								Tier 5		
2490	1708	ASPEN LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1967 (HCAD)	Non-Lead								Tier 5		
2491	1808	ASPEN LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1966 (HCAD)	Non-Lead								Tier 5		
2492	1853	BIMINI WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/25/2012	Non-Lead								Tier 5		
2493	1849	BIMINI WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/1/1994	Non-Lead								Tier 5		
2494	1829	BIMINI WAY	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead								Tier 5		
2495	1805	BIMINI WAY	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead								Tier 5		
2496	1801	BIMINI WAY	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead								Tier 5		
2497	1725	BIMINI WAY	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1967 (HCAD)	Non-Lead								Tier 5		
2498	1721	BIMINI WAY	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1967 (HCAD)	Non-Lead								Tier 5		
2499	1717	BIMINI WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/25/1995	Non-Lead								Tier 5		
2500	1709	BIMINI WAY	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1967 (HCAD)	Non-Lead								Tier 5		
2501	1705	BIMINI WAY	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1967 (HCAD)	Non-Lead								Tier 5		
2502	1840	BIMINI WAY	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1966 (HCAD)	Non-Lead								Tier 5		
2503	1844	BIMINI WAY	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead								Tier 5		
2504	1856	BIMINI WAY	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1966 (HCAD)	Non-Lead								Tier 5		
2505	1864	BIMINI WAY	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1967 (HCAD)	Non-Lead								Tier 5		
2506	1829	CAPRI LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1964 (HCAD)	Non-Lead								Tier 5		
2507	1825	CAPRI LANE	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1964 (HCAD)	Non-Lead								Tier 5		
2508	1821	CAPRI LANE	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1964 (HCAD)	Non-Lead								Tier 5		
2509	1813	CAPRI LANE	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1965 (HCAD)	Non-Lead								Tier 5		
2510	1809	CAPRI LANE	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1965 (HCAD)	Non-Lead								Tier 5		
2511	1724	CAPRI LANE	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1969 (HCAD)	Non-Lead								Tier 5		
2512	1728	CAPRI LANE	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1969 (HCAD)	Non-Lead								Tier 5		
2513	1800	CAPRI LANE	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead								Tier 5		
2514	1868	CAPRI LANE	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead								Tier 5		
2515	1872	CAPRI LANE	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead								Tier 5		
2516	1413	BROOKWOOD CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/22/1994	Non-Lead								Tier 5		
2517	1409	BROOKWOOD CT	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1966 (HCAD)	Non-Lead								Tier 5		
2518	1409	DELABROOK	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1964 (HCAD)	Non-Lead								Tier 5		
2519	1401	DELABROOK	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1966 (HCAD)	Non-Lead								Tier 5		
2520	1402	DELABROOK	Seabrook	77586				Non-Lead				Galvanized	Before 1989	1964 (HCAD)	Galvanized Requiring Replacement										
2521	1406	DELABROOK	Seabrook	77586				Non-Lead				Non-Lead		NO BUILDING	Non-Lead								Tier 5		
2522	1410	DELABROOK	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1964 (HCAD)	Non-Lead								Tier 5		
2523	1430	DELABROOK	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1964 (HCAD)	Non-Lead								Tier 5		
2524	2100	E NASA PKWY A	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2008 (HCAD)	Non-Lead								Tier 5		
2525	2106	OCEAN VIEW	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead								Tier 5		
2526	2102	OCEAN VIEW	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/14/2000	Non-Lead								Tier 5		
2527	2034	OCEAN VIEW	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1961 (HCAD)	Non-Lead								Tier 5		
2528	2030	OCEAN VIEW	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1960 (HCAD)	Non-Lead								Tier 5		
2529	2022	OCEAN VIEW	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1964 (HCAD)	Non-Lead								Tier 5		
2530	2014	OCEANVIEW DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1960 (HCAD)	Non-Lead								Tier 5		
2531	2006	OCEAN VIEW	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1959 (HCAD)	Non-Lead								Tier 5		
2532	2046	WILLOW WISP	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead								Tier 5		
2533	2042	WILLOW WISP	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1960 (HCAD)	Non-Lead								Tier 5		
2534	2034	WILLOW WISP	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1960 (HCAD)	Non-Lead								Tier 5		
2535	1898	LAKESIDE DR	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead								Tier 5		
2536	XXXX	XXXX LAKESIDE	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead								Tier 5		
2537	3100	LAKESIDE DRIVE	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		
2538	3405	LAKESIDE DR	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		
2539	1814	1 ST ST	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1981 (HCAD)	Non-Lead								Tier 5		
2540	1210	MOSKOWITZ	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/23/1992	Non-Lead								Tier 5		
2541	1002	N MEYER RD	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead				Building				Tier 5		
2542	709	GALE ST	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1963 (HCAD)	Non-Lead				Multiple Family Residence				Tier 5		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion				Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
2543	*2510*	*HOLLYBROOK DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/27/1997*	Non-Lead								*Tier 5*		
2544	*4221*	*TODVILLE RD*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead								*Tier 5*		
2545	*4106*	*TODVILLE RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/19/1999*	Non-Lead								*Tier 5*		
2546	*1406*	*TODVILLE RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/5/2007*	Non-Lead								*Tier 5*		
2547	*1709*	*BAHAMA DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1966 (HCAD)*	Non-Lead				*Multiple Family Residence*				*Tier 5*		
2548	*1705*	*BAHAMA DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1966 (HCAD)*	Non-Lead				*Multiple Family Residence*				*Tier 5*		
2549	*1605*	*BAHAMA DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1965 (HCAD)*	Non-Lead								*Tier 5*		
2550	*1816*	*ASPEN LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1967 (HCAD)*	Non-Lead								*Tier 5*		
2551	*1832*	*ASPEN LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1967 (HCAD)*	Non-Lead								*Tier 5*		
2552	*1836*	*ASPEN LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1964 (HCAD)*	Non-Lead								*Tier 5*		
2553	*1860*	*ASPEN LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1964 (HCAD)*	Non-Lead								*Tier 5*		
2554	*1877*	*ASPEN LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/18/2004*	Non-Lead								*Tier 5*		
2555	*1833*	*BIMINI WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
2556	*1821*	*BIMINI WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
2557	*1817*	*BIMINI WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1966 (HCAD)*	Non-Lead								*Tier 5*		
2558	*1813*	*BIMINI WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
2559	*1809*	*BIMINI WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
2560	*1724*	*BIMINI WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/10/1993*	Non-Lead								*Tier 5*		
2561	*1800*	*BIMINI WAY*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead								*Tier 5*		
2562	*1804*	*BIMINI WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
2563	*1808*	*BIMINI WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
2564	*1812*	*BIMINI WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/19/1995*	Non-Lead								*Tier 5*		
2565	*1816*	*BIMINI WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
2566	*1820*	*BIMINI WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/19/2002*	Non-Lead								*Tier 5*		
2567	*1824*	*BIMINI WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/19/1995*	Non-Lead								*Tier 5*		
2568	*1828*	*BIMINI WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
2569	*1848*	*BIMINI WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
2570	*1852*	*BIMINI WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/29/1993*	Non-Lead								*Tier 5*		
2571	*1909*	*CAPRI LANE*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead				*Building*				*Tier 5*		
2572	*1732*	*CAPRI LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1969 (HCAD)*	Non-Lead								*Tier 5*		
2573	*1736*	*CAPRI LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1973 (HCAD)*	Non-Lead								*Tier 5*		
2574	*1808*	*CAPRI LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
2575	*1812*	*CAPRI LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
2576	*1816*	*CAPRI LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1964 (HCAD)*	Non-Lead								*Tier 5*		
2577	*1820*	*CAPRI LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1964 (HCAD)*	Non-Lead								*Tier 5*		
2578	*1824*	*CAPRI LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/11/1994*	Non-Lead								*Tier 5*		
2579	*1405*	*BROOKWOOD CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1967 (HCAD)*	Non-Lead								*Tier 5*		
2580	*1401*	*BROOKWOOD CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1966 (HCAD)*	Non-Lead								*Tier 5*		
2581	*1402*	*BROOKWOOD CT*	*Seabrook*	*77586*				*Non-Lead*				*Galvanized*	*Before 1989*	*1963 (HCAD)*	Galvanized Requiring Replacement										
2582	*1406*	*BROOKWOOD CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1966 (HCAD)*	Non-Lead								*Tier 5*		
2583	*1418*	*BROOKWOOD CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1968 (HCAD)*	Non-Lead								*Tier 5*		
2584	*1422*	*BROOKWOOD CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1966 (HCAD)*	Non-Lead								*Tier 5*		
2585	*1426*	*BROOKWOOD CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1968 (HCAD)*	Non-Lead								*Tier 5*		
2586	*1421*	*DELABROOK*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1966 (HCAD)*	Non-Lead								*Tier 5*		
2587	*1900*	*N MEYER RD*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead								*Tier 5*		
2588	*2710*	*RED BLUFF RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/17/2003*	Non-Lead				*Building*				*Tier 5*		
2589	*1100*	*RED BLUFF RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*2016 (City Building)*	Non-Lead				*Building*				*Tier 5*		
2590	*1910*	*NASA RD 1*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/12/1994*	Non-Lead				*Building*				*Tier 5*		
2591	*1818*	*NASA RD 1*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/7/1992*	Non-Lead				*Building*				*Tier 5*		
2592	*2018*	*4 TH ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1966 (HCAD)*	Non-Lead								*Tier 5*		
2593	*1918*	*E NASA PKWY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/6/2005*	Non-Lead								*Tier 5*		
2594	*2120*	*E NASA PKWY*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead				*Building*				*Tier 5*		
2595	*2234*	*NASA RD 1*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead				*Building*				*Tier 5*		
2596	*2104*	*7 TH ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1995 (HCAD)*	Non-Lead				*Building*				*Tier 5*		
2597	*2338*	*E NASA PKWY A*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2007 (HCAD)*	Non-Lead				*Building*				*Tier 5*		
2598	*2021*	*OCEAN VIEW*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1980 (HCAD)*	Non-Lead								*Tier 5*		
2599	*2025*	*OCEAN VIEW*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1979 (HCAD)*	Non-Lead								*Tier 5*		
2600	*2029*	*OCEAN VIEW*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/3/1993*	Non-Lead								*Tier 5*		
2601	*2057*	*OCEAN VIEW*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/20/1993*	Non-Lead								*Tier 5*		
2602	*2065*	*OCEAN VIEW DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/1/1999*	Non-Lead								*Tier 5*		
2603	*2002*	*OCEAN VIEW*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1962 (HCAD)*	Non-Lead								*Tier 5*		
2604	*2037*	*WILLOW WISP*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1960 (HCAD)*	Non-Lead								*Tier 5*		
2605	*2101*	*WILLOW WISP*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1962 (HCAD)*	Non-Lead								*Tier 5*		
2606	*2105*	*WILLOW WISP*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1962 (HCAD)*	Non-Lead								*Tier 5*		
2607	*2109*	*WILLOW WISP*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1961 (HCAD)*	Non-Lead								*Tier 5*		
2608	*2113*	*WILLOW WISP*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
2609	*2117*	*WILLOW WISP*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
2610	*2121*	*WILLOW WISP*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
2611	*2210*	*WILLOWDELL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1979 (HCAD)*	Non-Lead								*Tier 5*		
2612	*2202*	*WILLOWDELL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/16/1995*	Non-Lead								*Tier 5*		
2613	*2130*	*WILLOWDELL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1984 (HCAD)*	Non-Lead							*Yes*	*Tier 5*		
2614	*2126*	*WILLOWDELL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1978 (HCAD)*	Non-Lead								*Tier 5*		
2615	*2122*	*WILLOWDELL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/24/1995*	Non-Lead								*Tier 5*		
2616	*2119*	*WILLOWDELL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1976 (HCAD)*	Non-Lead								*Tier 5*		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion				Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
2617	*2123*	*WILLOWDELL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1976 (HCAD)*	Non-Lead								*Tier 5*		
2618	*2118*	*WILLOWDELL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1962 (HCAD)*	Non-Lead								*Tier 5*		
2619	*2110*	*WILLOWDELL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
2620	*2106*	*WILLOWDELL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
2621	*2102*	*WILLOWDELL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1962 (HCAD)*	Non-Lead								*Tier 5*		
2622	*2101*	*WILLOWDELL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
2623	*2105*	*E WILLOWDELL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
2624	*2109*	*WILLOWDELL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1962 (HCAD)*	Non-Lead								*Tier 5*		
2625	*2115*	*WILLOWDELL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1962 (HCAD)*	Non-Lead								*Tier 5*		
2626	*2124*	*E WILLOWDELL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
2627	*2113*	*E WILLOWDELL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1962 (HCAD)*	Non-Lead								*Tier 5*		
2628	*2117*	*E WILLOWDELL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
2629	*2121*	*E WILLOWDELL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
2630	*2129*	*E WILLOWDELL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1962 (HCAD)*	Non-Lead								*Tier 5*		
2631	*2128*	*E WILLOWDELL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
2632	*2030*	*WILLOW WISP*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1962 (HCAD)*	Non-Lead								*Tier 5*		
2633	*2026*	*WILLOW WISP*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1959 (HCAD)*	Non-Lead								*Tier 5*		
2634	*2010*	*WILLOW WISP*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/10/1994*	Non-Lead								*Tier 5*		
2635	*1814*	*LAKESIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/17/2004*	Non-Lead								*Tier 5*		
2636	*1822*	*LAKESIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/15/2002*	Non-Lead								*Tier 5*		
2637	*2041*	*GLEN COVE DRIVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/31/1998*	Non-Lead								*Tier 5*		
2638	*2049*	*GLEN COVE DRIVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/31/1998*	Non-Lead								*Tier 5*		
2639	*2900*	*NASA RD 1*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2005 (HCAD)*	Non-Lead				*Building*				*Tier 5*		
2640	*2730*	*LARRABEE ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/5/1999*	Non-Lead								*Tier 5*		
2641	*3000*	*NASA ROAD ONE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/29/2002*	Non-Lead				*Building*				*Tier 5*		
2642	*2455*	*LAKEWOOD POINTE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/11/2003*	Non-Lead								*Tier 5*		
2643	*3324*	*E NASA PKWY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2014 (HCAD)*	Non-Lead				*Building*				*Tier 5*		
2644	*3620*	*E NASA RD 1*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*2/9/2017*	Non-Lead				*Building*				*Tier 5*		
2645	*2901*	*SEARGENT ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1984 (HCAD)*	Non-Lead								*Tier 5*		
2646	*2909*	*SEARGENT ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1984 (HCAD)*	Non-Lead								*Tier 5*		
2647	*2801*	*NASA RD 1*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/17/2014*	Non-Lead				*Building*				*Tier 5*		
2648	*2012*	*GLEN COVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/18/2001*	Non-Lead								*Tier 5*		
2649	*2014*	*GLEN COVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/18/2001*	Non-Lead								*Tier 5*		
2650	*2016*	*GLEN COVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/18/2001*	Non-Lead								*Tier 5*		
2651	*2018*	*GLEN COVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/18/2001*	Non-Lead								*Tier 5*		
2652	*2022*	*GLEN COVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/19/1999*	Non-Lead								*Tier 5*		
2653	*2028*	*GLEN COVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/19/1999*	Non-Lead								*Tier 5*		
2654	*2058*	*GLEN COVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/10/1999*	Non-Lead								*Tier 5*		
2655	*2060*	*GLEN COVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/10/1999*	Non-Lead								*Tier 5*		
2656	*2801*	*SEASIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/26/2005*	Non-Lead								*Tier 5*		
2657	*2817*	*SEASIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2005 (HCAD)*	Non-Lead								*Tier 5*		
2658	*2825*	*SEASIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/10/2007*	Non-Lead								*Tier 5*		
2659	*2829*	*SEASIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/10/2007*	Non-Lead								*Tier 5*		
2660	*2833*	*SEASIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2007 (HCAD)*	Non-Lead								*Tier 5*		
2661	*2837*	*SEASIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/17/2013*	Non-Lead								*Tier 5*		
2662	*2841*	*SEASIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/17/2013*	Non-Lead								*Tier 5*		
2663	*2845*	*SEASIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/17/2013*	Non-Lead								*Tier 5*		
2664	*2849*	*SEASIDE DR*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead				*Building*				*Tier 5*		
2665	*2848*	*SEASIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/17/2011*	Non-Lead								*Tier 5*		
2666	*2844*	*SEASIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/17/2011*	Non-Lead								*Tier 5*		
2667	*2840*	*SEASIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/2/2010*	Non-Lead								*Tier 5*		
2668	*2836*	*SEASIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/2/2010*	Non-Lead								*Tier 5*		
2669	*2832*	*SEASIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/2/2010*	Non-Lead								*Tier 5*		
2670	*2828*	*SEASIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/2/2010*	Non-Lead								*Tier 5*		
2671	*2816*	*SEASIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/10/2006*	Non-Lead								*Tier 5*		
2672	*2812*	*SEASIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/10/2006*	Non-Lead								*Tier 5*		
2673	*2808*	*SEASIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/10/2006*	Non-Lead								*Tier 5*		
2674	*2804*	*SEASIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/10/2006*	Non-Lead								*Tier 5*		
2675	*2800*	*SEASIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/10/2006*	Non-Lead								*Tier 5*		
2676	*2801*	*SAND DUNE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2014 (HCAD)*	Non-Lead								*Tier 5*		
2677	*2805*	*SAND DUNE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2012 (HCAD)*	Non-Lead								*Tier 5*		
2678	*2809*	*SAND DUNE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2012 (HCAD)*	Non-Lead								*Tier 5*		
2679	*2813*	*SAND DUNE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/16/2012*	Non-Lead								*Tier 5*		
2680	*2817*	*SAND DUNE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/11/2013*	Non-Lead								*Tier 5*		
2681	*2821*	*SAND DUNE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/11/2013*	Non-Lead								*Tier 5*		
2682	*2825*	*SAND DUNE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/25/2012*	Non-Lead								*Tier 5*		
2683	*2829*	*SAND DUNE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/25/2012*	Non-Lead								*Tier 5*		
2684	*2833*	*SAND DUNE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/13/2012*	Non-Lead								*Tier 5*		
2685	*2837*	*SAND DUNE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/13/2012*	Non-Lead								*Tier 5*		
2686	*2841*	*SAND DUNE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/13/2012*	Non-Lead								*Tier 5*		
2687	*2845*	*SAND DUNE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/21/2011*	Non-Lead								*Tier 5*		
2688	*2849*	*SAND DUNE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/21/2011*	Non-Lead								*Tier 5*		
2689	*2852*	*SAND DUNE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/14/2012*	Non-Lead								*Tier 5*		
2690	*2848*	*SAND DUNE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/14/2012*	Non-Lead								*Tier 5*		
2691	*2844*	*SAND DUNE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/6/2012*	Non-Lead								*Tier 5*		
2692	*2840*	*SAND DUNE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/6/2012*	Non-Lead								*Tier 5*		
2693	*2836*	*SAND DUNE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/6/2012*	Non-Lead								*Tier 5*		
2694	*2832*	*SAND DUNE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/7/2013*	Non-Lead								*Tier 5*		
2695	*2828*	*SAND DUNE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/7/2013*	Non-Lead								*Tier 5*		
2696	*2824*	*SAND DUNE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/8/2013*	Non-Lead								*Tier 5*		
2697	*2820*	*SAND DUNE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/8/2013*	Non-Lead								*Tier 5*		
2698	*2816*	*SAND DUNE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/9/2013*	Non-Lead								*Tier 5*		
2699	*2812*	*SAND DUNE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2013 (HCAD)*	Non-Lead								*Tier 5*		
2700	*2808*	*SAND DUNE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2013 (HCAD)*	Non-Lead								*Tier 5*		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Entire Service Line Material Classification[x]	Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes		Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
2701	2804	SAND DUNE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2012 (HCAD)	Non-Lead									Tier 5		
2702	2800	SAND DUNE DR	Seabrook	77586				Non-Lead				Non-Lead			Non-Lead									Tier 5		
2703	2539	BLUE HERON CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/21/2009	Non-Lead									Tier 5		
2704	2541	BLUE HERON CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/31/2011	Non-Lead									Tier 5		
2705	2543	BLUE HERON CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/21/2009	Non-Lead									Tier 5		
2706	2547	BLUE HERON CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/9/2009	Non-Lead									Tier 5		
2707	2549	BLUE HERON CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/24/2009	Non-Lead									Tier 5		
2708	2551	BLUE HERON CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/14/2010	Non-Lead									Tier 5		
2709	2553	BLUE HERON CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/14/2010	Non-Lead									Tier 5		
2710	2555	BLUE HERON CIRLCE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/9/2011	Non-Lead									Tier 5		
2711	2557	BLUE HERON CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/12/2008	Non-Lead									Tier 5		
2712	2554	BLUE HERON CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/5/2011	Non-Lead									Tier 5		
2713	2552	BLUE HERON CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/5/2011	Non-Lead									Tier 5		
2714	2550	BLUE HERON CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/5/2011	Non-Lead									Tier 5		
2715	2548	BLUE HERON CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/14/2010	Non-Lead									#REF!		
2716	2546	BLUE HERON CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/14/2010	Non-Lead									Tier 5		
2717	2544	BLUE HERON CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/24/2010	Non-Lead									Tier 5		
2718	2540	BLUE HERON CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/25/2009	Non-Lead									Tier 5		
2719	2539	PELICAN DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/23/2011	Non-Lead									Tier 5		
2720	2543	PELICAN DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/23/2011	Non-Lead									Tier 5		
2721	2545	PELICAN DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/23/2011	Non-Lead									Tier 5		
2722	2547	PELICAN DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/15/2011	Non-Lead									Tier 5		
2723	2549	PELICAN DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/15/2011	Non-Lead									Tier 5		
2724	2551	PELICAN DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/23/2011	Non-Lead									Tier 5		
2725	2556	PELICAN DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/10/2006	Non-Lead									Tier 5		
2726	2554	PELICAN DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/10/2006	Non-Lead									Tier 5		
2727	2552	PELICAN DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/4/2006	Non-Lead									Tier 5		
2728	2550	PELICAN DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/4/2006	Non-Lead									Tier 5		
2729	2548	PELICAN DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/4/2006	Non-Lead									Tier 5		
2730	2546	PELICAN DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/15/2007	Non-Lead									Tier 5		
2731	2544	PELICAN DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/15/2007	Non-Lead									Tier 5		
2732	2542	PELICAN DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/15/2007	Non-Lead									Tier 5		
2733	2538	PELICAN DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/15/2007	Non-Lead									Tier 5		
2734	2536	PELICAN DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/21/2007	Non-Lead									Tier 5		
2735	2529	PELICAN DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/23/2011	Non-Lead									Tier 5		
2736	2531	PELICAN DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/8/2008	Non-Lead									Tier 5		
2737	2533	PELICAN DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/14/2008	Non-Lead									Tier 5		
2738	2535	PELICAN DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/8/2008	Non-Lead									Tier 5		
2739	2534	LAUGHING GULL CIR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/1/2010	Non-Lead									Tier 5		
2740	2532	LAUGHING GULL CIR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/10/2006	Non-Lead									Tier 5		
2741	2528	LAUGHING GULL CIR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/25/2009	Non-Lead									Tier 5		
2742	2526	LAUGHING GULL CIR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/25/2009	Non-Lead									Tier 5		
2743	2529	LAUGHING GULL CIR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/1/2009	Non-Lead									Tier 5		
2744	2531	LAUGHING GULL CIR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/1/2009	Non-Lead									Tier 5		
2745	2535	LAUGHING GULL CIR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/1/2009	Non-Lead									Tier 5		
2746	2620	BAY SHORE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/7/2005	Non-Lead									Tier 5		
2747	2101	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	3/12/2015	Non-Lead									Tier 5		
2748	1817	CAPRI LANE	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1964 (HCAD)	Non-Lead									Tier 5		
2749	4313	N HERON DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1977 (HCAD)	Non-Lead									Tier 5		
2750	605	BAY CLUB DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead									Tier 5		
2751	4514	CORONADO	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1984 (HCAD)	Non-Lead									Tier 5		
2752	1519	LAKE MIJA CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	After 2014	3/24/2021	Non-Lead									Tier 5		
2753	2553	DU LAC TRACE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/3/1998	Non-Lead									Tier 5		
2754	2230	WATER WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/17/2014	Non-Lead									Tier 5		
2755	1110	HARDESTY	Seabrook	77586				Non-Lead						NO BUILDING	Non-lead									Tier 5		
2756	1006	TODVILLE RD	Seabrook	77586				Non-Lead						NO BUILDING	Non-lead									Tier 5		
2757	902	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	8/6/2018	Non-Lead									Tier 5		
2758	905	HESTER	Seabrook	77586				Non-Lead				Non-Lead	After 2014	2016 (HCAD)	Non-Lead									Tier 5		
2759	917	QUINTANA ROO PL	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead									Tier 5		
2760	520	VILLA DRIVE	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead									Tier 5		
2761	2510	TODVILLE RD	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead									Tier 5		
2762	2414	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1950 (HCAD)	Non-Lead									Tier 5		
2763	1905	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/1/1993	Non-Lead				Building					Tier 5		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion				Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
2764	4900	S SURF OAKS DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/12/2009	Non-Lead								Tier 5		
2765	4900	S SURF OAKS DR IR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1964 (HCAD)	Non-Lead								Tier 5		
2766	5511	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/1/1995	Non-Lead				Building				Tier 5		
2767	502	PINE GULLY RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1995 (HCAD) (Carothers)	Non-Lead								Tier 5		
2768	522	BAYWOOD DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1973 (HCAD)	Non-Lead								Tier 5		
2769	3900	BAYPORT BLVD	Seabrook	77586				Non-Lead						NO BUILDING	Non-lead								Tier 5		
2770	4001	OLD HWY 146	Seabrook	77586				Non-Lead				Non-Lead	After 2014	2018 (HCAD)	Non-Lead				Building				Tier 5		
2771	2800	BAYPORT BLVD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	1/21/2019	Non-Lead				Building				Tier 5		
2772	2800	BAYPORT BLVD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	1/21/2019	Non-Lead				Building				Tier 5		
2773	2105	SEABROOK CIR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/23/1999	Non-Lead				Building				Tier 5		
2774	1909	NICHOLSON	Seabrook	77586				Non-Lead						NO BUILDING	Non-lead				Building				Tier 5		
2775	2061	OCEAN VIEW	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/29/1994	Non-Lead								Tier 5		
2776	1900	LAKESIDE DR	Seabrook	77586				Non-Lead					Before 1989	1979 (HCAD)	Non-lead								Tier 5		
2777	1902	LAKESIDE DR	Seabrook	77586				Non-Lead					Before 1989	1979 (HCAD)	Non-lead								Tier 5		
2778	1904	LAKESIDE DR	Seabrook	77586				Non-Lead					Before 1989	1979 (HCAD)	Non-lead								Tier 5		
2779	1908	LAKESIDE DR	Seabrook	77586				Non-Lead					Before 1989	1979 (HCAD)	Non-lead								Tier 5		
2780	1912	LAKESIDE DR	Seabrook	77586				Non-Lead					Before 1989	1979 (HCAD)	Non-lead								Tier 5		
2781	2046	LAKESIDE DR	Seabrook	77586				Non-Lead				Non-Lead - Copper	Before 1989	1978 (HCAD)	Non-Lead								Tier 5		
2782	1904	HARBOUR DR	Seabrook	77586				Non-Lead					Before 1989	1979 (HCAD)	Non-lead								Tier 5		
2783	1908	HARBOUR DR	Seabrook	77586				Non-Lead					Before 1989	1979 (HCAD)	Non-lead								Tier 5		
2784	2045	GLEN COVE DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/31/1998	Non-Lead								Tier 5		
2785	1912	HARBOUR DR	Seabrook	77586				Non-Lead					Before 1989	1979 (HCAD)	Non-lead								Tier 5		
2786	1914	HARBOUR DR	Seabrook	77586				Non-Lead					Before 1989	1979 (HCAD)	Non-lead								Tier 5		
2787	2018	HARBOUR DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/23/2000	Non-Lead								Tier 5		
2788	2051	GLEN COVE DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/31/1998	Non-Lead								Tier 5		
2789	2020	HARBOUR DR	Seabrook	77586				Non-Lead					Before 1989	1979 (HCAD)	Non-lead								Tier 5		
2790	2022	HARBOUR DR	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1979 (HCAD)	Non-Lead								Tier 5		
2791	2030	HARBOUR DR	Seabrook	77586				Non-Lead					Before 1989	1979 (HCAD)	Non-lead								Tier 5		
2792	2032	HARBOUR DR	Seabrook	77586				Non-Lead					Before 1989	1979 (HCAD)	Non-lead								Tier 5		
2793	2013	GLEN COVE DR	Seabrook	77586				Non-Lead					Before 1989	1979 (HCAD)	Non-lead								Tier 5		
2794	2011	GLEN COVE DR	Seabrook	77586				Non-Lead					Before 1989	1979 (HCAD)	Non-lead								Tier 5		
2795	2037	LAKESIDE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/25/2002	Non-Lead								Tier 5		
2796	2049	LAKESIDE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/15/1996	Non-Lead								Tier 5		
2797	2600	LAKESIDE TERR	Seabrook	77586				Non-Lead					Before 1989	1978 (HCAD)	Non-lead								Tier 5		
2798	2604	LAKESIDE TERR	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1960 (HCAD)	Non-Lead				Multiple Family Residence				Tier 5		
2799	2613	LAKESIDE TERR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/26/1994	Non-Lead				Building				Tier 5		
2800	2710	NASA PARKWAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/21/2011	Non-Lead				Building				Tier 5		
2801	2710	NASA PARKWAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/21/2011	Non-Lead				Building				Tier 5		
2802	3120	NASA RD 1	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/12/1995	Non-Lead				Building				Tier 5		
2803	2242	REPSDORPH RD	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		
2804	2242	REPSDORPH RD	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		
2805	2431	LAKEWOOD POINTE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/5/2004	Non-Lead								Tier 5		
2806	2435	LAKEWOOD POINTE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/5/2004	Non-Lead								Tier 5		
2807	2439	LAKEWOOD POINTE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/5/2004	Non-Lead								Tier 5		
2808	2300	REPSDORPH RD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	2018 (HCAD)	Non-Lead				Multiple Family Residence				Tier 5		
2809	2300	REPSDORPH RD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	2018 (HCAD)	Non-Lead				Multiple Family Residence				Tier 5		
2810	3663	NASA RD 1	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/6/1997	Non-Lead				Multiple Family Residence				Tier 5		
2811	3663	NASA RD 1	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/6/1997	Non-Lead				Multiple Family Residence				Tier 5		
2812	3663	NASA RD 1 - BLDG G	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/6/1997	Non-Lead				Multiple Family Residence				Tier 5		
2813	2930	SEARGENT ST	Seabrook	77586				Non-Lead						NO BUILDING	Non-lead								Tier 5		
2814	2910	SEARGENT ST	Seabrook	77586				Non-Lead				Non-Lead	After 2014	12/12/2016	Non-Lead								Tier 5		
2815	2913	SEARGENT ST	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/19/2000	Non-Lead								Tier 5		
2816	2917	SEARGENT ST	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1975 (HCAD)	Non-Lead								Tier 5		
2817	2925	SEARGENT ST	Seabrook	77586				Non-Lead				Non-Lead - Copper	Before 1989	1955 (HCAD)	Non-Lead								Tier 5		
2818	2937	SEARGENT ST	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1975 (HCAD)	Non-Lead								Tier 5		
2819	3009	SEARGENT ST	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2003 (HCAD)	Non-Lead								Tier 5		
2820	1809	LARRABEE ST	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1957 (HCAD)	Non-Lead								Tier 5		
2821	1805	LARRABEE ST	Seabrook	77586				Non-Lead				Non-Lead	After 2014	7/2/2018	Non-Lead								Tier 5		
2822	2425	NASA RD 1	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/3/1994	Non-Lead				Multiple Family Residence				Tier 5		
2823	2325	LIDSTONE	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		
2824	2425	NASA RD 1	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1955 (HCAD)	Non-Lead				Building				Tier 5		
2825	2322	LIDSTONE	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1980 (HCAD)	Non-Lead				Building				Tier 5		
2826	2425	NASA ROAD 1	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1955 (HCAD)	Non-Lead				Building				Tier 5		
2827	2534	LAKESIDE LANDING DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2000 (HCAD)	Non-Lead								Tier 5		
2828	2530	LAKESIDE LANDIN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1999 (HCAD)	Non-Lead								Tier 5		
2829	2526	LAKESIDE LANDIN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1999 (HCAD)	Non-Lead								Tier 5		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion				Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[x]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
2830	*2522*	*LAKESIDE LANDING DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2001 (HCAD)*	Non-Lead								*Tier 5*		
2831	*2518*	*LAKESIDE LANDING DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2001 (HCAD)*	Non-Lead								*Tier 5*		
2832	*2514*	*LAKESIDE LANDING*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2001 (HCAD)*	Non-Lead								*Tier 5*		
2833	*2510*	*LAKESIDE LANDING*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2001 (HCAD)*	Non-Lead								*Tier 5*		
2834	*2050*	*LAKESIDE LANDING DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1999 (HCAD)*	Non-Lead								*Tier 5*		
2835	*2042*	*LAKESIDE LANDING DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1999 (HCAD)*	Non-Lead								*Tier 5*		
2836	*2034*	*LAKESIDE LANDING DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1999 (HCAD)*	Non-Lead								*Tier 5*		
2837	*2026*	*LAKESIDE LANDING*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1996 (HCAD)*	Non-Lead								*Tier 5*		
2838	*2022*	*LAKESIDE LANDING DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2004 (HCAD)*	Non-Lead								*Tier 5*		
2839	*2018*	*LAKESIDE LANDING DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2001 (HCAD)*	Non-Lead								*Tier 5*		
2840	*2014*	*LAKESIDE LANDING*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1998 (HCAD)*	Non-Lead								*Tier 5*		
2841	*2010*	*LAKESIDE LANDING LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1999 (HCAD)*	Non-Lead								*Tier 5*		
2842	*2006*	*LAKESIDE LANDING*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1999 (HCAD)*	Non-Lead								*Tier 5*		
2843	*2017*	*LAKESIDE LANDING*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2002 (HCAD)*	Non-Lead								*Tier 5*		
2844	*2021*	*LAKESIDE LANDING*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2002 (HCAD)*	Non-Lead								*Tier 5*		
2845	*2025*	*LAKESIDE LANDIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1996 (HCAD)*	Non-Lead								*Tier 5*		
2846	*2505*	*LAKESIDE LANDING DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2002 (HCAD)*	Non-Lead								*Tier 5*		
2847	*2509*	*LAKESIDE LANDING DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2001 (HCAD)*	Non-Lead								*Tier 5*		
2848	*2513*	*LAKESIDE LANDING DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2001 (HCAD)*	Non-Lead								*Tier 5*		
2849	*2517*	*LAKESIDE LANDING*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2001 (HCAD)*	Non-Lead								*Tier 5*		
2850	*2525*	*LAKESIDE LANDING DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2002 (HCAD)*	Non-Lead								*Tier 5*		
2851	*2529*	*LAKESIDE LANDIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1999 (HCAD)*	Non-Lead								*Tier 5*		
2852	*2533*	*LAKESIDE LANDING DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2002 (HCAD)*	Non-Lead				*Building*				*Tier 5*		
2853	*2030*	*GLEN COVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/19/1999*	Non-Lead								*Tier 5*		
2854	*2032*	*GLEN COVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/19/1999*	Non-Lead								*Tier 5*		
2855	*2034*	*GLEN COVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/19/1999*	Non-Lead								*Tier 5*		
2856	*2038*	*GLEN COVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/19/1999*	Non-Lead								*Tier 5*		
2857	*2040*	*GLEN COVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/19/1999*	Non-Lead								*Tier 5*		
2858	*2042*	*GLEN COVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/19/1999*	Non-Lead								*Tier 5*		
2859	*2044*	*GLEN COVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/19/1999*	Non-Lead								*Tier 5*		
2860	*2048*	*GLEN COVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1999 (HCAD)*	Non-Lead								*Tier 5*		
2861	*2056*	*GLEN COVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/10/1999*	Non-Lead								*Tier 5*		
2862	*2062*	*GLEN COVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/10/1999*	Non-Lead								*Tier 5*		
2863	*2066*	*GLEN COVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/10/1999*	Non-Lead								*Tier 5*		
2864	*2068*	*GLEN COVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/10/1999*	Non-Lead								*Tier 5*		
2865	*2070*	*GLEN COVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/10/1999*	Non-Lead								*Tier 5*		
2866	*2072*	*GLEN COVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/10/1999*	Non-Lead								*Tier 5*		
2867	*2074*	*GLEN COVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/10/1999*	Non-Lead								*Tier 5*		
2868	*2000*	*YORKTOWN CT*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead				*Building*				*Tier 5*		
2869	*1005*	*AUTUMN BROOK ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/19/2012*	Non-Lead								*Tier 5*		
2870	*1560*	*LAKE MIJA CIR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*11/3/2020*	Non-Lead								*Tier 5*		
2871	*2726*	*MOSS CT.*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/26/1992*	Non-Lead								*Tier 5*		
2872	*2506*	*SAND CASTLE CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1996 (HCAD)*	Non-Lead								*Tier 5*		
2873	*2510*	*SAND CASTLE CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1996 (HCAD)*	Non-Lead								*Tier 5*		
2874	*705*	*QUINTANA ROO PL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/3/1995*	Non-Lead								*Tier 5*		
2875	*4421*	*PLOVER*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1990 (HCAD)*	Non-Lead								*Tier 5*		
2876	*2702*	*SANDPEBBLE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/22/1992*	Non-Lead								*Tier 5*		
2877	*2706*	*SANDPEBBLE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/21/1992*	Non-Lead								*Tier 5*		
2878	*2802*	*SANDPEBBLE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1988 (HCAD)*	Non-Lead								*Tier 5*		
2879	*2806*	*SANDPEBBLE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/11/1992*	Non-Lead								*Tier 5*		
2880	*2734*	*CARMEL WOODS DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
2881	*2715*	*CARMEL WOODS DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Between 1989 and 2014*	*4/7/1993*	Non-Lead							*Yes*	*Tier 5*		
2882	*2301*	*PALM CIRCLE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/8/2001*	Non-Lead								*Tier 5*		
2883	*2302*	*PALM CIRCLE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/5/1999*	Non-Lead								*Tier 5*		
2884	*2306*	*PALM CIRCLE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/1/1999*	Non-Lead								*Tier 5*		
2885	*2309*	*PALM CIRCLE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/8/2001*	Non-Lead								*Tier 5*		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Entire Service Line Material Classification[x]	Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes		Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
2886	2313	PALM CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/12/2002	Non-Lead									Tier 5		
2887	2310	PALM CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1999 (HCAD)	Non-Lead									Tier 5		
2888	2314	PALM CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/6/1999	Non-Lead									Tier 5		
2889	2317	PALM CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/29/2002	Non-Lead									Tier 5		
2890	2321	PALM CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/15/1999	Non-Lead									Tier 5		
2891	2322	PALM CR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/3/2001	Non-Lead									Tier 5		
2892	2325	PALM CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/29/2002	Non-Lead									Tier 5		
2893	2230	SCENIC SHORE DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/21/2002	Non-Lead									Tier 5		
2894	2226	SCENIC SHORE DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/22/2002	Non-Lead									Tier 5		
2895	2222	SCENIC SHORE DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/9/2002	Non-Lead									Tier 5		
2896	2218	SCENIC SHORE DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/6/2002	Non-Lead									Tier 5		
2897	2214	SCENIC SHORE DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/18/2001	Non-Lead									Tier 5		
2898	2210	SCENIC SHORE DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/8/2001	Non-Lead									Tier 5		
2899	2209	SCENIC SHORE DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/18/2001	Non-Lead									Tier 5		
2900	2206	SCENIC SHORE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/3/2000	Non-Lead									Tier 5		
2901	2205	SCENIC SHORE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/29/2000	Non-Lead									Tier 5		
2902	3202	SCENIC SHORE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/29/2000	Non-Lead									Tier 5		
2903	3206	SCENIC SHORE DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/29/2000	Non-Lead									Tier 5		
2904	3214	SCENIC SHORE DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/1/1999	Non-Lead									Tier 5		
2905	3218	SCENIC SHORE DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/6/1999	Non-Lead									Tier 5		
2906	3222	SCENIC SHORE DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/6/1999	Non-Lead									Tier 5		
2907	3226	SCENIC SHORE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/1/2001	Non-Lead									Tier 5		
2908	3102	SCENIC SHORE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/5/2004	Non-Lead									Tier 5		
2909	3106	SCENIC SHORE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/5/1999	Non-Lead									Tier 5		
2910	3110	SCENIC SHORE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/5/2004	Non-Lead									Tier 5		
2911	3105	SCENIC SHORE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/1/2001	Non-Lead									Tier 5		
2912	3101	SCENIC SHORE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/29/2000	Non-Lead									Tier 5		
2913	3449	BAY BREEZE DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/7/2002	Non-Lead									Tier 5		
2914	3445	BAY BREEZE DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/18/2002	Non-Lead									Tier 5		
2915	3441	BAY BREEZE DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/18/2002	Non-Lead									Tier 5		
2916	3437	BAY BREEZE DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/18/2002	Non-Lead									Tier 5		
2917	3725	CORAL REEF DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/3/1999	Non-Lead									Tier 5		
2918	3721	CORAL REEF DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/27/2001	Non-Lead									Tier 5		
2919	3717	CORAL REEF DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/19/2001	Non-Lead									Tier 5		
2920	3713	CORAL REEF DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/12/2001	Non-Lead									Tier 5		
2921	3709	CORAL REEF DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/24/2001	Non-Lead									Tier 5		
2922	3705	CORAL REEF DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/3/2000	Non-Lead									Tier 5		
2923	3701	CORAL REEF DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/15/1999	Non-Lead									Tier 5		
2924	3720	CORAL REEF DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/7/1999	Non-Lead									Tier 5		
2925	3724	CORAL REEF DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/14/2000	Non-Lead									Tier 5		
2926	3728	CORAL REEF DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/31/2001	Non-Lead									Tier 5		
2927	3732	CORAL REEF DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2000 (HCAD)	Non-Lead									Tier 5		
2928	3736	CORAL REEF DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/15/1999	Non-Lead									Tier 5		
2929	3740	CORAL REEF DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/27/1999	Non-Lead									Tier 5		
2930	3744	CORAL REEF DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/2/2000	Non-Lead									Tier 5		
2931	3748	CORAL REEF DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/20/2004	Non-Lead									Tier 5		
2932	3757	CORAL REEF DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/12/2000	Non-Lead									Tier 5		
2933	3753	CORAL REEF DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/4/2000	Non-Lead									Tier 5		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion				Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
2934	3749	CORAL REEF DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/22/2004	Non-Lead								Tier 5		
2935	3745	CORAL REEF DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/7/2000	Non-Lead								Tier 5		
2936	3741	CORAL REEF DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/22/2001	Non-Lead								Tier 5		
2937	3737	CORAL REEF DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/2/2000	Non-Lead								Tier 5		
2938	3306	ARBOR LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/1/2001	Non-Lead								Tier 5		
2939	3310	ARBOR LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/24/2001	Non-Lead								Tier 5		
2940	3314	ARBOR LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/1/1999	Non-Lead								Tier 5		
2941	3318	ARBOR LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/1/2001	Non-Lead								Tier 5		
2942	3322	ARBOR LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/21/2001	Non-Lead								Tier 5		
2943	2705	BAY SHORE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/8/2006	Non-Lead								Tier 5		
2944	2709	BAY SHORE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/21/2004	Non-Lead								Tier 5		
2945	3805	BREEZEWAY DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/6/2002	Non-Lead								Tier 5		
2946	3809	BREEZEWAY DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/20/2003	Non-Lead								Tier 5		
2947	3810	SEASHORE CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/7/2003	Non-Lead								Tier 5		
2948	3809	SEASHORE CIR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/11/2003	Non-Lead								Tier 5		
2949	3806	SEASHORE CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/7/2003	Non-Lead								Tier 5		
2950	3802	SEASHORE CIR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/20/2003	Non-Lead								Tier 5		
2951	3801	SEASHORE CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/9/2003	Non-Lead								Tier 5		
2952	3805	SEASHORE CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/22/2003	Non-Lead								Tier 5		
2953	3813	SEASHORE CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/1/2003	Non-Lead								Tier 5		
2954	3818	CORAL CR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/1/2003	Non-Lead								Tier 5		
2955	2826	SEA CHANNEL DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2004 (HCAD)	Non-Lead								Tier 5		
2956	2906	SEA CHANNEL DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2005 (HCAD)	Non-Lead								Tier 5		
2957	2930	SEA CHANNEL DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2002 (HCAD)	Non-Lead								Tier 5		
2958	2909	SHORE LINE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2003 (HCAD)	Non-Lead								Tier 5		
2959	2905	SHORE LINE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2002 (HCAD)	Non-Lead								Tier 5		
2960	2901	SHORE LINE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2002 (HCAD)	Non-Lead								Tier 5		
2961	2902	SHORE LINE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2002 (HCAD)	Non-Lead								Tier 5		
2962	2906	SHORE LINE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2002 (HCAD)	Non-Lead								Tier 5		
2963	2910	OCEAN MIST CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/16/2002	Non-Lead								Tier 5		
2964	2914	OCEAN MIST CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/22/2002	Non-Lead								Tier 5		
2965	2918	OCEAN MIST CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/1/2003	Non-Lead								Tier 5		
2966	3005	SHORE LINE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2002 (HCAD)	Non-Lead								Tier 5		
2967	3009	SHORE LINE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2002 (HCAD)	Non-Lead								Tier 5		
2968	3013	SHORE LINE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2002 (HCAD)	Non-Lead								Tier 5		
2969	3021	SEA CHANNEL DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2002 (HCAD)	Non-Lead								Tier 5		
2970	3018	SEA CHANNEL DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2002 (HCAD)	Non-Lead								Tier 5		
2971	3046	S ISLAND DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/3/2000	Non-Lead								Tier 5		
2972	3025	S ISLAND DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/4/2003	Non-Lead								Tier 5		
2973	3009	S ISLAND DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/21/2002	Non-Lead								Tier 5		
2974	3005	S ISLAND DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/20/2002	Non-Lead								Tier 5		
2975	3001	S ISLAND DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/7/2003	Non-Lead								Tier 5		
2976	2945	N ISLAND DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/8/2002	Non-Lead								Tier 5		
2977	2941	N ISLAND DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/9/2003	Non-Lead								Tier 5		
2978	2913	SEA CHANNEL DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2003 (HCAD)	Non-Lead								Tier 5		
2979	2849	SEA CHANNEL CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/24/2003	Non-Lead								Tier 5		
2980	2845	SEA CHANNEL CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/24/2004	Non-Lead								Tier 5		
2981	2817	SEA CHANNEL DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2008 (HCAD)	Non-Lead								Tier 5		
2982	2805	SEA CHANNEL DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2005 (HCAD)	Non-Lead								Tier 5		
2983	2801	SEA CHANNEL DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2002 (HCAD)	Non-Lead								Tier 5		
2984	2801	A SEA CHANNEL DR	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead								Tier 5		
2985	3901	BREEZEWAY COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/14/2006	Non-Lead								Tier 5		
2986	3917	BREEZEWAY COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/4/2003	Non-Lead								Tier 5		
2987	3923	BREEZEWAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/4/2004	Non-Lead				Building				Tier 5		
2988	3926	BREEZEWAY DR	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		
2989	3922	BREEZEWAY DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/10/2003	Non-Lead								Tier 5		
2990	3918	BREEZEWAY DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/10/2003	Non-Lead								Tier 5		
2991	3914	BREEZEWAY DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/9/2003	Non-Lead								Tier 5		
2992	3910	BREEZEWAY DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/5/2003	Non-Lead								Tier 5		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion				Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
2993	*3906*	*BREEZEWAY DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/24/2002*	Non-Lead								*Tier 5*		
2994	*3902*	*BREEZEWAY DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/4/2002*	Non-Lead								*Tier 5*		
2995	*3818*	*BREEZEWAY DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*11/22/2022*	Non-Lead								*Tier 5*		
2996	*3814*	*BREEZEWAY DRIVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/20/2003*	Non-Lead								*Tier 5*		
2997	*3810*	*BREEZEWAY DRIVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/7/2003*	Non-Lead								*Tier 5*		
2998	*3806*	*BREEZEWAY DRIVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/7/2003*	Non-Lead								*Tier 5*		
2999	*2617*	*BAY SHORE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/19/2005*	Non-Lead								*Tier 5*		
3000	*2637*	*BAY SHORE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/5/2005*	Non-Lead								*Tier 5*		
3001	*2701*	*BAY SHORE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/12/2005*	Non-Lead								*Tier 5*		
3002	*2624*	*DRIFT WOOD LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/4/2004*	Non-Lead								*Tier 5*		
3003	*2620*	*DRIFT WOOD LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/4/2004*	Non-Lead								*Tier 5*		
3004	*2612*	*DRIFT WOOD LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/4/2004*	Non-Lead								*Tier 5*		
3005	*2600*	*DRIFT WOOD LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/4/2004*	Non-Lead								*Tier 5*		
3006	*2628*	*BAY SHORE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/27/2005*	Non-Lead								*Tier 5*		
3007	*2624*	*BAY SHORE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/27/2005*	Non-Lead								*Tier 5*		
3008	*2616*	*BAY SHORE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/12/2005*	Non-Lead								*Tier 5*		
3009	*3414*	*OCEAN RIDGE CIR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/28/2006*	Non-Lead								*Tier 5*		
3010	*3422*	*OCEAN RIDGE CIR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/22/2006*	Non-Lead								*Tier 5*		
3011	*3426*	*OCEAN RIDGE CIR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/11/2005*	Non-Lead								*Tier 5*		
3012	*3430*	*OCEAN RIDGE CIR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/19/2005*	Non-Lead								*Tier 5*		
3013	*3434*	*OCEAN RIDGE CR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/16/2005*	Non-Lead								*Tier 5*		
3014	*3438*	*OCEAN RIDGE CIR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/3/2006*	Non-Lead								*Tier 5*		
3015	*3442*	*OCEAN RIDGE CIR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/20/2006*	Non-Lead								*Tier 5*		
3016	*3446*	*OCEAN RIDGE CR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/14/2006*	Non-Lead								*Tier 5*		
3017	*3450*	*OCEAN RIDGE CIR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/3/2005*	Non-Lead								*Tier 5*		
3018	*3425*	*PALM BAY CIRCLE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/11/2005*	Non-Lead								*Tier 5*		
3019	*3413*	*PALM BAY CIRCLE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/11/2005*	Non-Lead								*Tier 5*		
3020	*3409*	*PALM BAY CIRCLE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/3/2006*	Non-Lead								*Tier 5*		
3021	*3401*	*PALM BAY CIR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/2/2006*	Non-Lead								*Tier 5*		
3022	*2225*	*PALM BAY CIRCLE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/14/2006*	Non-Lead								*Tier 5*		
3023	*2221*	*PALM BAY CIRCLE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/26/2006*	Non-Lead								*Tier 5*		
3024	*2217*	*PALM BAY CIR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/26/2006*	Non-Lead								*Tier 5*		
3025	*2213*	*PALM BAY CIRCLE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/26/2006*	Non-Lead								*Tier 5*		
3026	*2205*	*PALM BAY CIRCLE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/2/2006*	Non-Lead								*Tier 5*		
3027	*2201*	*PALM BAY CIRCLE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/5/2005*	Non-Lead								*Tier 5*		
3028	*3402*	*OCEAN RIDGE CR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/16/2005*	Non-Lead								*Tier 5*		
3029	*3410*	*OCEAN RIDGE CIR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/26/2006*	Non-Lead								*Tier 5*		
3030	*3401*	*OCEAN RIDGE CIR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/25/2006*	Non-Lead								*Tier 5*		
3031	*3405*	*OCEAN RIDGE CIR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/8/2006*	Non-Lead								*Tier 5*		
3032	*3413*	*OCEAN RIDGE CIR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/8/2006*	Non-Lead								*Tier 5*		
3033	*3422*	*PALM BAY CIRCLE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/19/2005*	Non-Lead								*Tier 5*		
3034	*3418*	*PALM BAY CIRCLE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/15/2006*	Non-Lead								*Tier 5*		
3035	*3414*	*PALM BAY CIRCLE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/19/2005*	Non-Lead								*Tier 5*		
3036	*3406*	*PALM BAY CIR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/8/2006*	Non-Lead								*Tier 5*		
3037	*2520*	*WILD OAK FOREST LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/26/2012*	Non-Lead								*Tier 5*		
3038	*2516*	*WILD OAK FOREST LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/21/2011*	Non-Lead								*Tier 5*		
3039	*2512*	*WILD OAK FOREST LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/28/2012*	Non-Lead								*Tier 5*		
3040	*2508*	*WILD OAK FOREST LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/27/2012*	Non-Lead								*Tier 5*		
3041	*3325*	*OAK DALE WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/8/2012*	Non-Lead								*Tier 5*		
3042	*3321*	*OAK DALE WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/21/2012*	Non-Lead								*Tier 5*		
3043	*3317*	*OAK DALE WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/16/2012*	Non-Lead								*Tier 5*		
3044	*3313*	*OAK DALE WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/28/2012*	Non-Lead								*Tier 5*		
3045	*2513*	*OAK DALE WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/21/2011*	Non-Lead								*Tier 5*		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion				Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
3046	2509	WILD OAK FOREST LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/19/2012	Non-Lead								Tier 5		
3047	2513	WILD OAK FOREST LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/19/2012	Non-Lead								Tier 5		
3048	2517	WILD OAK FOREST LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/21/2011	Non-Lead								Tier 5		
3049	2525	WILD OAK FOREST LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/19/2011	Non-Lead								Tier 5		
3050	2529	WILD OAK FOREST LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/19/2011	Non-Lead								Tier 5		
3051	2533	WILD OAK FOREST LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/11/2009	Non-Lead								Tier 5		
3052	2537	WILD OAK FOREST LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/29/2009	Non-Lead								Tier 5		
3053	2541	WILD OAK FOREST LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/11/2009	Non-Lead								Tier 5		
3054	1500	ASHLEY CT	Seabrook	77586				Non-Lead				Non-Lead	After 2014	3/24/2020	Non-Lead								Tier 5		
3055	1105	HALL ST	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1983 (HCAD)	Non-Lead								Tier 5		
3056	109 B ELLIS STREET 1	B ELLIS STREET 1	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/8/1994	Non-Lead				Building				Tier 5		
3057	1705	TODVILLE RD	Seabrook	77586				Non-Lead						NO BUILDING	Non-lead								Tier 5		
3058	1909	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead								Tier 5		
3059	2305	TODVILLE RD	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead								Tier 5		
3060	3309	TODVILLE RD	Seabrook	77586				Non-Lead						NO BUILDING	Non-lead								Tier 5		
3061	2613	HOLLYBROOK DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/5/1997	Non-Lead								Tier 5		
3062	2513	PINE BROOK LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/4/1997	Non-Lead								Tier 5		
3063	638	BRADLEY ST	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/22/1993	Non-Lead								Tier 5		
3064	634	BRADLEY ST	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1973 (HCAD)	Non-Lead								Tier 5		
3065	630	BRADLEY ST	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1973 (HCAD)	Non-Lead								Tier 5		
3066	626	BRADLEY ST	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1973 (HCAD)	Non-Lead								Tier 5		
3067	622	BRADLEY ST	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1973 (HCAD)	Non-Lead								Tier 5		
3068	3706	ELMEN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1965 (HCAD)	Non-Lead								Tier 5		
3069	526	E MEYER RD	Seabrook	77586				Non-Lead						NO BUILDING	Non-lead								Tier 5		
3070	1513	TODVILLE RD	Seabrook	77586				Non-Lead						NO BUILDING	Non-lead								Tier 5		
3071	1813	ASPEN LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead								Tier 5		
3072	1876	ASPEN LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead								Tier 5		
3073	1417	BROOKWOOD CT	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1966 (HCAD)	Non-Lead								Tier 5		
3074	1422	CEDARBROOK	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead								Tier 5		
3075	1414	DELABROOK	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1964 (HCAD)	Non-Lead								Tier 5		
3076	1418	DELABROOK	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1960 (HCAD)	Non-Lead								Tier 5		
3077	1422	DELABROOK	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1964 (HCAD)	Non-Lead								Tier 5		
3078	1210	W FLAMINGO DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead								Tier 5		
3079	1206	W FLAMINGO DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1966 (HCAD)	Non-Lead								Tier 5		
3080	1001	HERON	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1977 (HCAD)	Non-Lead								Tier 5		
3081	4706	HAMBLEN CT	Seabrook	77586				Non-Lead				Non-Lead	After 2014	9/29/2020	Non-Lead								Tier 5		
3082	609	BAY CLUB DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1965 (HCAD)	Non-Lead								Tier 5		
3083	705	BAYWOOD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	3/9/2021	Non-Lead								Tier 5		
3084	701	BAYWOOD DR	Seabrook	77586				Non-Lead				Non-Lead	After 2014	3/24/2020	Non-Lead								Tier 5		
3085	526	PINE GULLY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/26/2010	Non-Lead								Tier 5		
3086	702	RED BLUFF RD	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead								Tier 5		
3087	1100	B RED BLUFF RD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	6/7/2016	Non-Lead				Building				Tier 5		
3088	5735	BAYPORT BLVD K	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/1/2008	Non-Lead				Building				Tier 5		
3089	5745	BAYPORT BLVD A	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/1/2008	Non-Lead				Building				Tier 5		
3090	5801	BAYPORT BLVD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/19/2014	Non-Lead				Building				Tier 5		
3091	5801	BAYPORT BLVD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/19/2014	Non-Lead				Building				Tier 5		
3092	2661	LOGANBERRY	Seabrook	77586				Non-Lead				Non-Lead - Copper	Before 1989	1984 (HCAD)	Non-Lead							Yes	Tier 5		
3093	1904	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/10/1993	Non-Lead								Tier 5		
3094	2012	BAYPORT BLVD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/7/2006	Non-Lead				Building				Tier 5		
3095	2168	BAYPORT BLVD	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		
3096	1904	HIALEAH DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1965 (HCAD)	Non-Lead								Tier 5		
3097	1908	HIALEAH DR A	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1965 (HCAD)	Non-Lead				Building				Tier 5		
3098	1869	DOLPHIN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead								Tier 5		
3099	1865	DOLPHIN DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead								Tier 5		
3100	1749	DOLPHIN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1973 (HCAD)	Non-Lead								Tier 5		
3101	1741	DOLPHIN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1973 (HCAD)	Non-Lead								Tier 5		
3102	1812	DOLPHIN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead								Tier 5		
3103	2133	E WILLOWDELL	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead								Tier 5		
3104	1911	GLEN COVE DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1979 (HCAD)	Non-Lead								Tier 5		
3105	1909	GLEN COVE DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1979 (HCAD)	Non-Lead								Tier 5		
3106	1907	GLEN COVE DR	Seabrook	77586				Non-Lead				Non-Lead - Copper	Before 1989	1979 (HCAD)	Non-Lead								Tier 5		
3107	1905	GLEN COVE DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1979 (HCAD)	Non-Lead								Tier 5		
3108	2401	REPSDORPH	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/22/1994	Non-Lead				Multiple Family Residence				Tier 5		
3109	2020	REPSDORPH	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1975 (HCAD)	Non-Lead								Tier 5		
3110	3015	DOLPHIN CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/27/2005	Non-Lead								Tier 5		
3111	2727 NASA RD 1	NASA RD 1	Seabrook	77586				Non-Lead				Non-Lead	After 2014	2/1/2021	Non-Lead				Multiple Family Residence				Tier 5		
3112	2540	PELICAN DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/15/2007	Non-Lead								Tier 5		
3113	1901	ENDEAVOR CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/25/1993	Non-Lead								Tier 5		
3114	1103	ESSEX	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Entire Service Line Material Classification[x]	Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes		Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
3115	909	MYSTIC VILLAGE LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/15/1999	Non-Lead								Tier 5		
3116	802	DAWN RIDGE WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/18/2010	Non-Lead								Tier 5		
3117	4410	PLOVER	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/11/1992	Non-Lead								Tier 5		
3118	2609	SAWYER DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1986 (HCAD)	Non-Lead								Tier 5		
3119	2309	ACADIANA LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1998 (HCAD)	Non-Lead								Tier 5		
3120	2802	SEA LEDGE DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1987 (HCAD)	Non-Lead								Tier 5		
3121	2803	SANDPEBBLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1992 (HCAD)	Non-Lead								Tier 5		
3122	4106	SAND DOLLAR CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1998 (HCAD)	Non-Lead								Tier 5		
3123	2509	SAND BAR CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1996 (HCAD)	Non-Lead								Tier 5		
3124	2509	SAND CASTLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1995 (HCAD)	Non-Lead								Tier 5		
3125	3801	BREEZEWAY DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/11/2003	Non-Lead								Tier 5		
3126	3021	S ISLAND DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/13/2005	Non-Lead								Tier 5		
3127	2823	SEA CHANNEL DR	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		
3128	2621	BAY SHORE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/19/2005	Non-Lead								Tier 5		
3129	2629	BAY SHORE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/12/2005	Non-Lead								Tier 5		
3130	2633	BAY SHORE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/7/2005	Non-Lead								Tier 5		
3131	3410	BAY BREEZE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/7/2005	Non-Lead								Tier 5		
3132	3406	OCEAN RIDGE CIR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/20/2006	Non-Lead								Tier 5		
3133	3410	PALM BAY CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/8/2006	Non-Lead								Tier 5		
3134	2524	WILD OAK FOREST LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/26/2012	Non-Lead								Tier 5		
3135	2541	OAK DALE WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/15/2008	Non-Lead								Tier 5		
3136	2551	HUMBLE DRIVE	Seabrook	77586				Non-Lead				Non-Lead	After 2014	6/11/2019	Non-Lead				Building				Tier 5		
3137	2551	HUMBLE DRIVE	Seabrook	77586				Non-Lead				Non-Lead	After 2014	6/11/2019	Non-Lead				Building				Tier 5		
3138	1405	ANDERS AVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/5/1993	Non-Lead				Building				Tier 5		
3139	1506	ANDERS AVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/6/1993	Non-Lead				Building				Tier 5		
3140	1406	5TH ST	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		
3141	1402	5TH ST	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1952 (HCAD)	Non-Lead				Building				Tier 5		
3142	913	HARDESTY	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1940 (HCAD)	Non-Lead				Building				Tier 5		
3143	2401	N MEYER RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/25/2006	Non-Lead				Building				Tier 5		
3144	2601	N MEYER RD	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		
3145	1732	DOLPHIN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1973 (HCAD)	Non-Lead								Tier 5		
3146	1736	DOLPHIN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/6/1996	Non-Lead								Tier 5		
3147	2113	3 RD ST	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2012 (HCAD)	Non-Lead				Building				Tier 5		
3148	2120	E NASA PKWY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/28/2009	Non-Lead				Building				Tier 5		
3149	2120	E NASA PKWY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/28/2009	Non-Lead								Tier 5		
3150	2114	7 TH ST	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1965 (HCAD)	Non-Lead				Multiple Family Residence				Tier 5		
3151	1901	GLEN COVE DR	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		
3152	2700 NASA RD 1	NASA RD 1	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/21/1994	Non-Lead				Building				Tier 5		
3153	3150 NASA RD 1	NASA RD 1	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		
3154	2601	REPSDORPH	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1983 (HCAD)	Non-Lead				Multiple Family Residence				Tier 5		
3155	2530	N REPSDORPH	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		
3156	2633 NASA RD 1 #62	NASA RD 1 #62	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1975 (HCAD)	Non-Lead				Building				Tier 5		
3157	2229	LIDSTONE	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		
3158	2229	LIDSTONE-OFFICE	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		
3159	2229 NASA RD 1	NASA RD 1	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead				Building				Tier 5		
3160	2205 NASA RD 1	NASA RD 1	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		
3161	1913 NASA RD 1	NASA RD 1	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1950 (HCAD)	Non-Lead								Tier 5		
3162	2033	LAKESIDE LANDIN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/28/1996	Non-Lead								Tier 5		
3163	2076	GLEN COVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/10/1999	Non-Lead								Tier 5		
3164	1710	MAIN STREET	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1958 (HCAD)	Non-Lead				Building				Tier 5		
3165	1836	BIMINI WAY	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1974 (HCAD)	Non-Lead								Tier 5		
3166	1740	DOLPHIN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1973 (HCAD)	Non-Lead								Tier 5		
3167	1744	DOLPHIN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1973 (HCAD)	Non-Lead								Tier 5		
3168	1816	DOLPHIN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/17/2012	Non-Lead								Tier 5		
3169	1765	HIALEAH DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1974 (HCAD)	Non-Lead								Tier 5		
3170	2000 NASA RD 1	NASA RD 1	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1975 (HCAD)	Non-Lead				Building				Tier 5		
3171	2100 NASA RD 1	NASA RD 1	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/31/1998	Non-Lead								Tier 5		
3172	2622 NASA RD 1	NASA RD 1	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1965 (HCAD)	Non-Lead				Building				Tier 5		
3173	2830 NASA RD 1	NASA RD 1	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/6/1996	Non-Lead				Building				Tier 5		
3174	2800	PATE RD	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1983 (HCAD)	Non-Lead								Tier 5		
3175	2702	LARRABEE ST	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1945 (HCAD)	Non-Lead								Tier 5		
3176	2726	LARRABEE ST	Seabrook	77586				Non-Lead						NO BUILDING	Non-lead								Tier 5		
3177	3154 NASA RD 1	NASA RD 1	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Entire Service Line Material Classification[x]	Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes		Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
3178	3152 NASA RD 1	NASA RD 1	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead								Tier 5		
3179	2024	REPSDORPH	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		
3180	2520	REPSDORPH RD	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead								Tier 5		
3181	2521	REPSDORPH	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead								Tier 5		
3182	3300	PEBBLEBROOK DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/7/1994	Non-Lead				Multiple Family Residence				Tier 5		
3183	3410 NASA RD 1	NASA RD 1	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/20/1992	Non-Lead				Multiple Family Residence				Tier 5		
3184	3524 NASA RD 1	NASA RD 1	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1982 (HCAD)	Non-Lead				Building				Tier 5		
3185	3636 NASA RD 1	NASA RD 1	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/1/2003	Non-Lead				Building				Tier 5		
3186	3722 NASA RD 1	NASA RD 1	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		
3187	3817 NASA RD 1	NASA RD 1	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/1/1993	Non-Lead				Multiple Family Residence				Tier 5		
3188	3813 1/2 NASA RD 1	NASA RD 1	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/5/1994	Non-Lead								Tier 5		
3189	3801 NASA RD 1	NASA RD 1	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/13/1992	Non-Lead								Tier 5		
3190	3717 NASA RD 1	NASA RD 1	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1962 (HCAD)	Non-Lead				Building				Tier 5		
3191	3713 NASA RD 1	NASA RD 1	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1960 (HCAD)	Non-Lead				Building				Tier 5		
3192	3709 NASA RD 1	NASA RD 1	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1929 (HCAD)	Non-Lead								Tier 5		
3193	3705 NASA RD 1	NASA RD 1	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1943 (HCAD)	Non-Lead								Tier 5		
3194	3701 NASA RD 1	NASA RD 1	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1932 (HCAD)	Non-Lead								Tier 5		
3195	3345 NASA RD 1	NASA RD 1	Seabrook	77586				Non-Lead						NO BUILDING	Non-lead								Tier 5		
3196	3001 NASA RD 1	NASA RD 1	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/21/2001	Non-Lead				Building				Tier 5		
3197	2929 NASA RD 1	NASA RD 1	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/2/1997	Non-Lead				Building				Tier 5		
3198	2918	SEARGENT ST	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1950 (HCAD)	Non-Lead								Tier 5		
3199	2901 NASA RD 1	NASA RD 1	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/10/2003	Non-Lead				Building				Tier 5		
3200	2833 NASA RD 1	NASA RD 1	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1980 (HCAD)	Non-Lead				Building				Tier 5		
3201	2729 NASA RD 1	NASA RD 1	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1965 (HCAD)	Non-Lead				Building				Tier 5		
3202	1804	LARRABEE ST	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead								Tier 5		
3203	2613.5	E NASA PKWY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/31/1993	Non-Lead				Building				Tier 5		
3204	2513	E NASA PKWY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/23/1993	Non-Lead				Building				Tier 5		
3205	2517 NASA RD 1	NASA RD 1	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/22/1994	Non-Lead				Building				Tier 5		
3206	2301	E NASA PKWY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/11/1994	Non-Lead				Building				Tier 5		
3207	2229 LIDSTONE-6	LIDSTONE-6"FI	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		
3208	2805	SEASIDE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/26/2005	Non-Lead								Tier 5		
3209	2809	SEASIDE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/26/2005	Non-Lead								Tier 5		
3210	2821	SEASIDE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/26/2005	Non-Lead								Tier 5		
3211	2824	SEASIDE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/2/2010	Non-Lead								Tier 5		
3212	4522	CORONADO	Seabrook	77586				Non-Lead					Before 1989	1978 (HCAD)	Non-lead								Tier 5		
3213	2318	LORD NELSON DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/14/1996	Non-Lead								Tier 5		
3214	2322	LORD NELSON DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/25/1996	Non-Lead								Tier 5		
3215	4334	EGRET DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1991 (HCAD)	Non-Lead								Tier 5		
3216	2520	SAWYER DR	Seabrook	77586				Non-Lead					Before 1989	1986 (HCAD)	Non-lead								Tier 5		
3217	2350	ACADIANA LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/31/2000	Non-Lead								Tier 5		
3218	1621	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1991 (HCAD)	Non-Lead								Tier 5		
3219	1773	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1967 (HCAD)	Non-Lead				Multiple Family Residence				Tier 5		
3220	1606	1 ST ST	Seabrook	77586				Non-Lead				Galvanized	Before 1989	1970 (HCAD)	Galvanized Requiring Replacement				Building						
3221	1401	MAIN STREET	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1930 (HCAD)	Non-Lead								Tier 5		
3222	1405	MAIN STREET	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		
3223	1105	N MEYER RD	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1975 (HCAD)	Non-Lead								Tier 5		
3224	1409	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/26/2011	Non-Lead								Tier 5		
3225	717	WATERCREST	Seabrook	77586				Non-Lead				Non-Lead - Plastic		NO LOCATION	Non-Lead								Tier 5		
3226	721	WATERCREST	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1963 (HCAD)	Non-Lead								Tier 5		
3227	3814	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1964 (HCAD)	Non-Lead								Tier 5		
3228	3706	TODVILLE RD	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Multiple Family Residence				Tier 5		
3229	3702	ELMEN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/15/1994	Non-Lead								Tier 5		
3230	623	BAY VISTA DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1986 (HCAD)	Non-Lead								Tier 5		
3231	1918	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/5/2002	Non-Lead								Tier 5		
3232	1910	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	3/9/2017	Non-Lead								Tier 5		
3233	1614	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/22/2011	Non-Lead								Tier 5		
3234	1418	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1993 (HCAD)	Non-Lead								Tier 5		
3235	1208	HERON	Seabrook	77586				Non-Lead					Before 1989	1977 (HCAD)	Non-lead								Tier 5		
3236	2205	NASSAU DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/16/1995	Non-Lead								Tier 5		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Entire Service Line Material Classification[x]	Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[x]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes		Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
3237	2800 NASA RD 1	NASA RD 1	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1984 (HCAD)	Non-Lead				Multiple Family Residence				Tier 5		
3238	3520 NASA RD 1	NASA RD 1	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/14/1994	Non-Lead				Multiple Family Residence				Tier 5		
3239	3659 NASA ROAD 1	NASA ROAD 1	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/12/1997	Non-Lead				Building				Tier 5		
3240	3535	E NASA PKWY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/29/1993	Non-Lead				Multiple Family Residence				Tier 5		
3241	2200	LAKESIDE/SPRI	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		
3242	2723	SANDPEBBLE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/13/1992	Non-Lead								Tier 5		
3243	2813	SEA CHANNEL DRIVE	Seabrook	77586				Non-Lead						NO BUILDING	Non-lead								Tier 5		
3244	2517	OAK DALE WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/14/2006	Non-Lead								Tier 5		
3245	1760	HIALEAH DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1972 (HCAD)	Non-Lead								Tier 5		
3246	1910	HARBOUR DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1979 (HCAD)	Non-Lead								Tier 5		
3247	2527	LAUGHING GULL CIR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/25/2009	Non-Lead								Tier 5		
3248	1413	COTTAGE COVE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/9/2001	Non-Lead								Tier 5		
3249	2648	SAWYER DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1986 (HCAD)	Non-Lead								Tier 5		
3250	3300	TOWERS BLVD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/11/2014	Non-Lead				Building				Tier 5		
3251	3726 NASA RD 1	NASA RD 1	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1979 (HCAD)	Non-Lead				Building				Tier 5		
3252	1510	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/14/2012	Non-Lead								Tier 5		
3253	4506	ALBATROSS	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1972 (HCAD)	Non-Lead								Tier 5		
3254	1913	BAHAMA DR	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Multiple Family Residence				Tier 5		
3255	2110	OCEAN VIEW	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1962 (HCAD)	Non-Lead								Tier 5		
3256	2033	WILLOW WISP	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1960 (HCAD)	Non-Lead								Tier 5		
3257	1826	LAKESIDE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/15/2002	Non-Lead								Tier 5		
3258	2017	GLEN COVE DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1979 (HCAD)	Non-Lead								Tier 5		
3259	4522	ALBATROSS DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1978 (HCAD)	Non-Lead								Tier 5		
3260	2018	HARBOUR COVE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/5/1995	Non-Lead								Tier 5		
3261	1556	LAKE MIJA CIR	Seabrook	77586				Non-Lead				Non-Lead	After 2014	1/25/2021	Non-Lead								Tier 5		
3262	4406	SPOONBILL	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1990 (HCAD)	Non-Lead								Tier 5		
3263	4334	PLOVER DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1984 (HCAD)	Non-Lead								Tier 5		
3264	2526	LA ROCHELLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/6/1998	Non-Lead								Tier 5		
3265	2421	ORLEANS LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/7/2000	Non-Lead								Tier 5		
3266	4103	LAKEPOINTE FO	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1989 (HCAD)	Non-Lead								Tier 5		
3267	4107	LAKEPOINTE FOREST DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2001 (HCAD)	Non-Lead								Tier 5		
3268	2500	WILD OAK FOREST LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/5/2008	Non-Lead								Tier 5		
3269	914	HALL	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/6/1994	Non-Lead								Tier 5		
3270	910	HALL	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/29/1994	Non-Lead				Building				Tier 5		
3271	109	WATERFRONT DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/27/1993	Non-Lead								Tier 5		
3272	2806	N MEYER RD	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1978 (HCAD)	Non-Lead								Tier 5		
3273	2718	N MEYER RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/3/2005	Non-Lead								Tier 5		
3274	1522	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/7/2010	Non-Lead								Tier 5		
3275	1001	SANDPIPER DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead								Tier 5		
3276	5041	TODVILLE RD	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead								Tier 5		
3277	926	RED BLUFF RD	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1967 (HCAD)	Non-Lead								Tier 5		
3278	4642	PARK DR	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead								Tier 5		
3279	1914	DAVYE LANE	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Multiple Family Residence				Tier 5		
3280	2720	RED BLUFF RD	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead								Tier 5		
3281	2004	BAYPORT BLVD	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead								Tier 5		
3282	2037	GLEN COVE DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/31/1998	Non-Lead								Tier 5		
3283	810	CORNER SQUARE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/26/2012	Non-Lead								Tier 5		
3284	1000	SEABROOK ISLAND DR	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		
3285	2904	RED BLUFF RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2010 (HCAD)	Non-Lead								Tier 5		
3286	4421	SHADY LAKE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/29/2012	Non-Lead								Tier 5		
3287	4529	BEECHCRAFT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/29/1996	Non-Lead								Tier 5		
3288	4309	KINGFISH	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/21/1994	Non-Lead								Tier 5		
3289	1860	BIMINI WAY	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead								Tier 5		
3290	4425	SHADY LAKE DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1985 (HCAD)	Non-Lead								Tier 5		
3291	2136	BAYPORT BLVD	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		
3292	2010	OCEANVIEW DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1962 (HCAD)	Non-Lead								Tier 5		
3293	2052	LAKESIDE DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1978 (HCAD)	Non-Lead								Tier 5		
3294	2229	LIDSTONE-BATHROOM	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		
3295	3421	OCEAN RIDGE CR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/15/2006	Non-Lead								Tier 5		
3296	2029	WILLOW WISP	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1960 (HCAD)	Non-Lead								Tier 5		
3297	1901	LAKESIDE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/14/1992	Non-Lead				Multiple Family Residence				Tier 5		
3298	2546	ACADIANA LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/7/2001	Non-Lead								Tier 5		
3299	1102	BRYAN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/19/2012	Non-Lead								Tier 5		
3300	913	N MEYER RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/22/1995	Non-Lead				Building				Tier 5		
3301	914	QUINTANA ROO PL	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/13/2006	Non-Lead								Tier 5		
3302	1410	BROOKWOOD CT	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1966 (HCAD)	Non-Lead								Tier 5		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion				Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
3303	*1213*	*W FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1966 (HCAD)*	Non-Lead								*Tier 5*		
3304	*1833*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
3305	*2000*	*BAHAMA DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1965 (HCAD)*	Non-Lead				*Multiple Family Residence*				*Tier 5*		
3306	*2100*	*E NASA PKWY A*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/23/2007*	Non-Lead								*Tier 5*		
3307	*2001*	*WILLOW WISP*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1961 (HCAD)*	Non-Lead								*Tier 5*		
3308	*2600 NASA RD 1*	*NASA RD 1*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1982 (HCAD)*	Non-Lead								*Tier 5*		
3309	*4514*	*BEECHCRAFT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/7/1994*	Non-Lead								*Tier 5*		
3310	*1626*	*OLD ORCHARD LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/15/1999*	Non-Lead								*Tier 5*		
3311	*1030*	*BAY SKY WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/9/2009*	Non-Lead								*Tier 5*		
3312	*1515*	*LAKE MIJA CIRCLE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*4/29/2021*	Non-Lead								*Tier 5*		
3313	*4421*	*KINGFISH*	*Seabrook*	*77586*				*Non-Lead*				*Galvanized*	*Before 1989*	*1984 (HCAD)*	Galvanized Requiring Replacement										
3314	*2606*	*BROUSSARD COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/14/2000*	Non-Lead								*Tier 5*		
3315	*2621*	*LAKEWAY DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/19/1993*	Non-Lead								*Tier 5*		
3316	*2330*	*LAKEWOOD YATCH CLUB*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/29/1993*	Non-Lead				*Multiple Family Residence*				*Tier 5*		
3317	*2471*	*REPSDORPH*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead				*Building*				*Tier 5*		
3318	*3010*	*E NASA PKWY*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead				*Multiple Family Residence*				*Tier 5*		
3319	*4325*	*EGRET DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/28/1992*	Non-Lead								*Tier 5*		
3320	*1401*	*ANDERS AVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1940 (HCAD)*	Non-Lead								*Tier 5*		
3321	*606*	*BRADLEY ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/19/1993*	Non-Lead								*Tier 5*		
3322	*1701*	*ASPEN LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1967 (HCAD)*	Non-Lead								*Tier 5*		
3323	*1812*	*EL MAR LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1965 (HCAD)*	Non-Lead								*Tier 5*		
3324	*2028*	*HARBOUR DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1979 (HCAD)*	Non-Lead								*Tier 5*		
3325	*1910*	*HARBOUR CREST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/30/1996*	Non-Lead								*Tier 5*		
3326	*814*	*DAWN RIDGE WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/29/2010*	Non-Lead								*Tier 5*		
3327	*4333*	*SPOONBILL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1990 (HCAD)*	Non-Lead								*Tier 5*		
3328	*2542*	*BREAUX TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/9/1998*	Non-Lead								*Tier 5*		
3329	*3433*	*BAY BREEZE DRIVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/18/2002*	Non-Lead								*Tier 5*		
3330	*2551*	*HUMBLE DR.*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*6/11/2019*	Non-Lead				*Building*				*Tier 5*		
3331	*2551*	*HUMBLE DR.*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*6/11/2019*	Non-Lead				*Building*				*Tier 5*		
3332	*2102 TODVILLE RD #9*	*TODVILLE RD #9*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/29/1997*	Non-Lead								*Tier 5*		
3333	*2121*	*MENARD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*10/12/2015*	Non-Lead								*Tier 5*		
3334	*1005*	*W FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1967 (HCAD)*	Non-Lead								*Tier 5*		
3335	*4601*	*HAMBLEN CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1975 (HCAD)*	Non-Lead								*Tier 5*		
3336	*4601*	*S FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1977 (HCAD)*	Non-Lead								*Tier 5*		
3337	*605*	*PINE GULLY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/20/2006*	Non-Lead								*Tier 5*		
3338	*1914*	*LAKESIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1979 (HCAD)*	Non-Lead								*Tier 5*		
3339	*2514*	*LAKESIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/29/1998*	Non-Lead								*Tier 5*		
3340	*2913*	*SHORE LINE COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2002 (HCAD)*	Non-Lead								*Tier 5*		
3341	*1201*	*HARDESTY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1930 (HCAD)*	Non-Lead				*Building*				*Tier 5*		
3342	*1804*	*CAPRI LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
3343	*4105*	*BOARDWALK BLVD.*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/12/2006*	Non-Lead								*Tier 5*		
3344	*1800*	*LARRABEE ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/23/2000*	Non-Lead								*Tier 5*		
3345	*2201*	*SCENIC SHORE DRIVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/29/2000*	Non-Lead								*Tier 5*		
3346	*3308*	*BAYPORT BLVD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*9/15/2021*	Non-Lead				*Building*				*Tier 5*		
3347	*2802*	*LARRABEE ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*6/20/2020*	Non-Lead				*Multiple Family Residence*				*Tier 5*		
3348	*2802*	*LARRABEE ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*6/22/2020*	Non-Lead				*Multiple Family Residence*				*Tier 5*		
3349	*1301*	*MAIN STREET*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead								*Tier 5*		
3350	*617*	*BRADLEY ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1958 (HCAD)*	Non-Lead								*Tier 5*		
3351	*5815*	*BAYPORT BLVD*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead								*Tier 5*		
3352	*1833*	*EL MAR LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1966 (HCAD)*	Non-Lead								*Tier 5*		
3353	*2320 NASA RD 1*	*NASA RD 1*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/20/2007*	Non-Lead								*Tier 5*		
3354	*1810*	*LAKESIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/17/2004*	Non-Lead								*Tier 5*		
3355	*4518*	*CORONADO*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1978 (HCAD)*	Non-Lead								*Tier 5*		
3356	*2326*	*LORD NELSON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/3/1996*	Non-Lead								*Tier 5*		
3357	*4409*	*SPOONBILL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1990 (HCAD)*	Non-Lead								*Tier 5*		
3358	*4326*	*SPOONBILL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
3359	*1421*	*S HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1986 (HCAD)*	Non-Lead								*Tier 5*		
3360	*2554*	*BREAUX TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/28/1998*	Non-Lead								*Tier 5*		
3361	*4106*	*SEA LEDGE CT.*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/24/1993*	Non-Lead								*Tier 5*		
3362	*2652*	*SEASHORE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/5/1994*	Non-Lead								*Tier 5*		
3363	*2930*	*N ISLAND DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/10/2000*	Non-Lead								*Tier 5*		
3364	*2000*	*BAYPORT BLVD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/27/1993*	Non-Lead				*Building*				*Tier 5*		
3365	*1707*	*EL MAR LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*3/29/2019*	Non-Lead								*Tier 5*		
3366	*2015*	*GLEN COVE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1979 (HCAD)*	Non-Lead								*Tier 5*		
3367	*2518*	*SAND BAR CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1996 (HCAD)*	Non-Lead								*Tier 5*		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion				Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
3368	1832	DOLPHIN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1964 (HCAD)	Non-Lead								Tier 5		
3369	2109	LORD NELSON DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/25/1998	Non-Lead								Tier 5		
3370	1301	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	3/16/2015	Non-Lead								Tier 5		
3371	4530	ALLEGRO	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/29/1992	Non-Lead								Tier 5		
3372	1914	ENDEAVOR CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/26/1993	Non-Lead								Tier 5		
3373	1903	LAKESIDE DR	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Multiple Family Residence				Tier 5		
3374	1200	1 ST ST	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead								Tier 5		
3375	715	MAIN STREET	Seabrook	77586				Non-Lead						(MSWWTP)	Non-lead								Tier 5		
3376	2720 NASA RD 1	NASA RD 1	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1996 (HCAD)	Non-Lead				Building				Tier 5		
3377	2561	ACADIANA LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/1/1993	Non-Lead				Building				Tier 5		
3378	3566 NASA RD 1	NASA RD 1	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		
3379	1209	N MEYER RD	Seabrook	77586				Non-Lead				Non-Lead		1962 (HCAD)	Non-Lead								Tier 5		
3380	1106	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/4/1998	Non-Lead								Tier 5		
3381	729	WATERCREST	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead								Tier 5		
3382	1721	CAPRI LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1969 (HCAD)	Non-Lead								Tier 5		
3383	613	BAYWOOD DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead								Tier 5		
3384	1741	HIALEAH	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1976 (HCAD)	Non-Lead								Tier 5		
3385	2114	WILLOWDELL	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1978 (HCAD)	Non-Lead								Tier 5		
3386	2521	LAKESIDE LANDING DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/9/2002	Non-Lead								Tier 5		
3387	1933	WATERFORD WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/22/1998	Non-Lead								Tier 5		
3388	910	MYSTIC VILLAGE LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/4/2002	Non-Lead								Tier 5		
3389	810	HALLMARK OAK ST	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/5/2005	Non-Lead								Tier 5		
3390	4310	EGRET DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1991 (HCAD)	Non-Lead								Tier 5		
3391	4305	KINGFISH	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/14/1993	Non-Lead								Tier 5		
3392	4421	SPOONBILL	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1991 (HCAD)	Non-Lead								Tier 5		
3393	2722	SANDPEBBLE DR	Seabrook	77586				Non-Lead				Non-Lead - Copper	Before 1989	1988 (HCAD)	Non-Lead							Yes	Tier 5		
3394	633	BRADLEY ST	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/19/2007	Non-Lead								Tier 5		
3395	1422	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	1/19/2021	Non-Lead								Tier 5		
3396	1821	ASPEN LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead								Tier 5		
3397	2036	LAKESIDE DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1978 (HCAD)	Non-Lead								Tier 5		
3398	2048	LAKESIDE DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1978 (HCAD)	Non-Lead								Tier 5		
3399	965	AUTUMN BROOK ST	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/19/2005	Non-Lead								Tier 5		
3400	1105	E MEYER AVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/9/2016	Non-Lead								Tier 5		
3401	1856	ASPEN LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1964 (HCAD)	Non-Lead								Tier 5		
3402	1221	N HERON DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1977 (HCAD)	Non-Lead								Tier 5		
3403	4510	S FLAMINGO DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1975 (HCAD)	Non-Lead								Tier 5		
3404	654	N FLAMINGO DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/18/1994	Non-Lead								Tier 5		
3405	719	BAYWOOD DR	Seabrook	77586				Non-Lead				Non-Lead	After 2014	3/14/2022	Non-Lead								Tier 5		
3406	510	BAYWOOD DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/1/1995	Non-Lead								Tier 5		
3407	2039	GLEN COVE DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/31/1998	Non-Lead								Tier 5		
3408	4526	BEECHCRAFT	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1988 (HCAD)	Non-Lead								Tier 5		
3409	4525	ALLEGRO	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1992 (HCAD)	Non-Lead								Tier 5		
3410	1944	WATERFORD WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/12/1998	Non-Lead								Tier 5		
3411	1424	MIJA LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/3/1995	Non-Lead								Tier 5		
3412	1902	WATER'S EDGE LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/2/2000	Non-Lead								Tier 5		
3413	1438	COTTAGE COVE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/26/2001	Non-Lead								Tier 5		
3414	817	CORNER SQUARE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/29/2012	Non-Lead								Tier 5		
3415	4334	SPOONBILL	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1991 (HCAD)	Non-Lead								Tier 5		
3416	5755	BAYPORT BLVD A	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/2/2008	Non-Lead				Building				Tier 5		
3417	2713	N MEYER RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/22/2013	Non-Lead								Tier 5		
3418	714	E MEYER RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/3/1995	Non-Lead								Tier 5		
3419	1501	BAHAMA DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1966 (HCAD)	Non-Lead								Tier 5		
3420	1105	SANDPIPER DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1970 (HCAD)	Non-Lead								Tier 5		
3421	1206	SANDPIPER DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/5/2000	Non-Lead								Tier 5		
3422	621	BAYWOOD DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/20/2012	Non-Lead								Tier 5		
3423	1761	HIALEAH DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2008 (HCAD)	Non-Lead								Tier 5		
3424	2532	PELICAN DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/28/2007	Non-Lead								Tier 5		
3425	4518	ALLEGRO	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1992 (HCAD)	Non-Lead								Tier 5		
3426	4518	ALBATROSS	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1979 (HCAD)	Non-Lead								Tier 5		
3427	2014	HARBOUR COVE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/5/1995	Non-Lead								Tier 5		
3428	1940	WATERFORD WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/17/1997	Non-Lead								Tier 5		
3429	2510	GUILBEAU LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/23/1995	Non-Lead								Tier 5		
3430	2638	VERMILLION	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/18/1996	Non-Lead								Tier 5		
3431	2401	ORLEANS LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/19/2000	Non-Lead								Tier 5		
3432	3022	SCENIC VIEW CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/12/2003	Non-Lead								Tier 5		
3433	3405	PALM BAY CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/22/2006	Non-Lead								Tier 5		
3434	5801	BAYPORT BLVD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/19/2014	Non-Lead				Building				Tier 5		
3435	3400	BAYPORT BLVD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/9/2019	Non-Lead				Building				Tier 5		
3436	3300	TOWERS BLVD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/12/2014	Non-Lead				Building				Tier 5		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion				Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
3437	3305	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/25/1994	Non-Lead								Tier 5		
3438	4440	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/19/2000	Non-Lead								Tier 5		
3439	1417	DELABROOK CT	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1964 (HCAD)	Non-Lead								Tier 5		
3440	1845	DOLPHIN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead								Tier 5		
3441	1853	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1966 (HCAD)	Non-Lead								Tier 5		
3442	3011	DOLPHIN CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/2/1995	Non-Lead								Tier 5		
3443	2330	LORD NELSON DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/20/1996	Non-Lead								Tier 5		
3444	1530	MIJA LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/29/1994	Non-Lead								Tier 5		
3445	1949	WATERS EDGE LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/8/2001	Non-Lead								Tier 5		
3446	1516	LAKE MIJA CIR	Seabrook	77586				Non-Lead				Non-Lead	After 2014	8/5/2021	Non-Lead								Tier 5		
3447	2617	ORLEANS DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/29/1992	Non-Lead								Tier 5		
3448	2426	LA ROCHELLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/3/1999	Non-Lead								Tier 5		
3449	2707	SEA LEDGE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1991 (HCAD)	Non-Lead								Tier 5		
3450	2806	SEA CHANNEL DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/12/2005	Non-Lead								Tier 5		
3451	2514	LOGANBERRY	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1978 (HCAD)	Non-Lead								Tier 5		
3452	1716	DOLPHIN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1973 (HCAD)	Non-Lead								Tier 5		
3453	1876	DOLPHIN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/16/1996	Non-Lead								Tier 5		
3454	2541	PELICAN DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/23/2011	Non-Lead								Tier 5		
3455	4533	BEECHCRAFT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/20/1992	Non-Lead								Tier 5		
3456	1333	PLYMOUTH ROCK LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/27/2001	Non-Lead								Tier 5		
3457	1118	CARRIAGE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/14/2000	Non-Lead								Tier 5		
3458	2309	PIN HOOK CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1992 (HCAD)	Non-Lead								Tier 5		
3459	2610	VERMILLION	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/25/1997	Non-Lead								Tier 5		
3460	2434	ACADIANA LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/16/1997	Non-Lead								Tier 5		
3461	2529	LA ROCHELLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/16/1997	Non-Lead								Tier 5		
3462	2421	BLUE CANOE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/11/2010	Non-Lead								Tier 5		
3463	2609	BROUSSARD CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/22/2000	Non-Lead								Tier 5		
3464	2612	BAY SHORE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/13/2005	Non-Lead								Tier 5		
3465	4302	ALBATROSS	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1977 (HCAD)	Non-Lead								Tier 5		
3466	4510	ALBATROSS	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1979 (HCAD)	Non-Lead								Tier 5		
3467	4019	LAKEPOINTE FO	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1993 (HCAD)	Non-Lead								Tier 5		
3468	1102	N MEYER RD	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		
3469	1202	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/7/2011	Non-Lead								Tier 5		
3470	2463	PINE BROOK CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/16/1997	Non-Lead								Tier 5		
3471	1712	CAPRI LANE	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1969 (HCAD)	Non-Lead								Tier 5		
3472	1421	BROOKWOOD CT	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1966 (HCAD)	Non-Lead								Tier 5		
3473	4518	N HERON DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1966 (HCAD)	Non-Lead								Tier 5		
3474	610	N FLAMINGO DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/14/2010	Non-Lead								Tier 5		
3475	4144	BOARDWALK BLVD.	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/21/2006	Non-Lead								Tier 5		
3476	2021	WILLOW WISP	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1960 (HCAD)	Non-Lead								Tier 5		
3477	814	HALLMARK OAK ST	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/5/2005	Non-Lead								Tier 5		
3478	1489	LAKE MIJA CT	Seabrook	77586				Non-Lead				Non-Lead	After 2014	2021 (HCAD)	Non-Lead								Tier 5		
3479	2532	SAWYER DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1986 (HCAD)	Non-Lead								Tier 5		
3480	2601	VERMILLION RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/19/1995	Non-Lead								Tier 5		
3481	2629	DRIFT WOOD LAND	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/7/2005	Non-Lead								Tier 5		
3482	1013	W FLAMINGO DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1966 (HCAD)	Non-Lead								Tier 5		
3483	2006	WILLOW WISP	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1959 (HCAD)	Non-Lead								Tier 5		
3484	2626	DE FOUR TRACE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1992 (HCAD)	Non-Lead								Tier 5		
3485	2306	LAKE COVE CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/3/2006	Non-Lead								Tier 5		
3486	2608	DRIFT WOOD LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/4/2004	Non-Lead								Tier 5		
3487	2521	WILD OAK FOREST LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/19/2011	Non-Lead								Tier 5		
3488	1708	DOLPHIN DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1973 (HCAD)	Non-Lead								Tier 5		
3489	2409	LA ROCHELLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/16/1999	Non-Lead								Tier 5		
3490	1002	STAPLES	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1981 (HCAD)	Non-Lead								Tier 5		
3491	1710	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1962 (HCAD)	Non-Lead								Tier 5		
3492	1125	AUTUMN BROOK ST	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/20/2010	Non-Lead								Tier 5		
3493	2509	OAK DALE WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/21/2012	Non-Lead								Tier 5		
3494	2653	LOGANBERRY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/2/2010	Non-Lead								Tier 5		
3495	2309	WATER WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/26/2002	Non-Lead								Tier 5		
3496	2309	ORLEANS LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/7/2000	Non-Lead								Tier 5		
3497	506	E MEYER RD	Seabrook	77586				Non-Lead						NO BUILDING	Non-lead								Tier 5		
3498	618	BAY VISTA DR	Seabrook	77586				Non-Lead				Non-Lead - Copper	Before 1989	1960 (HCAD)	Non-Lead							Yes	Tier 5		
3499	1820	ASPEN LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1967 (HCAD)	Non-Lead								Tier 5		
3500	2026	HARBOUR DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1979 (HCAD)	Non-Lead								Tier 5		
3501	2300	REPSDORPH RD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	2/17/2017	Non-Lead				Multiple Family Residence				Tier 5		
3502	3031	E NASA PKWY	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		
3503	3031	E NASA PKWY	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		
3504	801	HALLMARK OAK ST	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/5/2005	Non-Lead								Tier 5		
3505	1409	S HERON DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1990 (HCAD)	Non-Lead								Tier 5		
3506	2318	PIN HOOK CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1992 (HCAD)	Non-Lead								Tier 5		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion				Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
3507	*2229*	*WATER WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/28/2003*	Non-Lead								*Tier 5*		
3508	*2105*	*KETCH CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/24/2002*	Non-Lead								*Tier 5*		
3509	*2401*	*BLUE CANOE COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/3/2013*	Non-Lead								*Tier 5*		
3510	*2614*	*LAKEWAY DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/1/1993*	Non-Lead								*Tier 5*		
3511	*4101*	*SEAVIEW COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/7/1994*	Non-Lead								*Tier 5*		
3512	*4502*	*ALBATROSS*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1968 (HCAD)*	Non-Lead								*Tier 5*		
3513	*2609*	*LOGANBERRY CI*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
3514	*1757*	*EL MAR LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1967 (HCAD)*	Non-Lead				*Multiple Family Residence*				*Tier 5*		
3515	*2304*	*NASSAU DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1969 (HCAD)*	Non-Lead								*Tier 5*		
3516	*1906*	*LAKESIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1979 (HCAD)*	Non-Lead								*Tier 5*		
3517	*2922*	*SEARGENT ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*3/16/2022*	Non-Lead								*Tier 5*		
3518	*1101*	*AUTUMN BROOK ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/29/2012*	Non-Lead								*Tier 5*		
3519	*2422*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/6/1997*	Non-Lead								*Tier 5*		
3520	*1137*	*E MEYER AVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/7/2014*	Non-Lead								*Tier 5*		
3521	*2047*	*GLEN COVE DRIVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/31/1998*	Non-Lead								*Tier 5*		
3522	*2813*	*SEASIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/26/2005*	Non-Lead								*Tier 5*		
3523	*2561*	*REPSDORPH RD*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead				*Multiple Family Residence*				*Tier 5*		
3524	*2561*	*REPSDORPH RD*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead				*Multiple Family Residence*				*Tier 5*		
3525	*2102 TODVILLE RD #12*	*TODVILLE RD #12*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/29/1997*	Non-Lead								*Tier 5*		
3526	*1701*	*BIMINI WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1967 (HCAD)*	Non-Lead								*Tier 5*		
3527	*908*	*W FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*3/3/2015*	Non-Lead								*Tier 5*		
3528	*2802*	*LARRABEE ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/22/2020*	Non-Lead				*Multiple Family Residence*				*Tier 5*		
3529	*1106*	*BAY SKY WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/27/2001*	Non-Lead								*Tier 5*		
3530	*2722*	*MOSS CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/23/1992*	Non-Lead								*Tier 5*		
3531	*2521*	*DU LAC TRACE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/3/1998*	Non-Lead								*Tier 5*		
3532	*2601*	*SEASHORE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1995 (HCAD)*	Non-Lead								*Tier 5*		
3533	*2645*	*DRIFT WOOD LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/10/2005*	Non-Lead								*Tier 5*		
3534	*910*	*BAYPORT BLVD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1965 (HCAD)*	Non-Lead				*Building*				*Tier 5*		
3535	*2013*	*TODVILLE RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1977 (HCAD)*	Non-Lead								*Tier 5*		
3536	*3006*	*TODVILLE RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/17/2009*	Non-Lead								*Tier 5*		
3537	*1601*	*BAHAMA DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1966 (HCAD)*	Non-Lead								*Tier 5*		
3538	*1705*	*CAPRI LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1968 (HCAD)*	Non-Lead								*Tier 5*		
3539	*3300*	*BAYPORT BLVD B*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*7/12/2018*	Non-Lead				*Building*				*Tier 5*		
3540	*2125*	*E WILLOWDELL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1962 (HCAD)*	Non-Lead								*Tier 5*		
3541	*1938*	*WATER'S EDGE LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/6/2001*	Non-Lead								*Tier 5*		
3542	*2537*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1985 (HCAD)*	Non-Lead							*Yes*	*Tier 5*		
3543	*2721*	*MOSS CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/29/1994*	Non-Lead								*Tier 5*		
3544	*2308*	*WATER WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/28/2004*	Non-Lead								*Tier 5*		
3545	*1836*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1964 (HCAD)*	Non-Lead								*Tier 5*		
3546	*1138*	*BAY SKY WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/12/2011*	Non-Lead								*Tier 5*		
3547	*1406*	*LAKE MIJA COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*4/9/2019*	Non-Lead								*Tier 5*		
3548	*1841*	*BIMINI WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1967 (HCAD)*	Non-Lead								*Tier 5*		
3549	*1001*	*STAPLES AVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*5/5/2022*	Non-Lead								*Tier 5*		
3550	*1409*	*MAIN ST*	*Seabrook*	*77586*				*Non-Lead*				*Galvanized*	*Before 1989*	*1930 (HCAD)*	Galvanized Requiring Replacement										
3551	*2501*	*PINE BROOK LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/2/1997*	Non-Lead								*Tier 5*		
3552	*1864*	*CAPRI LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
3553	*1426*	*CEDARBROOK*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1967 (HCAD)*	Non-Lead								*Tier 5*		
3554	*1405*	*DELABROOK*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1966 (HCAD)*	Non-Lead								*Tier 5*		
3555	*2201*	*NASSAU DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1973 (HCAD)*	Non-Lead								*Tier 5*		
3556	*2017*	*OCEAN VIEW*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1962 (HCAD)*	Non-Lead								*Tier 5*		
3557	*2005*	*WILLOW WISP*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/17/1994*	Non-Lead								*Tier 5*		
3558	*2215*	*REPSDORPH RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/19/1993*	Non-Lead				*Building*				*Tier 5*		
3559	*2820*	*SEASIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/10/2006*	Non-Lead								*Tier 5*		
3560	*1513*	*MIJA LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/1/1995*	Non-Lead								*Tier 5*		
3561	*2558*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*1/10/2022*	Non-Lead								*Tier 5*		
3562	*2305*	*PALM CIRCLE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/31/2001*	Non-Lead								*Tier 5*		
3563	*3729*	*CORAL REEF DRIVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/3/2000*	Non-Lead								*Tier 5*		
3564	*2604*	*DRIFT WOOD LAND*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/4/2004*	Non-Lead								*Tier 5*		
3565	*2018*	*OCEAN VIEW*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1976 (HCAD)*	Non-Lead								*Tier 5*		
3566	*2527*	*PELICAN DRIVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/2/2008*	Non-Lead								*Tier 5*		
3567	*942*	*MYSTIC VILLAGE LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/20/2002*	Non-Lead								*Tier 5*		
3568	*2717*	*N MEYER RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*9/1/2015*	Non-Lead								*Tier 5*		
3569	*1704*	*CAPRI LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1969 (HCAD)*	Non-Lead								*Tier 5*		
3570	*4306*	*ALBATROSS*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1977 (HCAD)*	Non-Lead								*Tier 5*		
3571	*1102*	*W FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1965 (HCAD)*	Non-Lead								*Tier 5*		
3572	*2623*	*LOGANBERRY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
3573	*2016*	*BAYPORT BLVD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/15/2006*	Non-Lead				*Building*				*Tier 5*		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Entire Service Line Material Classification[x]	Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes		Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
3574	1757	ISLANDER WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/21/1995	Non-Lead									Tier 5		
3575	2533	LAUGHING GULL CIR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/1/2009	Non-Lead									Tier 5		
3576	2209	LORD NELSON DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/24/1995	Non-Lead									Tier 5		
3577	1420	MIJA LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/15/1995	Non-Lead									Tier 5		
3578	2445	LA ROCHELLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/16/1999	Non-Lead									Tier 5		
3579	2730	CARMEL WOODS DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1989 (HCAD)	Non-Lead									Tier 5		
3580	2209	PALM BAY CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/26/2006	Non-Lead									Tier 5		
3581	4409	SHADY LAKE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/1/1993	Non-Lead									Tier 5		
3582	2530	LAUGHING GULL CIR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/2/2009	Non-Lead									Tier 5		
3583	1468	LAKE MIJA COURT	Seabrook	77586				Non-Lead				Non-Lead	After 2014		Non-Lead									Tier 5		
3584	2910	SEA CHANNEL DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/5/2005	Non-Lead									Tier 5		
3585	914	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/14/2009	Non-Lead									Tier 5		
3586	2321	MENARD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/29/2007	Non-Lead									Tier 5		
3587	540	BAYWOOD DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1984 (HCAD)	Non-Lead									Tier 5		
3588	2024	HARBOUR DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1979 (HCAD)	Non-Lead									Tier 5		
3589	2038	LAKESIDE LANDING DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/10/1995	Non-Lead									Tier 5		
3590	1914	LORI COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/27/1993	Non-Lead									Tier 5		
3591	2317	ORLEANS LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/30/2001	Non-Lead									Tier 5		
3592	1405	CEDARBROOK	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1966 (HCAD)	Non-Lead									Tier 5		
3593	1100	RED BLUFF RD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	6/7/2016	Non-Lead				Building					Tier 5		
3594	3210	SCENIC SHORE DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/11/2001	Non-Lead									Tier 5		
3595	2459	PINE BROOK CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/18/1997	Non-Lead									Tier 5		
3596	1425	BROOKWOOD CT	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1966 (HCAD)	Non-Lead									Tier 5		
3597	2038	WILLOW WISP	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1960 (HCAD)	Non-Lead									Tier 5		
3598	1405	COTTAGE COVE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/14/2001	Non-Lead									Tier 5		
3599	3810	CORAL CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/1/2003	Non-Lead									Tier 5		
3600	1845	BIMINI WAY	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead									Tier 5		
3601	2001 NASA RD 1	NASA RD 1	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/31/1998	Non-Lead				Building					Tier 5		
3602	4333	EGRET DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1991 (HCAD)	Non-Lead									Tier 5		
3603	2525	SAWYER DR	Seabrook	77586				Non-Lead				Non-Lead - Copper	Before 1989	1986 (HCAD)	Non-Lead							Yes		Tier 5		
3604	1301	N MEYER RD	Seabrook	77586				Non-Lead				Non-Lead - Plastic	Before 1989	1935 (HCAD)	Non-Lead									Tier 5		
3605	1206	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/7/2011	Non-Lead									Tier 5		
3606	716	E MEYER RD	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1966 (HCAD)	Non-Lead									Tier 5		
3607	1713	BAHAMA DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1966 (HCAD)	Non-Lead				Multiple Family Residence					Tier 5		
3608	1812	ASPEN LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead									Tier 5		
3609	1833	CAPRI LANE	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1964 (HCAD)	Non-Lead									Tier 5		
3610	1756	FLORIDA DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1968 (HCAD)	Non-Lead									Tier 5		
3611	1906	HARBOUR DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1995 (HCAD)	Non-Lead									Tier 5		
3612	2052	GLEN COVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/8/1099	Non-Lead									Tier 5		
3613	914	MYSTIC VILLAGE LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/2/2003	Non-Lead									Tier 5		
3614	1306	LAKE MIJA CT	Seabrook	77586				Non-Lead				Non-Lead	After 2014		Non-Lead									Tier 5		
3615	2430	LA ROCHELLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/3/1999	Non-Lead									Tier 5		
3616	2613	BROUSSARD COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2000 (HCAD)	Non-Lead									Tier 5		
3617	4426	SPOONBILL	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1991 (HCAD)	Non-Lead									Tier 5		
3618	1009	STAPLES AVE	Seabrook	77586				Non-Lead				Non-Lead	After 2014	2/22/2020	Non-Lead									Tier 5		
3619	913	RIPPLINGBROOK	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/31/1996	Non-Lead									Tier 5		
3620	3405	N MEYER AVE	Seabrook	77586				Non-Lead				Non-Lead	After 2014	7/6/2022	Non-Lead									Tier 5		
3621	1413	DELABROOK CT	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1964 (HCAD)	Non-Lead									Tier 5		
3622	4413	N HERON DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1976 (HCAD)	Non-Lead									Tier 5		
3623	2817	SAMS	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead									Tier 5		
3624	2657	LOGANBERRY	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1978 (HCAD)	Non-Lead									Tier 5		
3625	4136	BOARDWALK BLVD.	Seabrook	77586				Non-Lead				Non-Lead	After 2014	5/21/2015	Non-Lead									Tier 5		
3626	1910	LAKESIDE DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1979 (HCAD)	Non-Lead									Tier 5		
3627	4510	BEECHCRAFT	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1984 (HCAD)	Non-Lead									Tier 5		
3628	1913	LORI COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1995 (HCAD)	Non-Lead									Tier 5		
3629	1422	COTTAGE COVE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/17/2001	Non-Lead									Tier 5		
3630	1004	AUTUMN BROOK ST	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/19/2005	Non-Lead									Tier 5		
3631	2341	ACADIANA LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/18/2000	Non-Lead									Tier 5		
3632	2349	ORLEANS LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/17/2001	Non-Lead									Tier 5		
3633	626	BAY CLUB DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1966 (HCAD)	Non-Lead									Tier 5		
3634	1206	CAMBRIDGE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/3/1999	Non-Lead									Tier 5		
3635	2810	CARMEL WOODS DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/1/1992	Non-Lead									Tier 5		
3636	2318	PALM CIR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/1/1999	Non-Lead									Tier 5		
3637	1417	LIDSTONE	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1978 (HCAD)	Non-Lead				Building					Tier 5		
3638	1804	EL MAR LN	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1980 (HCAD)	Non-Lead									Tier 5		
3639	1141	E MEYER RD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	1/3/2017	Non-Lead									Tier 5		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Entire Service Line Material Classification[x]	Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes		Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
3640	*1809*	*BAHAMA DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1966 (HCAD)*	Non-Lead				*Multiple Family Residence*				*Tier 5*		
3641	*1881*	*ASPEN LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
3642	*1825*	*BIMINI WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
3643	*649*	*BAY CLUB DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1976 (HCAD)*	Non-Lead								*Tier 5*		
3644	*617*	*BAYWOOD DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1974 (HCAD)*	Non-Lead								*Tier 5*		
3645	*1801*	*EL MAR LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1967 (HCAD)*	Non-Lead								*Tier 5*		
3646	*1856*	*EL MAR LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1966 (HCAD)*	Non-Lead								*Tier 5*		
3647	*2206*	*WILLOWDELL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1985 (HCAD)*	Non-Lead							*Yes*	*Tier 5*		
3648	*2050*	*LAKESIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1978 (HCAD)*	Non-Lead								*Tier 5*		
3649	*2043*	*GLEN COVE DRIVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/31/1998*	Non-Lead								*Tier 5*		
3650	*4533*	*ALBATROSS*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/9/1998*	Non-Lead								*Tier 5*		
3651	*2305*	*LORD NELSON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/24/1997*	Non-Lead								*Tier 5*		
3652	*1321*	*PLYMOUTH ROCK LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/6/2001*	Non-Lead								*Tier 5*		
3653	*4305*	*PLOVER*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1990 (HCAD)*	Non-Lead								*Tier 5*		
3654	*1305*	*S HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
3655	*2609*	*LAKEWAY DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/2/1993*	Non-Lead								*Tier 5*		
3656	*2338*	*SEAMIST CIRCLE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/29/2002*	Non-Lead								*Tier 5*		
3657	*614*	*BAY VISTA DR*	*Seabrook*	*77586*				*Non-Lead*						*NO BUILDING*	Non-lead								*Tier 5*		
3658	*639*	*BAY VISTA DR*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead								*Tier 5*		
3659	*2008*	*BAYPORT BLVD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/29/1992*	Non-Lead								*Tier 5*		
3660	*1868*	*BIMINI WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
3661	*1845*	*CAPRI LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1964 (HCAD)*	Non-Lead								*Tier 5*		
3662	*1414*	*BROOKWOOD CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1966 (HCAD)*	Non-Lead								*Tier 5*		
3663	*1414*	*CEDARBROOK*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/9/1994*	Non-Lead								*Tier 5*		
3664	*4301*	*N HERON DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1977 (HCAD)*	Non-Lead								*Tier 5*		
3665	*4506*	*S FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1975 (HCAD)*	Non-Lead								*Tier 5*		
3666	*4132*	*BOARDWALK BLVD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*5/21/2015*	Non-Lead								*Tier 5*		
3667	*1821*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead								*Tier 5*		
3668	*3720 NASA RD 1*	*NASA RD 1*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead				*Building*				*Tier 5*		
3669	*2545*	*BLUE HERON CIRCLE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/21/2009*	Non-Lead								*Tier 5*		
3670	*1042*	*BAY SKY WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/29/2012*	Non-Lead								*Tier 5*		
3671	*1418*	*LAKE MIJA COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*2/27/2019*	Non-Lead								*Tier 5*		
3672	*2413*	*ORLEANS LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/19/2000*	Non-Lead								*Tier 5*		
3673	*2006*	*HARBOUR COVE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/8/1995*	Non-Lead								*Tier 5*		
3674	*1925*	*LORI COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/19/1995*	Non-Lead								*Tier 5*		
3675	*2528*	*SAWYER DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/9/1993*	Non-Lead								*Tier 5*		
3676	*2313*	*PIN HOOK CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1992 (HCAD)*	Non-Lead								*Tier 5*		
3677	*1729*	*CAPRI LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1969 (HCAD)*	Non-Lead								*Tier 5*		
3678	*1202*	*W FLAMINGO DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1968 (HCAD)*	Non-Lead								*Tier 5*		
3679	*1820*	*DOLPHIN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1964 (HCAD)*	Non-Lead								*Tier 5*		
3680	*1732*	*BAYWAY DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*2/7/2017*	Non-Lead								*Tier 5*		
3681	*1834*	*LAKESIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/17/2004*	Non-Lead								*Tier 5*		
3682	*1313*	*LAKE MIJA COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*2017 (HCAD)*	Non-Lead								*Tier 5*		
3683	*2625*	*BAY SHORE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/7/2005*	Non-Lead								*Tier 5*		
3684	*2409*	*MENARD AVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Copper*	*Before 1989*	*1983 (HCAD)*	Non-Lead							*Yes*	*Tier 5*		
3685	*609*	*BAY VISTA DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/2/1992*	Non-Lead								*Tier 5*		
3686	*2014*	*4 TH ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1966 (HCAD)*	Non-Lead				*Building*				*Tier 5*		
3687	*4521*	*ALLEGRO*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1988 (HCAD)*	Non-Lead								*Tier 5*		
3688	*4310*	*SPOONBILL*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1991 (HCAD)*	Non-Lead								*Tier 5*		
3689	*1101*	*4 TH ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*2019 (HCAD)*	Non-Lead								*Tier 5*		
3690	*1214*	*TODVILLE RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/24/1992*	Non-Lead								*Tier 5*		
3691	*1713*	*BIMINI WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1969 (HCAD)*	Non-Lead								*Tier 5*		
3692	*1832*	*BIMINI WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1968 (HCAD)*	Non-Lead								*Tier 5*		
3693	*1876*	*CAPRI LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/3/1995*	Non-Lead								*Tier 5*		
3694	*1942*	*BAYVIEW*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1975 (HCAD)*	Non-Lead								*Tier 5*		
3695	*4112*	*BOARDWALK BLVD.*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*6/23/2015*	Non-Lead								*Tier 5*		
3696	*1737*	*EL MAR LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1967 (HCAD)*	Non-Lead				*Multiple Family Residence*				*Tier 5*		
3697	*1317*	*LAKE MIJA COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*10/25/2018*	Non-Lead								*Tier 5*		
3698	*2333*	*ACADIANA LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*11/9/2000*	Non-Lead								*Tier 5*		
3699	*5803 OLD HWY 146*	*OLD HWY 146*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*4/5/2022*	Non-Lead				*Building*				*Tier 5*		
3700	*5803 OLD HWY 146*	*OLD HWY 146*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*4/5/2022*	Non-Lead				*Building*				*Tier 5*		
3701	*5803 OLD HWY 146*	*OLD HWY 146*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*4/5/2022*	Non-Lead				*Building*				*Tier 5*		
3702	*3300*	*BAYPORT BLVD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*7/12/2018*	Non-Lead				*Building*				*Tier 5*		
3703	*1506*	*TODVILLE RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/11/2011*	Non-Lead								*Tier 5*		
3704	*2024*	*GLEN COVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/19/1999*	Non-Lead								*Tier 5*		
3705	*2534*	*PELICAN DRIVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/21/2007*	Non-Lead								*Tier 5*		
3706	*1921*	*HARBOUR COVE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/6/1994*	Non-Lead								*Tier 5*		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion				Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
3707	*1510*	*PARK DRIVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/9/2001*	Non-Lead								*Tier 5*		
3708	*2807*	*CARMEL WOODS DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/5/1993*	Non-Lead								*Tier 5*		
3709	*3418*	*OCEAN RIDGE CIR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/5/2005*	Non-Lead								*Tier 5*		
3710	*1333*	*N MEYER RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*5/22/2015*	Non-Lead								*Tier 5*		
3711	*1202*	*HARDESTY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/8/2007*	Non-Lead								*Tier 5*		
3712	*3299.5*	*LAKESIDE*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead								*Tier 5*		
3713	*3299*	*LAKESIDE DRIVE*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead								*Tier 5*		
3714	*1802*	*MAIN STREET*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead				*Building*				*Tier 5*		
3715	*1609*	*1 ST ST*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead				*Building*				*Tier 5*		
3716	*1506*	*1 ST ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1963 (HCAD)*	Non-Lead				*Multiple Family Residence*				*Tier 5*		
3717	*1501*	*ASHLEY CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*5/23/2022*	Non-Lead								*Tier 5*		
3718	*1505*	*ASHLEY CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*5/23/2022*	Non-Lead								*Tier 5*		
3719	*1509*	*ASHLEY CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*3/28/2022*	Non-Lead								*Tier 5*		
3720	*1513*	*ASHLEY CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*3/28/2022*	Non-Lead								*Tier 5*		
3721	*1206*	*HARDESTY ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/24/2008*	Non-Lead								*Tier 5*		
3722	*1202*	*MAIN ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*7/19/2021*	Non-Lead								*Tier 5*		
3723	*1110*	*STAPLES AVENUE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/12/2011*	Non-Lead								*Tier 5*		
3724	*1109*	*STAPLES*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead				*Building*				*Tier 5*		
3725	*1010*	*3 RD ST*	*Seabrook*	*77586*				*Non-Lead*				*Galvanized*	*Before 1989*	*1963 (HCAD)*	Galvanized Requiring Replacement										
3726	*1003*	*STAPLES AVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*12/30/2021*	Non-Lead								*Tier 5*		
3727	*1002*	*GRUNEWALD AVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*1/25/2017*	Non-Lead								*Tier 5*		
3728	*1010*	*5 TH ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*2021 (HCAD)*	Non-Lead								*Tier 5*		
3729	*821*	*STAPLES*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*5/5/2016*	Non-Lead				*Multiple Family Residence*				*Tier 5*		
3730	*906*	*BRYAN B*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1990 (HCAD)*	Non-Lead								*Tier 5*		
3731	*1201*	*HALL ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/8/2007*	Non-Lead								*Tier 5*		
3732	*814*	*HALL AVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/31/2007*	Non-Lead								*Tier 5*		
3733	*810*	*HARDESTY*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead				*Building*				*Tier 5*		
3734	*1501*	*MAIN STREET*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*12/15/2017*	Non-Lead								*Tier 5*		
3735	*1003*	*GRUNEWALD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/13/2001*	Non-Lead								*Tier 5*		
3736	*1305*	*MAIN STREET*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1930 (HCAD)*	Non-Lead								*Tier 5*		
3737	*1322*	*HARBOURTOWN CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*3/28/2022*	Non-Lead								*Tier 5*		
3738	*1326*	*HARBOURTOWN CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*3/29/2022*	Non-Lead								*Tier 5*		
3739	*1330*	*HARBOURTOWN CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*6/3/2022*	Non-Lead								*Tier 5*		
3740	*1334*	*HARBOURTOWN CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*1/26/2022*	Non-Lead								*Tier 5*		
3741	*1338*	*HARBOURTOWN CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*6/6/2022*	Non-Lead								*Tier 5*		
3742	*1342*	*HARBOURTOWN CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*6/3/2022*	Non-Lead								*Tier 5*		
3743	*1301*	*SEABROOK VILLAGE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*5/23/2022*	Non-Lead								*Tier 5*		
3744	*1305*	*SEABROOK VILLAGE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*6/15/2022*	Non-Lead								*Tier 5*		
3745	*1309*	*SEABROOK VILLAGE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*6/15/2022*	Non-Lead								*Tier 5*		
3746	*1313*	*SEABROOK VILLAGE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*5/23/2022*	Non-Lead								*Tier 5*		
3747	*1321*	*SEABROOK VILLAGE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*1/26/2022*	Non-Lead								*Tier 5*		
3748	*1018*	*TODVILLE RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1980 (HCAD)*	Non-Lead				*Multiple Family Residence*				*Tier 5*		
3749	*730*	*TODVILLE RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/2/1997*	Non-Lead								*Tier 5*		
3750	*400*	*WATERFRONT DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/8/2011*	Non-Lead				*Building*				*Tier 5*		
3751	*510*	*WATERFRONT DR A*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/8/2009*	Non-Lead				*Building*				*Tier 5*		
3752	*510*	*WATERFRONT DR B*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/8/2009*	Non-Lead				*Building*				*Tier 5*		
3753	*409*	*TODVILLE RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1986 (HCAD)*	Non-Lead				*Building*				*Tier 5*		
3754	*805*	*TODVILLE RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/16/2003*	Non-Lead								*Tier 5*		
3755	*809*	*TODVILLE RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*4/12/2022*	Non-Lead								*Tier 5*		
3756	*813*	*TODVILLE RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*6/17/2022*	Non-Lead								*Tier 5*		
3757	*1817*	*TODVILLE RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*7/26/2022*	Non-Lead								*Tier 5*		
3758	*1913*	*TODVILLE RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*10/18/2021*	Non-Lead								*Tier 5*		
3759	*1917*	*TODVILLE RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*6/9/2021*	Non-Lead								*Tier 5*		
3760	*901*	*HESTER ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*3/22/2021*	Non-Lead								*Tier 5*		
3761	*1010*	*MILBY ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/14/1998*	Non-Lead								*Tier 5*		
3762	*1010*	*MILBY ST A*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/14/1998*	Non-Lead								*Tier 5*		
3763	*1010*	*MILBY ST B*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/14/1998*	Non-Lead								*Tier 5*		
3764	*3029*	*TODVILLE RD*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead								*Tier 5*		
3765	*3305*	*TODVILLE RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/25/1994*	Non-Lead								*Tier 5*		
3766	*909*	*E MEYER RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1975 (HCAD)*	Non-Lead								*Tier 5*		
3767	*1101*	*RIPPLINGBROOK*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead				*Building*				*Tier 5*		
3768	*2705*	*N MEYER RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*9/17/2015*	Non-Lead								*Tier 5*		
3769	*3409*	*N MEYER AVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*6/16/2021*	Non-Lead								*Tier 5*		
3770	*3605*	*N MEYER AVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/17/2009*	Non-Lead								*Tier 5*		
3771	*2713*	*TODVILLE RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2004 (HCAD)*	Non-Lead								*Tier 5*		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion				Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
3772	3915	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/29/1993	Non-Lead								Tier 5		
3773	4452	TODVILLE RD	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead								Tier 5		
3774	601	QUINTANA ROO PL	Seabrook	77586				Non-Lead				Non-Lead - Copper	Between 1989 and 2014	1989 (HCAD)	Non-Lead							Yes	Tier 5		
3775	633	QUINTANA ROO PL	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/10/2009	Non-Lead				Multiple Family Residence				Tier 5		
3776	4014	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1950 (HCAD)	Non-Lead								Tier 5		
3777	601	BRADLEY ST	Seabrook	77586				Non-Lead				Non-Lead	After 2014	8/4/2015	Non-Lead								Tier 5		
3778	550	E MEYER RD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	4/12/2021	Non-Lead								Tier 5		
3779	546	E MEYER RD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	12/16/2021	Non-Lead								Tier 5		
3780	514	VILLA DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/8/2006	Non-Lead								Tier 5		
3781	513	VILLA DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/7/2006	Non-Lead								Tier 5		
3782	517	VILLA DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/7/2003	Non-Lead								Tier 5		
3783	522	VILLA DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/22/2001	Non-Lead								Tier 5		
3784	526	VILLA DRIVE	Seabrook	77586				Non-Lead				Non-Lead	After 2014	11/1/2017	Non-Lead								Tier 5		
3785	622	BAY VISTA DR	Seabrook	77586				Non-Lead						NO BUILDING	Non-lead								Tier 5		
3786	525	VILLA DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/15/2002	Non-Lead								Tier 5		
3787	529	VILLA DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/24/2005	Non-Lead								Tier 5		
3788	530	VILLA DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/7/2003	Non-Lead								Tier 5		
3789	533	VILLA DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/5/2009	Non-Lead								Tier 5		
3790	538	VILLA DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/12/2005	Non-Lead								Tier 5		
3791	542	VILLA DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/5/2002	Non-Lead								Tier 5		
3792	541	VILLA DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/29/2003	Non-Lead								Tier 5		
3793	545	VILLA DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/14/2004	Non-Lead								Tier 5		
3794	3312.5	TODVILLE RD	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		
3795	605	BAY VISTA DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/30/2014	Non-Lead								Tier 5		
3796	621	BAY VISTA DR	Seabrook	77586				Non-Lead						NO BUILDING	Non-lead								Tier 5		
3797	629	BAY VISTA DR	Seabrook	77586				Non-Lead				Non-Lead - Copper	Between 1989 and 2014	11/21/1994	Non-Lead							Yes	Tier 5		
3798	3010	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/25/2009	Non-Lead								Tier 5		
3799	2818	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	"2010"	Non-Lead								Tier 5		
3800	2819	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/9/2001	Non-Lead								Tier 5		
3801	2102 TODVILLE RD #8	TODVILLE RD #8	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/29/1997	Non-Lead								Tier 5		
3802	2220	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/3/2010	Non-Lead								Tier 5		
3803	2002	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/19/1996	Non-Lead								Tier 5		
3804	1922	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/20/2004	Non-Lead								Tier 5		
3805	1800	TODVILLE	Seabrook	77586				Non-Lead				Non-Lead	After 2014	11/9/2020	Non-Lead								Tier 5		
3806	1718	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/8/2012	Non-Lead								Tier 5		
3807	1706	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/28/2007	Non-Lead								Tier 5		
3808	1702	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/10/2014	Non-Lead								Tier 5		
3809	1618	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	9/5/2019	Non-Lead								Tier 5		
3810	1606	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/22/2009	Non-Lead								Tier 5		
3811	1514	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	3/1/2021	Non-Lead								Tier 5		
3812	1318	TODVILLE RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/9/2009	Non-Lead								Tier 5		
3813	713	E MEYER RD	Seabrook	77586				Non-Lead						NO BUILDING	Non-lead								Tier 5		
3814	1600	BAYPORT BLVD	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		
3815	1740	CAPRI LANE	Seabrook	77586				Non-Lead					Before 1989	1973 (HCAD)	Non-lead								Tier 5		
3816	1426	DELABROOK	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/21/1995	Non-Lead								Tier 5		
3817	1805	MEYER RD	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/10/1996	Non-Lead								Tier 5		
3818	570	SURF OAKS	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1989 (HCAD)	Non-Lead								Tier 5		
3819	578	SURF OAKS	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/16/1993	Non-Lead								Tier 5		
3820	566	SURF OAKS	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1990 (HCAD)	Non-Lead								Tier 5		
3821	550	SURF OAKS	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/10/1992	Non-Lead								Tier 5		
3822	536	SURF OAKS	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/23/2010	Non-Lead								Tier 5		
3823	506	SURF OAKS	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/8/2006	Non-Lead								Tier 5		
3824	1002	W FLAMINGO DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1965 (HCAD)	Non-Lead								Tier 5		
3825	4610	S FLAMINGO DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/22/2004	Non-Lead								Tier 5		
3826	4718	HAMBLEN CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/13/2006	Non-Lead								Tier 5		
3827	606	BAY CLUB DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1963 (HCAD)	Non-Lead								Tier 5		
3828	4601	HAMBLEN CT	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1975 (HCAD)	Non-Lead								Tier 5		
3829	4514	THARP	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/28/1994	Non-Lead				Multiple Family Residence				Tier 5		
3830	4522	THARP	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/6/2018	Non-Lead								Tier 5		
3831	4510	THARP	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/20/1997	Non-Lead								Tier 5		
3832	731	BAYWOOD DR.	Seabrook	77586				Non-Lead				Non-Lead	After 2014	12/29/2020	Non-Lead								Tier 5		
3833	727	BAYWOOD DR	Seabrook	77586				Non-Lead				Non-Lead	After 2014	1/22/2021	Non-Lead								Tier 5		
3834	723	BAYWOOD DR	Seabrook	77586				Non-Lead				Non-Lead	After 2014	3/14/2022	Non-Lead								Tier 5		
3835	713	BAYWOOD DR	Seabrook	77586				Non-Lead				Non-Lead	After 2014	5/13/2022	Non-Lead								Tier 5		
3836	409	BAYWOOD DR	Seabrook	77586				Non-Lead				Non-Lead	After 2014	3/15/2017	Non-Lead								Tier 5		
3837	1900	BAYVIEW	Seabrook	77586				Non-Lead				Non-Lead - Copper	Before 1989	1983 (HCAD)	Non-Lead							Yes	Tier 5		
3838	4626	PARK DR	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead								Tier 5		
3839	4618	PARK DR	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead								Tier 5		
3840	4610	PARK DR	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead								Tier 5		
3841	1956	BAYVIEW DR	Seabrook	77586				Non-Lead				Non-Lead	Before 1989	1973 (HCAD)	Non-Lead								Tier 5		
3842	5735	BAYPORT BLVD B	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/1/2008	Non-Lead				Building				Tier 5		
3843	5745	BAYPORT BLVD B	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/1/2008	Non-Lead				Building				Tier 5		
3844	5755	BAYPORT BLVD B	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/2/2008	Non-Lead				Building				Tier 5		
3845	1921	RED BLUFF RD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	11/15/2021	Non-Lead								Tier 5		
3846	2551	LOGANBERRY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/18/2004	Non-Lead								Tier 5		
3847	2565	LOGANBERRY CR	Seabrook	77586				Non-Lead				Non-Lead	After 2014	7/21/2021	Non-Lead								Tier 5		
3848	2554	LOGANBERRY CI	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1989 (HCAD)	Non-Lead								Tier 5		
3849	2708	SAMS	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/15/1994	Non-Lead								Tier 5		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Entire Service Line Material Classification[x]	Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering				Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes		Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
3850	*2646*	*LOGANBERRY CIR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/29/1999*	Non-Lead								*Tier 5*		
3851	*4102*	*BOARDWALK BLVD.*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/18/2010*	Non-Lead								*Tier 5*		
3852	*4104*	*BOARDWALK BLVD.*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/4/2009*	Non-Lead								*Tier 5*		
3853	*1929*	*MARVIN CIRCLE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/20/1999*	Non-Lead								*Tier 5*		
3854	*2140*	*BAYPORT BLVD*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead				*Building*				*Tier 5*		
3855	*1902*	*EL MAR LN*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead				*Building*				*Tier 5*		
3856	*2800*	*BAYPORT BLVD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*2019 (HCAD)*	Non-Lead				*Building*				*Tier 5*		
3857	*3400*	*BAYPORT BLVD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1997 (HCAD)*	Non-Lead				*Building*				*Tier 5*		
3858	*3400*	*BAYPORT BLVD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1997 (HCAD)*	Non-Lead				*Building*				*Tier 5*		
3859	*1701*	*BAYPORT BLVD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead - Plastic*	*Before 1989*	*1961 (HCAD)*	Non-Lead								*Tier 5*		
3860	*1769*	*EL MAR LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1967 (HCAD)*	Non-Lead				*Multiple Family Residence*				*Tier 5*		
3861	*1728*	*BAYWAY DR*	*Seabrook*	*77586*				*Non-Lead*						*????*	Non-lead								*Tier 5*		
3862	*1867*	*FLORIDA DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1960 (HCAD)*	Non-Lead				*Multiple Family Residence*				*Tier 5*		
3863	*1865*	*FLORIDA DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1960 (HCAD)*	Non-Lead				*Multiple Family Residence*				*Tier 5*		
3864	*1769*	*ISLANDER WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1969 (HCAD)*	Non-Lead								*Tier 5*		
3865	*1765*	*ISLANDER WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1969 (HCAD)*	Non-Lead								*Tier 5*		
3866	*2324*	*NASSAU DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1968 (HCAD)*	Non-Lead								*Tier 5*		
3867	*2109*	*SEABROOK CIR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/20/2004*	Non-Lead				*Building*				*Tier 5*		
3868	*2114*	*SEABROOK CIR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/16/2005*	Non-Lead				*Building*				*Tier 5*		
3869	*2110*	*SEABROOK CIR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/7/2007*	Non-Lead				*Building*				*Tier 5*		
3870	*2106*	*SEABROOK CIR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/16/2004*	Non-Lead				*Building*				*Tier 5*		
3871	*2338*	*E NASA PKWY B*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/21/2007*	Non-Lead				*Building*				*Tier 5*		
3872	*2300 NASA RD 1*	*NASA RD 1*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1975 (HCAD)*	Non-Lead				*Building*				*Tier 5*		
3873	*2001*	*OCEAN VIEW*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*10/5/2018*	Non-Lead								*Tier 5*		
3874	*2013*	*OCEAN VIEW*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1962 (HCAD)*	Non-Lead								*Tier 5*		
3875	*2018*	*WILLOW WISP*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1959 (HCAD)*	Non-Lead								*Tier 5*		
3876	*2044*	*LAKESIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1978 (HCAD)*	Non-Lead								*Tier 5*		
3877	*2041*	*LAKESIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/11/2001*	Non-Lead								*Tier 5*		
3878	*2057*	*LAKESIDE DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/14/2000*	Non-Lead								*Tier 5*		
3879	*2053*	*LAKESIDE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/12/1998*	Non-Lead								*Tier 5*		
3880	*2045*	*LAKESIDE DRIVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/29/1999*	Non-Lead								*Tier 5*		
3881	*1914*	*LARRABEE ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead				*Multiple Family Residence*				*Tier 5*		
3882	*2710*	*E NASA PKWY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/21/2011*	Non-Lead				*Building*				*Tier 5*		
3883	*2900 1/2 NASA RD 1*	*NASA RD 1*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/15/2004*	Non-Lead				*Building*				*Tier 5*		
3884	*3100 NASA RD 1*	*NASA RD 1*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1985 (HCAD)*	Non-Lead								*Tier 5*		
3885	*1940*	*REPSDORPH*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/29/1992*	Non-Lead				*Building*				*Tier 5*		
3886	*2226*	*REPSDORPH RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*9/10/2020*	Non-Lead				*Building*				*Tier 5*		
3887	*2226*	*REPSDORPH RD*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*9/10/2020*	Non-Lead				*Building*				*Tier 5*		
3888	*2230*	*REPSDORPH*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/24/2017*	Non-Lead				*Building*				*Tier 5*		
3889	*2230*	*REPSDORPH*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/24/2017*	Non-Lead				*Building*				*Tier 5*		
3890	*2582*	*REPSDORPH*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/26/2005*	Non-Lead								*Tier 5*		
3891	*2528*	*REPSDORPH*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead								*Tier 5*		
3892	*2443*	*LAKEWOOD POINTE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/5/2004*	Non-Lead								*Tier 5*		
3893	*2447*	*LAKEWOOD POINTE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/5/2004*	Non-Lead								*Tier 5*		
3894	*2451*	*LAKEWOOD POINTE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/5/2004*	Non-Lead								*Tier 5*		
3895	*3324 NASA RD 1*	*NASA RD 1*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/30/2014*	Non-Lead				*Building*				*Tier 5*		
3896	*3636 NASA RD 1*	*NASA RD 1*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/1/2003*	Non-Lead				*Building*				*Tier 5*		
3897	*3329 NASA RD 1*	*NASA RD 1 -*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead								*Tier 5*		
3898	*2926*	*SEARGENT ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*3/16/2022*	Non-Lead								*Tier 5*		
3899	*3005*	*SEARGENT ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/24/2005*	Non-Lead								*Tier 5*		
3900	*3003*	*DOLPHIN CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*11/11/1995*	Non-Lead								*Tier 5*		
3901	*3009*	*B SEARGENT ST*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/1/2003*	Non-Lead								*Tier 5*		
3902	*3007*	*DOLPHIN CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/2/1995*	Non-Lead								*Tier 5*		
3903	*3019*	*DOLPHIN CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/19/2000*	Non-Lead								*Tier 5*		
3904	*3023*	*DOLPHIN CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/24/2001*	Non-Lead								*Tier 5*		
3905	*3031*	*DOLPHIN CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/6/2006*	Non-Lead								*Tier 5*		
3906	*2825*	*E NASA PKWY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*3/9/2017*	Non-Lead				*Building*				*Tier 5*		
3907	*2801 NASA RD 1*	*NASA RD 1*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/17/2014*	Non-Lead				*Building*				*Tier 5*		
3908	*2615 NASA RD 1*	*NASA RD 1*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead								*Tier 5*		
3909	*2321 NASA RD 1*	*NASA RD 1*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*1963 (HCAD)*	Non-Lead				*Building*				*Tier 5*		
3910	*2502*	*LAKESIDE LAND D*	*Seabrook*	*77586*				*Non-Lead*						*NO LOCATION*	Non-lead				*Building*				*Tier 5*		
3911	*2046*	*LAKESIDE LANDING DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/2/2004*	Non-Lead								*Tier 5*		
3912	*2002*	*LAKESIDE LANDING DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/13/2004*	Non-Lead								*Tier 5*		
3913	*2533*	*A LAKESIDE LANDING DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/12/2002*	Non-Lead				*Building*				*Tier 5*		
3914	*2556*	*BLUE HERON CR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/10/2008*	Non-Lead								*Tier 5*		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Entire Service Line Material Classification[x]	Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes		Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
3915	2542	BLUE HERON CIRLCE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/22/2008	Non-Lead								Tier 5		
3916	2553	PELICAN DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/3/2008	Non-Lead								Tier 5		
3917	2555	PELICAN DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/2/2008	Non-Lead								Tier 5		
3918	2557	PELICAN DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	4/8/2008	Non-Lead								Tier 5		
3919	2530	PELICAN DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/11/2007	Non-Lead								Tier 5		
3920	2528	PELICAN DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/21/2007	Non-Lead								Tier 5		
3921	2526	PELICAN DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/30/2007	Non-Lead								Tier 5		
3922	4526	ALLEGRO	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1992 (HCAD)	Non-Lead								Tier 5		
3923	1832	HARBOUR CREST DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/25/1998	Non-Lead								Tier 5		
3924	3300	AQUA VISTA LANE	Seabrook	77586				Non-Lead						no location	Non-lead				Building				Tier 5		
3925	4005	TODVILLE RD	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		
3926	1954	WATER'S EDGE LANE	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		
3927	1705	GASLIGHT COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/22/1999	Non-Lead								Tier 5		
3928	1201	MYSTIC VILLAGE LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/14/2001	Non-Lead								Tier 5		
3929	1641	E MEYER AVE	Seabrook	77586				Non-Lead				Non-Lead	After 2014	2/14/2017	Non-Lead								Tier 5		
3930	1302	LAKE MIJA CT	Seabrook	77586				Non-Lead				Non-Lead	After 2014		Non-Lead								Tier 5		
3931	1402	LAKE MIJA COURT	Seabrook	77586				Non-Lead				Non-Lead	After 2014		Non-Lead								Tier 5		
3932	1454	LAKE MIJA CT	Seabrook	77586				Non-Lead				Non-Lead	After 2014		Non-Lead								Tier 5		
3933	1409	LAKE MIJA COURT	Seabrook	77586				Non-Lead				Non-Lead	After 2014	6/22/2018	Non-Lead								Tier 5		
3934	1309	LAKE MIJA CT	Seabrook	77586				Non-Lead				Non-Lead	After 2014		Non-Lead				Building				Tier 5		
3935	1527	LAKE MIJA CIR	Seabrook	77586				Non-Lead				Non-Lead	After 2014	9/16/2021	Non-Lead								Tier 5		
3936	1508	LAKE MIJA CR	Seabrook	77586				Non-Lead				Non-Lead	After 2014		Non-Lead								Tier 5		
3937	1512	LAKE MIJA CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	After 2014	4/13/2022	Non-Lead								Tier 5		
3938	1520	LAKE MIJA CR	Seabrook	77586				Non-Lead				Non-Lead	After 2014		Non-Lead								Tier 5		
3939	1528	LAKE MIJA CR	Seabrook	77586				Non-Lead				Non-Lead	After 2014		Non-Lead								Tier 5		
3940	1532	LAKE MIJA CR	Seabrook	77586				Non-Lead				Non-Lead	After 2014		Non-Lead								Tier 5		
3941	1536	LAKE MIJA CIR	Seabrook	77586				Non-Lead				Non-Lead	After 2014	6/7/2022	Non-Lead								Tier 5		
3942	1540	LAKE MIJA CR	Seabrook	77586				Non-Lead				Non-Lead	After 2014		Non-Lead								Tier 5		
3943	1544	LAKE MIJA CR	Seabrook	77586				Non-Lead				Non-Lead	After 2014		Non-Lead								Tier 5		
3944	1548	LAKE MIJA CIR	Seabrook	77586				Non-Lead				Non-Lead	After 2014		Non-Lead								Tier 5		
3945	1552	LAKE MIJA CR	Seabrook	77586				Non-Lead				Non-Lead	After 2014		Non-Lead								Tier 5		
3946	1485	LAKE MIJA COURT	Seabrook	77586				Non-Lead				Non-Lead	After 2014		Non-Lead								Tier 5		
3947	1477	LAKE MIJA COURT	Seabrook	77586				Non-Lead				Non-Lead	After 2014		Non-Lead								Tier 5		
3948	1548	MIJA PARK RD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	3/7/2023	Non-Lead								Tier 5		
3949	1618	MIJA PARK ROAD	Seabrook	77586				Non-Lead				Non-Lead	After 2014		Non-Lead								Tier 5		
3950	1609	MIJA PARK ROAD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	3/7/2023	Non-Lead								Tier 5		
3951	1605	MIJA PARK RD	Seabrook	77586				Non-Lead				Non-Lead	After 2014	10/31/2022	Non-Lead								Tier 5		
3952	1609	CAREFREE CIR	Seabrook	77586				Non-Lead				Non-Lead	After 2014	2/8/2023	Non-Lead								Tier 5		
3953	1607	FRIENDSHIP PARK CIR	Seabrook	77586				Non-Lead				Non-Lead	After 2014		Non-Lead								Tier 5		
3954	1606	FRIENDSHIP PARK CIR	Seabrook	77586				Non-Lead				Non-Lead	After 2014	9/13/2022	Non-Lead								Tier 5		
3955	1201	FRIENDSHIP TRAIL	Seabrook	77586				Non-Lead				Non-Lead	After 2014	1/24/2023	Non-Lead								Tier 5		
3956	4306	EGRET DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1991 (HCAD)	Non-Lead								Tier 5		
3957	1318	KILLDEER	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1992 (HCAD)	Non-Lead								Tier 5		
3958	4317	PLOVER	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1991 (HCAD)	Non-Lead								Tier 5		
3959	4417	PLOVER	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/24/1992	Non-Lead								Tier 5		
3960	2624	DE FOUR TRACE	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		
3961	2225	LE BEAU LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1991 (HCAD)	Non-Lead								Tier 5		
3962	2313	LAKESIDE DR	Seabrook	77586				Non-Lead						no location	Non-lead				Building				Tier 5		
3963	2300	LAKESIDE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/8/1994	Non-Lead				Building				Tier 5		
3964	2408	GUILBEAU LANE	Seabrook	77586				Non-Lead						no location	Non-lead				Building				Tier 5		
3965	2609	ORLEANS DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/29/1993	Non-Lead								Tier 5		
3966	2513	LAKESIDE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/18/1995	Non-Lead								Tier 5		
3967	2562	ACADIANA LN	Seabrook	77586				Non-Lead						no location	Non-lead								Tier 5		
3968	2513	GUILBEAU LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/4/1998	Non-Lead								Tier 5		
3969	2522	LA ROCHELLE CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/29/1998	Non-Lead								Tier 5		
3970	2357	ACADIANA LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/21/1999	Non-Lead								Tier 5		
3971	2330	ACADIANA LN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/28/2004	Non-Lead								Tier 5		
3972	2513	BREAUX TRACE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/4/2001	Non-Lead								Tier 5		
3973	2509	BREAUX TRACE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/10/9/1998	Non-Lead								Tier 5		
3974	2550	DU LAC TRACE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/29/2003	Non-Lead								Tier 5		
3975	2217	WATER WAY	Seabrook	77586				Non-Lead				Non-Lead	After 2014	11/22/2016	Non-Lead								Tier 5		
3976	2302	LAKE COVE CIRCLE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/29/2005	Non-Lead								Tier 5		
3977	2310	LAKE COVE CIRCLE	Seabrook	77586				Non-Lead						NO LOCATION	Non-lead				Building				Tier 5		
3978	2260	LAKE COVE WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/30/2005	Non-Lead								Tier 5		
3979	2256	LAKE COVE WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/29/2005	Non-Lead								Tier 5		
3980	2252	LAKE COVE WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/16/2006	Non-Lead								Tier 5		
3981	2402	CUTTER COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/19/2006	Non-Lead								Tier 5		
3982	2406	CUTTER CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/27/2006	Non-Lead								Tier 5		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Entire Service Line Material Classification[x]	Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[x]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes		Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
3983	2410	CUTTER COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/8/2006	Non-Lead									Tier 5		
3984	2414	CUTTER CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/8/2006	Non-Lead									Tier 5		
3985	2418	CUTTER COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/5/2005	Non-Lead									Tier 5		
3986	2422	CUTTER COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/7/2005	Non-Lead									Tier 5		
3987	2406	BLUE CANOE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/13/2006	Non-Lead									Tier 5		
3988	2410	BLUE CANOE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/19/2006	Non-Lead									Tier 5		
3989	2418	BLUE CANOE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/29/2005	Non-Lead									Tier 5		
3990	2422	BLUE CANOE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/9/2012	Non-Lead									Tier 5		
3991	2417	BLUE CANOE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/29/2005	Non-Lead									Tier 5		
3992	2413	BLUE CANOE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/19/2006	Non-Lead									Tier 5		
3993	2409	BLUE CANOE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2007 (HCAD)	Non-Lead									Tier 5		
3994	2405	BLUE CANOE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	3/15/2007	Non-Lead									Tier 5		
3995	2022	KETCH CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/27/2005	Non-Lead									Tier 5		
3996	2001	KETCH CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/5/2006	Non-Lead									Tier 5		
3997	2005	KETCH COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/13/2006	Non-Lead									Tier 5		
3998	2009	KETCH CT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/8/2006	Non-Lead									Tier 5		
3999	2013	KETCH COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/13/2006	Non-Lead									Tier 5		
4000	2201	LAKE COVE WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/1/2006	Non-Lead									Tier 5		
4001	2209	LAKE COVE WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/1/2006	Non-Lead									Tier 5		
4002	2213	LAKE COVE WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/1/2006	Non-Lead									Tier 5		
4003	2221	LAKE COVE WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/20/2006	Non-Lead									Tier 5		
4004	2225	LAKE COVE WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/12/2006	Non-Lead									Tier 5		
4005	2229	LAKE COVE WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/8/2006	Non-Lead									Tier 5		
4006	2233	LAKE COVE WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/12/2006	Non-Lead									Tier 5		
4007	2237	LAKE COVE WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/9/2006	Non-Lead									Tier 5		
4008	2245	LAKE COVE WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/30/2007	Non-Lead									Tier 5		
4009	2253	LAKE COVE WAY	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	10/13/2006	Non-Lead									Tier 5		
4010	2818	CARMEL WOODS DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/10/2004	Non-Lead									Tier 5		
4011	2815	SEA LEDGE DR	Seabrook	77586				Non-Lead					Before 1989	1987 (HCAD)	Non-lead									Tier 5		
4012	2727	SANDPEBBLE DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/27/2006	Non-Lead									Tier 5		
4013	4005.5	BREEZEWOOD	Seabrook	77586				Non-Lead						no location	Non-lead				Building					Tier 5		
4014	2602	HAMPTON SPRIN	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/7/1993	Non-Lead									Tier 5		
4015	4000	LAKESIDE DRIVE	Seabrook	77586				Non-Lead						no location	Non-lead				Building					Tier 5		
4016	3205	SCENIC SHORE DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/15/2000	Non-Lead									Tier 5		
4017	3109	SCENIC SHORE COURT	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	8/6/1999	Non-Lead									Tier 5		
4018	3305	ARBOR LANE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	12/18/2001	Non-Lead									Tier 5		
4019	2800	SEA CHANNEL DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/8/2005	Non-Lead									Tier 5		
4020	2802	SEA CHANNEL DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/19/2005	Non-Lead									Tier 5		
4021	2814	SEA CHANNEL DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/30/2004	Non-Lead									Tier 5		
4022	2818	SEA CHANNEL DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	11/29/2004	Non-Lead									Tier 5		
4023	2822	SEA CHANNEL DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	9/29/2004	Non-Lead									Tier 5		
4024	2830	SEA CHANNEL DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/8/2004	Non-Lead									Tier 5		
4025	2838	SEA CHANNEL DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/2/2004	Non-Lead									Tier 5		
4026	2834	SEA CHANNEL DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/2/2004	Non-Lead									Tier 5		
4027	2902	SEA CHANNEL DRIVE	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/7/2005	Non-Lead									Tier 5		
4028	2918	SEA CHANNEL DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	6/15/2005	Non-Lead									Tier 5		
4029	3026	SEA CHANNEL DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	2/28/2005	Non-Lead									Tier 5		
4030	3106	SEA CHANNEL DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	5/5/2005	Non-Lead									Tier 5		
4031	3110	SEA CHANNEL DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/29/2004	Non-Lead									Tier 5		
4032	3114	SEA CHANNEL DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	1/29/2004	Non-Lead									Tier 5		
4033	3017	SEA CHANNEL DR	Seabrook	77586				Non-Lead				Non-Lead	Between 1989 and 2014	7/11/2003	Non-Lead									Tier 5		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Entire Service Line Material Classification[x]	Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[x]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[z]	Service Line Installation Date[z]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[z]	Notes		Is there a Lead Connector?[z]	Is there Lead Solder in the Service Line?[z]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
4034	*3002*	*SEA CHANNEL DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/8/2005*	Non-Lead								*Tier 5*		
4035	*3002*	*S ISLAND DRIVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/7/2006*	Non-Lead								*Tier 5*		
4036	*3006*	*S ISLAND DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2000 (HCAD)*	Non-Lead								*Tier 5*		
4037	*3014*	*S ISLAND DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/12/2004*	Non-Lead								*Tier 5*		
4038	*3022*	*S ISLAND DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/14/2006*	Non-Lead								*Tier 5*		
4039	*3030*	*S ISLAND DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/1/2001*	Non-Lead								*Tier 5*		
4040	*3034*	*S ISLAND DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2000 (HCAD)*	Non-Lead								*Tier 5*		
4041	*3038*	*S ISLAND DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/19/2005*	Non-Lead								*Tier 5*		
4042	*3049*	*S ISLAND DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2001 (HCAD)*	Non-Lead								*Tier 5*		
4043	*3045*	*S ISLAND DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2005 (HCAD)*	Non-Lead								*Tier 5*		
4044	*3041*	*S ISLAND DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/27/2005*	Non-Lead								*Tier 5*		
4045	*3033*	*S ISLAND DRIVE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2005 (HCAD)*	Non-Lead								*Tier 5*		
4046	*3029*	*S ISLAND DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/14/2006*	Non-Lead								*Tier 5*		
4047	*3017*	*S ISLAND DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Before 1989*	*2003 (HCAD)*	Non-Lead								*Tier 5*		
4048	*3013*	*S ISLAND DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/29/2005*	Non-Lead								*Tier 5*		
4049	*2949*	*N ISLAND DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/17/2003*	Non-Lead								*Tier 5*		
4050	*2937*	*N ISLAND DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/19/2004*	Non-Lead								*Tier 5*		
4051	*2929*	*N ISLAND DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/25/2005*	Non-Lead								*Tier 5*		
4052	*2917*	*N ISLAND DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/31/2008*	Non-Lead								*Tier 5*		
4053	*2921*	*N ISLAND DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/19/2004*	Non-Lead								*Tier 5*		
4054	*2913*	*N ISLAND DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/7/2007*	Non-Lead								*Tier 5*		
4055	*2905*	*N ISLAND DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/21/2006*	Non-Lead								*Tier 5*		
4056	*2902*	*N ISLAND DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/3/2005*	Non-Lead								*Tier 5*		
4057	*2906*	*N ISLAND DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*After 2014*	*1/29/2015*	Non-Lead								*Tier 5*		
4058	*2918*	*N ISLAND DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/27/2005*	Non-Lead								*Tier 5*		
4059	*2942*	*N ISLAND DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/2/2003*	Non-Lead								*Tier 5*		
4060	*2946*	*N ISLAND DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/30/2004*	Non-Lead								*Tier 5*		
4061	*2933*	*SEA CHANNEL DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/7/2004*	Non-Lead								*Tier 5*		
4062	*2917*	*SEA CHANNEL DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/13/2005*	Non-Lead								*Tier 5*		
4063	*2909*	*SEA CHANNEL DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/1/2004*	Non-Lead								*Tier 5*		
4064	*2905*	*SEA CHANNEL DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/6/2001*	Non-Lead								*Tier 5*		
4065	*2901*	*SEA CHANNEL DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/6/2001*	Non-Lead								*Tier 5*		
4066	*2841*	*SEA CHANNEL CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/14/2006*	Non-Lead								*Tier 5*		
4067	*2837*	*SEA CHANNEL CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/27/2006*	Non-Lead								*Tier 5*		
4068	*2809*	*SEA CHANNEL DR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/10/2005*	Non-Lead								*Tier 5*		
4069	*3905*	*BREEZEWAY CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/30/2006*	Non-Lead								*Tier 5*		
4070	*3909*	*BREEZEWAY COURT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/14/2004*	Non-Lead								*Tier 5*		
4071	*3913*	*BREEZEWAY CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*7/19/2004*	Non-Lead								*Tier 5*		
4072	*3921*	*BREEZEWAY CT*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/15/2005*	Non-Lead								*Tier 5*		
4073	*2633*	*DRIFT WOOD LAND*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/28/2005*	Non-Lead								*Tier 5*		
4074	*2637*	*DRIFT WOOD LANE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/28/2005*	Non-Lead								*Tier 5*		
4075	*3409*	*OCEAN RIDGE CIR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/20/2006*	Non-Lead								*Tier 5*		
4076	*3417*	*OCEAN RIDGE CIR*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/8/2006*	Non-Lead								*Tier 5*		
4077	*3402*	*PALM BAY CIRCLE*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*6/19/2006*	Non-Lead								*Tier 5*		
4078	*2548*	*WILD OAK FOREST LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/27/2007*	Non-Lead								*Tier 5*		
4079	*2544*	*WILD OAK FOREST LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*2/26/2008*	Non-Lead								*Tier 5*		
4080	*2540*	*WILD OAK FOREST LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/19/2008*	Non-Lead								*Tier 5*		
4081	*2536*	*WILD OAK FOREST LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/12/2007*	Non-Lead								*Tier 5*		
4082	*2532*	*WILD OAK FOREST LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/15/2007*	Non-Lead								*Tier 5*		
4083	*2528*	*WILD OAK FOREST LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/31/2007*	Non-Lead								*Tier 5*		
4084	*2504*	*WILD OAK FOREST LN*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/18/2008*	Non-Lead								*Tier 5*		
4085	*3329*	*OAK DALE WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*10/16/2007*	Non-Lead								*Tier 5*		
4086	*3309*	*OAK DALE WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/3/2008*	Non-Lead								*Tier 5*		
4087	*3305*	*OAK DALE WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/23/2007*	Non-Lead								*Tier 5*		
4088	*3301*	*OAK DALE WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*5/30/2007*	Non-Lead				*Building*				*Tier 5*		
4089	*2501*	*OAK DALE WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/15/2008*	Non-Lead								*Tier 5*		
4090	*2505*	*OAK DALE WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*4/14/2008*	Non-Lead								*Tier 5*		
4091	*2521*	*OAK DALE WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/24/2007*	Non-Lead								*Tier 5*		
4092	*2525*	*OAK DALE WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*8/24/2007*	Non-Lead								*Tier 5*		
4093	*2529*	*OAK DALE WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*9/27/2007*	Non-Lead								*Tier 5*		
4094	*2533*	*OAK DALE WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/9/2007*	Non-Lead								*Tier 5*		
4095	*2537*	*OAK DALE WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/9/2007*	Non-Lead								*Tier 5*		
4096	*3304*	*OAK DALE WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*12/15/2008*	Non-Lead								*Tier 5*		
4097	*3308*	*OAK DALE WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*3/18/2008*	Non-Lead								*Tier 5*		
4098	*3312*	*OAK DALE WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/9/2007*	Non-Lead								*Tier 5*		
4099	*2536*	*OAK DALE WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/23/2007*	Non-Lead								*Tier 5*		
4100	*2532*	*OAK DALE WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/23/2007*	Non-Lead								*Tier 5*		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion				Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																								
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
4101	*2528*	*OAK DALE WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/23/2007*	Non-Lead								*Tier 5*		
4102	*2524*	*OAK DALE WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/23/2007*	Non-Lead								*Tier 5*		
4103	*2520*	*OAK DALE WAY*	*Seabrook*	*77586*				*Non-Lead*				*Non-Lead*	*Between 1989 and 2014*	*1/23/2007*	Non-Lead								*Tier 5*		
4104		*OAK DALE WAY*	*Seabrook*	*77586*				*Non-Lead*						*ADDRESS?*	Non-lead								*Tier 5*		
4105		*OAK DALE WAY*	*Seabrook*	*77586*				*Non-Lead*						*ADDRESS?*	Non-lead								*Tier 5*		
4106		*OAK DALE WAY*	*Seabrook*	*77586*				*Non-Lead*						*ADDRESS?*	Non-lead								*Tier 5*		
4107		*OAK DALE WAY*	*Seabrook*	*77586*				*Non-Lead*						*ADDRESS?*	Non-lead								*Tier 5*		
4108		*OAK DALE WAY*	*Seabrook*	*77586*				*Non-Lead*						*ADDRESS?*	Non-lead								*Tier 5*		
4109		*OAK DALE WAY*	*Seabrook*	*77586*				*Non-Lead*						*ADDRESS?*	Non-lead								*Tier 5*		
4110		*WILD OAK FOREST LN*	*Seabrook*	*77586*				*Non-Lead*						*ADDRESS?*	Non-lead								*Tier 5*		
4111		*WILD OAK FOREST LN*	*Seabrook*	*77586*				*Non-Lead*						*ADDRESS?*	Non-lead								*Tier 5*		
4112		*LAKESIDE DRIVE*	*Seabrook*	*77586*				*Non-Lead*						*ADDRESS?*	Non-lead								*Tier 5*		

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
	Location Identifier[x]																							
Unique Service Line ID	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)	System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes	Entire Service Line Material Classification[x]	Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR

Detailed Inventory

PWS Name: City of Seabrook
PWSID: TX1010062

Purpose of this worksheet: *To provide a format water systems can use to track materials for each service line in the distribution system.*

General Instructions: *Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The worksheet includes required and recommended elements; the columns with the aqua shading are required by the LCRR. The worksheet includes examples in rows 12 - 20 and is formatted for approximately 10,000 entries.*

TCEQ-20943 (Rev. 1/25/2023)

Location Information								System-Owned Portion				Customer-Owned Portion			Entire Service Line Material Classification[x]	Other Potential Sources of Lead			Additional Information to Assign Tap Monitoring Tiering					Lead Service Line Replacement	
Unique Service Line ID	Location Identifier[x]							System-Owned Portion Service Line Material Classification[x]	If Non-Lead in Column J, Was Material Ever Previously Lead?[‡]	Service Line Installation Date[‡]	Notes	Customer-Owned Portion Service Line Material Classification[x]	Service Line Installation Date[‡]	Notes		Is there a Lead Connector?[‡]	Is there Lead Solder in the Service Line?[‡]	Describe Other Fittings and Equipment Connected to the Service Line that Contain Lead	Building Type Connected to Service Line	Point-of-Entry or Point-of-Use Treatment Present?	Does the Interior Building Plumbing Contain Copper Pipes with Lead Solder Installed Before July 1, 1988?	Current LCR Sampling Site?	Sample Site Selection Criteria (Site Tier)	Date of System-owned LSLR	Date of Customer-owned LSLR
	Street Number[x]	Street Name[x]	City[x]	Zip Code[x]	Other Location Identifier[‡]	GPS Coordinate - Latitude (decimal degrees)	GPS Coordinate - Longitude (decimal degrees)																		